

METALCARRELLI®


■ ■ S I N C E 1 9 6 4 ■ ■

ALL AROUND YOUR BUSINESS



Catalogue 2018





RELIABLE

more than 50 years
of experience in the
HO.RE.CA. sector



GUARANTEED

Made in Italy quality:
we manufacture our
products with
the best materials



CATALOGUE 2018

COMPLETE

we grant you a
comprehensive service
both before and after sales



TIMELY


our products are delivered
quickly and timely to meet
all your needs

METALCARRELLI 

 S I N C E 1 9 6 4 


ALL around YOUR BUSINESS

Your international partner



We supply you
wherever you are

METALCARRELLI [®]
 S I N C E 1 9 6 4 
ALL AROUND YOUR BUSINESS




FRANCO PICCHI
C.E.O.

 picchi@metalcarrelli.com
 +39 0541 33.18.91
 +39 335 211.521 (mob.)
 picchi.metalcarrelli.com

INDEX SECTION 1

WOODEN SERVICE TROLLEYS AND WAITER'S STATIONS

	Guéridon.....	16
	Wooden service trolleys	21
	Wooden service trolleys	22
	Equipable wooden service trolleys.....	24
	Modern-style wooden service trolleys	26
	Luxury service trolleys.....	29
	Liqueur trolleys	30
	Bain-Marie trolleys	31
	Flambé trolleys	32
	Waiter's stations	34

METAL SERVICE TROLLEYS

	Stainless steel service trolleys - melamine-faced shelves	40
	Stainless steel service trolleys - wood effect steel sheet shelves.....	41
	Stainless steel clearing trolleys	42
	Stainless steel service trolleys - removable shelves	44
	Stainless steel service trolleys.....	46
	Stainless steel service trolleys with pressed shelves	48
	Stainless steel heavy-duty trolleys	51

INDEX SECTION 2

DISPLAY CASES, DISPLAY TROLLEYS, BUFFETS AND DROP-IN UNITS

	Heated display cases	56
	Refrigerated display cases	58
	Refrigerated trolleys	60
	Refrigerated self-service buffet trolleys.....	64
	Heated self-service buffet trolleys.....	68
	Mixed hot/cold self-service buffet trolleys	74
	Complementary elements for self-service buffets.....	78
	Drop-in units.....	80



NEW

Cupboard buffet trolley
with shelves on 4 sides,
in black water-repellent
MDF

INDEX SECTION 3

BREAKFAST TROLLEYS, BAIN-MARIE, REFRIGERATED AND NEUTRAL GN UNITS FOR MEAL DISTRIBUTION, REFRIGERATED TROLLEYS, DISPENSERS FOR PLATES, TRAYS AND PANS

	Breakfast trolleys	86
	Drink dispensers	88
	Bain-Marie, refrigerated and neutral GN units for meal distribution	90
	Stainless steel refrigerated trolleys	92
	Tray dispensers	93
	Plate dispensers and lowerators	94
	Stainless steel gastronorm containers, lids and dividers	96



INDEX SECTION 4

COUNTERTOP HOTPLATES, INFRARED LAMPS AND HEATED TROLLEYS

	Countertop hotplates	100
	Infrared lamps	104
	Neutral and heated display cases	106
	Countertop Bain-Marie units	107
	Bain-Marie trolleys	110
	Bain-Marie cupboard trolleys with pressed runners	118
	Bain-Marie cupboard trolleys with "C"-shaped runners	124
	Accessories and optional parts for Bain-Marie	134

INDEX SECTION 5


TABLEWARE HANDLING TROLLEYS, KNIFE STERILIZERS AND TRAY/PAN TROLLEYS

	UV knife sterilizers	138
	Plate warmer cabinets	139
	Plate stackers	140
	Plate/tray/glass trolleys	142
	Crockery and glassware draining trolleys	144
	Hanging drainers	146
	Tray/lid draining trolleys	147
	Rack stacking trolleys	148
	GN / EN tray trolleys	150
	Universal tray trolleys	156
	GN - EN tray trolleys	162
	Container trolleys	163
	Neutral tray/pan mobile cupboards	169
	Insulated heated tray/pan cupboards	170
	Neutral - insulated - heated tray/pan cupboards	174

INDEX SECTION 6


RECEPTION TROLLEYS, ROOM SERVICE TABLES AND HOUSEKEEPING TROLLEYS

	Birdcage luggage carts	188
	Luggage carts with garment rail	192
	Luggage handtruck and platform carts.....	194
	Luggage racks	196
	Posts for rope barrier systems	198
	Room service tables.....	200
	Stainless steel food warmers and trolley for food warmers.....	202
	Minibar restocking trolleys	204
	Basic chambermaid trolleys	206
	Housekeeping cupboard trolleys	212
	Linen trucks	214






INDEX SECTION 7

WASTE BINS, FAST-FOOD RUBBISH BINS, WASTE PAPER BINS, HAND WASHERS, CHANGING ROOM LOCKERS, ROLL CONTAINERS AND STORAGE SHELVING SYSTEMS

	Wheeled waste collectors and trolley wells.....	218
	Stainless steel waste bins	220
	Free-standing waste sack-holders.....	224
	Fast-food rubbish bins	225
	Recycling bins	226
	Small metal waste bins	229
	Stainless steel paper bins	230
	Ashtray top paper bins.....	235
	Umbrella stands	238
	Room paper baskets.....	239
	Hand washers	240
	Changing room lockers	242
	Roll containers.....	244
	Platform trucks.....	248
	Extensible platform trucks	251
	Hand truck.....	252
	Paper towel dispensers.....	253
	Modular shelving systems	254

SYMBOLS

	Heated wells or compartments		Suitable for Gastronorms
	Refrigerated wells or compartments		Suitable for trays
	Refrigerated and heated wells or compartments		Loading capacity: max loading capacity (total kg)
	Neutral wells or compartments		H1 Hygiene system
	Heating temperature: operating temperature range		Max plate diameter
	Refrigeration temperature: operating temperature range		Gas powered
	Electrically powered		Ventilation system for heated elements

KEY

	Walnut		Neutral
	Resilient castors/wheels for uneven floors and outdoor use		Hot
	Numbered photo or drawing		Cold
OPTIONAL	To be selected exclusively when placing the order		"C" shaped runners
ACCESSORY	Can be purchased later as well		"L" shaped runners
	Product shown on Metalcarrelli Youtube channel		Pressed runners

1) EFFECTIVENESS OF THE GENERAL SALES TERMS AND CONDITIONS: the general sales terms and conditions are deemed accepted on sending the order and finalised on acceptance of the order by Metalcarrelli s.r.l.

2) EXCEPTIONS/MODIFICATIONS: the order implies full acceptance of our current sales terms and conditions to which NO exception or modification whatsoever is permitted, unless expressly agreed in writing.

3) INDIRECT ORDERS: orders received by Metalcarrelli s.r.l. through intermediaries and/or sales agents are subordinate to the clause “subject to approval by the selling company” and the latter is therefore, free to refuse the order at its own uncontested discretion.

4) PRICES: the listed prices applicable at the time the order is placed are ex-works and net of VAT. Metalcarrelli s.r.l. reserves the right to change prices without notification should there be significant changes in the cost of raw materials, labour or any other costs whatsoever (for example, fiscal costs). However, the final price applied to the customer will be the one indicated on the order confirmation.

5) PACKAGING: in the event of shipping to the destination indicated by the customer, the material will be packed in boxes or pallets suited to the type of product. Any additional packaging will be charged to the customer and the additional price indicated on the order confirmation or in writing prior to shipment.

6) TRANSPORT: goods travel at the sole risk of the customer, even if sold free port. Therefore, it is the recipient's responsibility to check the state of the material at the time of delivery.

7) COMPLAINTS: in the event of any loss and/or damage to shipments the customer must send any complaints to Metalcarrelli s.r.l. within 24 hours of delivery in writing by registered letter with return receipt, to be forwarded in advance by fax or certified email.

The guarantee is only valid if any damage is communicated within the timescale and using the methods described above, as well as following the below procedure: the customer/recipient should indicate the words “box not intact, goods accepted unchecked” on the transport document, accompanying invoice and/or delivery note, giving a brief description of the damage. Damaged goods should be kept in their original packaging and made available to Metalcarrelli s.r.l. for the appropriate checks.

Metalcarrelli s.r.l. will not accept any responsibility whatsoever in the event of failure to comply with the above procedure.

8) DELIVERY TERMS: the delivery terms indicated on the order confirmation are merely indicative. Any delays do not constitute a reason for waiving the purchase or modifying the agreements specified on the order and in no case whatsoever do they constitute a reason for compensation and/or claim for damages against Metalcarrelli s.r.l.

9) GUARANTEE: the producer guarantees the goods for 12 months from the date of purchase. The guarantee is valid for faults due to the materials or processing, whilst electrical parts (resistors, thermostats, compressors, lamps, switches, etc.) and all materials subject to wear and tear (wheels, brushes, etc.) are excluded.

9a) Procedure for activating the guarantee: any products considered faulty must be carefully packed in their original packaging and returned to Metalcarrelli s.r.l. free port. Any intervention under guarantee will be carried out exclusively at our offices in Bellaria I.M. (RN), Italy and repaired or replaced material will be returned to the customer at no further cost. Any complaints and/or objections must be communicated no more than 8 (eight) days of the fault and/or defect being detected and in any case, within 12 months of delivery.

10) CERTIFICATION: Metalcarrelli s.r.l. declares that the products illustrated in the catalogue comply with all European legislation applicable at the time of the order.

11) RETURNS: Metalcarrelli s.r.l. will not accept either total or partial returns of goods sent to the customer, unless this is agreed in advance in writing by the parties. Acceptance of returns is at the uncontested discretion of Metalcarrelli s.r.l. In the event of a return being accepted, goods should be returned intact and unused, in their original packaging, at the sole expense and responsibility of the customer. In no case whatsoever will stainless steel items be accepted for returns if the protection has been removed. Likewise, special made-to-measure items cannot be returned.

12) PAYMENTS: payments will not be valid unless made directly to Metalcarrelli s.r.l., either by bank transfer or cheque. In the event of payment being made to a person appointed by Metalcarrelli s.r.l., the said payment will only be deemed paid in full if the receipt is accompanied by a copy of the standard written authorisation by the company to its appointee. Any delays in payments as well as any other contractual breaches will lead to suspension of future supplies.

12a) interest on arrears: it is the faculty of the producer to apply commercial interest on arrears. In the event of any controversy, the purchaser does not have the right to delay or refuse to pay for supplies.

13) TITLE RETENTION: sales with deferred payment are considered fulfilled with retention of title – TITLE RETENTION – in favour of the producer until the full balance has been paid. In the event, the customer cannot transfer goods until the balance payment has been made and failure to meet even a single deadline will imply the immediate return of goods if requested by Metalcarrelli s.r.l.

14) COMPETENT COURT: in the event of any controversy regarding the fulfilment and/or interpretation of the order, acceptance of the same and/or the present clauses the parties agree that the only competent court will be the Court of Rimini.

15) INDICATIONS GIVEN IN THE CATALOGUE: the producer reserves the right to modify, at any time and without notification, the dimensions and execution of the products listed in the present catalogue. The illustrations, photographs and descriptions in the catalogue applicable at the time of acceptance of the order should be considered general indications, however they do not constitute a restriction and may not correspond to the effective shape and structure of the products.

16) DRAWINGS AND ILLUSTRATIONS: the various drawings and illustrations indicated by the producer along with the supply offer or contract, as well as those in the catalogue, are reserved for Metalcarrelli s.r.l. and are the sole property of the same.

17) BRANDS AND PATENTS: it is expressly forbidden to use brands and/or patents registered by Metalcarrelli s.r.l.

The present catalogue cancels and replaces all previous ones. The images and product specifications contained herein are covered by copyright. Any use or reproduction of the same are subject to authorisation by Metalcarrelli S.r.l., which owns the brand and holds material and intellectual property rights. Prices may be subject to change in the event of printing errors.

EXTREME STRENGTH

metalcarrelli.com

1542PV - pag. 53

Sturdy: reinforced structure and shelves.

Quality: AISI 304 corrosion-resistant.

Versatile: heavy transport up to 500 kg; tray-shaped shelves prevent small objects from falling.

Easy to handle: pushing handle and swivel castors.

METALCARRELLI 
SINCE 1964

ALL AROUND YOUR BUSINESS

1

SERVICE TROLLEYS AND WAITER'S STATIONS

METALCARRELLI 
SINCE 1964



GUÉRIDON

- Stainless steel square tube frame
- Melamine-faced shelves
- Top shelf fitted with all round rubber bumper
- Swivel castors, ø 9.5 cm



Cherry wood



Wengé



Art. 1095I



Art. 1095IW

Article	€	Finish	Shelves	Max dim. cm
1095I	186,00	Cherry wood	2	71x46x80 h
1095IW	186,00	Wengé		

Optional	€	📷	Description	Suitable for
F	9,00	1	Set with 2 braked castors	All articles
E	166,00	2	Set with 4 resilient castors, 2 with brake	



- Chrome-plated steel round tube frame
- Melamine-faced shelves
- Top shelf fitted with all round rubber bumper
- Swivel castors, ø 9.5 cm



Art. 1095CW



Art. 1095CN-F



Art. 1095C

Article	€	Finish	Shelves	Max dim. cm	
1095C	254,00	Cherry wood	2	71x46x78 h	
1095CW	254,00	Wengé			
1095CN	263,00	Black			
Optional	€	📷	Description	Suitable for	
F	9,00	1	Set with 2 braked castors	All articles	 1
E	166,00	2	Set with 4 resilient castors, 2 with brake		 2

GUÉRIDON

- Brass-plated or black round tube frame
- Melamine-faced shelves
- Top shelf fitted with all round rubber bumper
- Swivel castors, ø 9.5 cm



Art. 1080

Cherry wood



Black



Wengé



Art. 1088



Art. 1088N-F



Art. 1088W

Article	€	Finish	Shelves	Leg finish	Max dim. cm
1080	238,00	Black	2	Black	71x46x78 h
1088	290,00	Cherry wood		Brass-plated	
1088W	290,00	Wengé			
1088N	300,00	Black			
Optional	€	📷	Description	Suitable for	
F	9,00	1	Set with 2 braked castors	All articles	  1
E	166,00	2	Set with 4 resilient castors, 2 with brake		  2

- Solid wood frame
- Melamine-faced shelves
- Top shelf fitted with all round rubber bumper
- Swivel castors, ø 9.5 cm



Cherry wood



Wengé




Art. 1095SW



Art. 1095S

Article	€	Finish	Shelves	Max dim. cm
1095S	218,00	Cherry wood	2	71x46x78 h
1095SW	218,00	Wengé		

Optional	€	📷	Description	Suitable for
F	9,00	1	Set with 2 braked castors	All articles
E	166,00	2	Set with 4 resilient castors, 2 with brake	



GUÉRIDON

- Solid wood frame
- Veneered MDF shelves
- Bottom shelf with raised edge
- Swivel castors, ø 10 cm



Walnut



Wengé



Art. 6000

Article	€		Finish	Shelves	Max dim. cm
6000	465,00		Walnut	2	77x47x82 h
6000W	465,00		Wengé		
Optional	€		Description	Suitable for	
F	26,00	1	Set with 2 braked castors	All articles	1
E	74,00	2	Set with 4 resilient castors, 2 with brake		2

WOODEN SERVICE TROLLEYS

- Solid wood frame
- Plywood shelves
- Rails and details in aluminum painted metal
- Swivel castors ø 12.5 cm, 2 with brake



Cherry wood

Wengé



Art. 6052W



Art. 6050

Article	€	Finish	Shelves	Shelf dim. cm	Max dim. cm
6050	795,00	Cherry wood	2	93x52	97x52x94 h
6050W	795,00	Wengé			
6052	1.080,00	Cherry wood	3	93x52	97x52x100 h
6052W	1.080,00	Wengé			
Optional	€	Description	Suitable for		
E	94,00	1 Set with 4 resilient castors, 2 with brake	All articles		

WOODEN SERVICE TROLLEYS

- Solid wood frame
- Veneered MDF shelves
- Pushing handles built in the top shelf
- Rails on lower shelves
- Swivel castors, ø 12.5 cm



Cherry wood

Wengé



Art. 6062W-F



Art. 6060-F

Article	€	Finish	Shelves	Shelf dim. cm	Max dim. cm
6060	459,00	Cherry wood	2	94,5x55	110x56x81 h
6060W	459,00	Wengé			
6062	594,00	Cherry wood	3		110x56x87 h
6062W	594,00	Wengé			

Optional	€	Image	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	94,00	2	Set with 4 resilient castors, 2 with brake	

Accessories	€	Image	Description	Suitable for
A0096	63,00	3	Sliding PVC cutlery drawer	All articles
A0035	57,00	4	Sliding plate support, cherry wood stained	6060 - 6062
A0035W	57,00	5	Sliding plate support, wengé stained	6060W - 6062W
R0822	65,00	6	12-bottle rack, chrome-plated steel wire	All articles
R0824	85,00		16-bottle rack, chrome-plated steel wire	



WOODEN SERVICE TROLLEYS WITH DOME

- Solid wood frame
- Veneered MDF shelves
- Pushing handles built in the top shelf
- Plexiglass semi-cylindrical dome opening on both sides
- Rails on lower shelves
- Swivel castors, ø 12.5 cm



Cherry wood

Wengé



Art. 6062CW-F



Art. 6060C-F

Article	€	Finish	Shelves	Shelf dim. cm	Max dim. cm
6060C	711,00	Cherry wood	2	94,5x55	110x56x107 h
6060CW	711,00	Wengé			
6062C	861,00	Cherry wood	3		110x56x113 h
6062CW	861,00	Wengé			

Optional	€	Icon	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	94,00	2	Set with 4 resilient castors, 2 with brake	

Accessories	€	Icon	Description	Suitable for
A0096	63,00	3	Sliding PVC cutlery drawer	All articles
A0035	57,00	4	Sliding plate support, cherry wood stained	6060C - 6062C
A0035W	57,00	5	Sliding plate support, wengé stained	6060CW - 6062CW
R0822	65,00	6	12-bottle rack, chrome-plated steel wire	All articles
R0824	85,00		16-bottle rack, chrome-plated steel wire	



EQUIPABLE WOODEN SERVICE TROLLEYS

- Solid wood frame
- Plywood shelves with edges and handles in solid wood
- Sliding plate support
- Swivel castors, ø 10 cm



Walnut



Wengé



Plate support, standard



Art. 6100



Art. 6100W

Article	€	Finish	Shelves	Max dim. cm
6100	726,00	Walnut	2	107x55x82 h
6100W	726,00	Wengé		
6102	764,00	Walnut	3	
6102W	764,00	Wengé		
Optional	€	📷	Description	Suitable for
F	26,00	1	Set with 2 braked castors	All articles
E	74,00	2	Set with 4 resilient castors, 2 with brake	





Art. 6100A
Display set for sweets and cheese including a solid wood board with semi-cylindrical dome opening on both sides



Art. 6100B
Set for appetizers including a solid wood shelf with semi-cylindrical dome opening on both sides, with 6.5 cm-deep 5x1/6 + 5x1/3 GN containers



Art. 6100C
Bottle holder with rails



Art. 6100E
Top 13-bottle wooden rack
Art. 6100F
Lower 9-bottle wooden rack



Art. 6100G
Set for cold appetizers, sweets and cheese, including a solid wood shelf with semi-cylindrical dome opening on both sides, grid and housing for eutectic plates for refrigeration (Art. 6100H)



Art. 6100H
Set of 16 eutectic plates suitable for Art. 6100G



Art. R0822
Lower 12-bottle chrome-plated steel wire rack
Art. R0824
Top 16-bottle chrome-plated steel wire rack



Article	€		Finish	Description	Max dim. cm
6100A	384,00	1	Walnut	Display set for sweets and cheese with dome	93x53x28 h
6100AW	384,00	-	Wengé		
6100B	549,00	2	Walnut	Set for appetizers - dome and containers	93x53x35 h
6100BW	549,00	-	Wengé		
6100C	228,00	3	Walnut	Top bottle holder with rails	93x53x28 h
6100CW	228,00	-	Wengé		
6100E	273,00	4	Walnut	Top 13-bottle wooden rack	88x47x20 h
6100EW	273,00	-	Wengé		
6100F	237,00	4	Walnut	Lower 9-bottle wooden rack	66x47x20 h
6100FW	237,00	-	Wengé		
6100G	666,00	5	Walnut	Set for cold appetizers	93x53x35 h
6100GW	666,00	-	Wengé		
6100H	51,00	6	-	Set with 16 eutectic plates	-
R0822	65,00	7	-	Lower 12-bottle steel wire rack	70x40x22 h
R0824	85,00			Top 16-bottle steel wire rack	90x40x22 h

MODERN-STYLE WOODEN SERVICE TROLLEYS - 70x45 cm SHELVES

- Square section solid wood legs
- MDF shelves
- Matt lacquer finishes
- Pushing handle built in the top shelf
- Sliding plate support (depending on the model)
- Swivel castors, ø 9.5 cm, 2 with brake



Charcoal

Cream

Dove grey




Art. 6830A



Art. 6832P



Article	€	Lacquer finish	Sliding plate support	Max dim. cm
6830A	423,00	Charcoal	-	70x45x84 h
6830P	423,00	Cream		
6830T	423,00	Dove grey		
6832A	505,00	Charcoal	Yes	
6832P	505,00	Cream		
6832T	505,00	Dove grey		
Optional	€	 Description	Suitable for	
E	166,00	1 Set with 4 resilient castors, 2 with brake	All articles	

MODERN-STYLE WOODEN SERVICE TROLLEYS - 100x45 cm SHELVES

- Square section solid wood legs
- MDF shelves
- Matt lacquer finishes
- Pushing handle built in the top shelf
- Sliding plate support (depending on the model)
- Swivel castors, ø 9.5 cm, 2 with brake



Softclose closing for items with plate support

Charcoal

Cream


Dove grey



Art. 6842T



Art. 6840A

Article	€	Lacquer finish	Sliding plate support	Max dim. cm
6830A	449,00	Charcoal	-	100x45x84 h
6830P	449,00	Cream		
6830T	449,00	Dove grey		
6832A	530,00	Charcoal	Yes	
6832P	530,00	Cream		
6832T	530,00	Dove grey		
Optional	€	Description	Suitable for	
E	166,00	1 Set with 4 resilient castors, 2 with brake	All articles	

MODERN-STYLE WOODEN SERVICE TROLLEYS - 100x56 cm SHELVES

- Square section solid wood legs
- MDF shelves
- Matt lacquer finishes
- Pushing handle built in the top shelf
- Sliding plate support (depending on the model)
- Top shelf with plexiglass semi-cylindrical dome opening on both sides (depending on the model)
- Swivel castors, ø 9.5 cm, 2 with brake



Charcoal

Cream


Dove grey



Art. 6854A



Art. 6850A

Article	€	Lacquer finish	Sliding plate support	Dome	Max dim. cm
6850A	472,00	Charcoal	-	-	100x56x84 h
6850P	472,00	Cream			
6850T	472,00	Dove grey			
6852A	552,00	Charcoal	Yes	-	100x56x110 h
6852P	552,00	Cream			
6852T	552,00	Dove grey			
6854A	854,00	Charcoal	Yes	Yes	100x56x110 h
6854P	854,00	Cream			
6854T	854,00	Dove grey			
Optional	€	📷	Description	Suitable for	
E	166,00	1	Set with 4 resilient castors, 2 with brake	All articles	 

- Mahogany stained wooden luxury service trolley
- Veneered birch structure and shelves
- Solid mahogany wooden legs and frame
- Upper chrome-plated steel rail
- Double pushing handle
- Sliding cutlery drawer with compartments
- Wooden glass holder rack
- Swivel castors Ø 12,5 cm, 2 with brake



Mahogany



Wooden rack detail




Cutlery drawer detail



Art. 6103

Article	€	Finish	Shelves	Max dim. cm
6103	2.990,00	Mahogany	2	120x55x91 h

Optional	€	Description
E	74,00	1 Set with 4 resilient castors, 2 with brake



LIQUEUR TROLLEYS

- Solid wood frame
- Round plywood shelves
- Folding glass support
- Swivel castors, ø 8 cm



Walnut

Wengé




Art. 6310W

Article	€	Finish	Shelves	Max dim. cm
6310	673,00	Walnut	3	ø 59x80 h
6310W	673,00	Wengé		



BAIN-MARIE TROLLEYS

- Solid wood frame with plywood side panels and bottom shelf
- Pushing handle
- Stainless steel well suitable for up to 20 cm-deep Gastronorm containers (not included)
- Bain-Marie immersion heating element with protection grille
- Mains supply: 230V, 50/60 Hz, single-phase
- Bain-Marie condensation drain at the base of well with drain tap
- Digital thermometer/thermostat
- Sliding polyethylene chopping board
- Knife rack
- Swivel castors, ø 10 cm



Walnut

Wengé

Optional Gastronorms - see pp. 96-97



Art. 6600S + pans



Art. 6602S + pans

Article	€	Finish	GN	Power	Max dim. cm	
6600S	1.295,00	Walnut	3x1/2	1950W	105x40x81 h	
6600SW	1.295,00	Wengé				
6602S	1.510,00	Walnut	3x1/1		121x61x81 h	
6602SW	1.510,00	Wengé				
Optional	€	Description	Suitable for			
F	26,00	1 Set with 2 braked castors	All articles			
E	74,00	2 Set with 4 resilient castors, 2 with brake				
Accessories	€	Finish	Description	Suitable for		
A0010	90,00	3 Walnut	Folding plate support	6600S		
A0010W	90,00	4 Wengé		6600SW		
A0011	90,00	3 Walnut		6602S		
A0011W	90,00	4 Wengé		6602SW		
A0015	61,00	5 -	Stainless steel lid holder	All articles		

FLAMBÉ TROLLEYS

- Melamine-faced frame and panels
- Stainless steel hob with flame failure safety device compliant with EC standards
- Side condiment folding shelf
- Chrome-plated steel bottle holder
- Cutlery drawer
- LPG cylinder housing door
- Swivel castors ø 12.5 cm, 2 with brake



Cherry wood

Wengé



Twin gas burner detail

Note: LPG cylinder and gas pressure regulator not included



Art. 1160W



Art. 1160D



Art. 1160S



Article	€	Finish	Gas burners	Max dim.cm (open)	Max dim. cm (closed)
1160S	946,00	Cherry wood	Single	123x50x87 h	95x50x87 h
1160SW	946,00	Wengé			
1160D	1.182,00	Cherry wood	Double		
1160DW	1.182,00	Wengé			
1160	1.173,00	Cherry wood	Twin		
1160W	1.173,00	Wengé			

Accessories	€	📷	Description	Suitable for
A80	51,00	1	Gas pressure regulator (LPG 30 mbar), single, c/w fittings	1160S - 1160SW -1160 -1160W
A82	123,00	2	Gas pressure regulator (LPG 30 mbar), double, c/w fittings	1160D - 1160DW
A81	51,00	1	Gas pressure regulator (LPG 50 mbar), single, c/w fittings	1160S - 1160SW -1160 -1160W
A83	123,00	2	Gas pressure regulator (LPG 50 mbar), double, c/w fittings	1160D - 1160DW

- Solid wood frame with plywood panels
- Stainless steel hob with flame failure safety device conforms to EC standards
- Top with metal spacers
- Side condiment folding shelf
- Chrome-plated steel bottle holder
- Cutlery drawers
- LPG cylinder housing door
- Swivel castors, ø 10 cm



Walnut

Wengé



Note: LPG cylinder and gas pressure regulator not included



Art. 6400



Art. 6402




Art. 6404



Article	€	Finish	Gas burners	Max dim.cm (open)	Max dim. cm (closed)
6404	1.380,00	Walnut	Single	133x55x81 h	118x55x81 h
6404W	1.380,00	Wengé			
6402	1.620,00	Walnut	Double		
6402W	1.620,00	Wengé			
6400	1.583,00	Walnut	Twin		
6400W	1.583,00	Wengé			

Optional	€	Image	Description	Suitable for
F	26,00	1	Set with 2 braked castors	All articles
E	74,00	2	Set with 4 resilient castors, 2 with brake	



Accessories	€	Image	Description	Suitable for
A80	51,00	3	Gas pressure regulator (LPG 30 mbar), single, c/w fittings	6400 - 6400W - 6404 - 6404W
A82	123,00	4	Gas pressure regulator (LPG 30 mbar), double, c/w fittings	6402 - 6402W
A81	51,00	3	Gas pressure regulator (LPG 50 mbar), single, c/w fittings	6400 - 6400W - 6404 - 6404W
A83	123,00	4	Gas pressure regulator (LPG 50 mbar), double, c/w fittings	6402 - 6402W

HIGH DOUBLE WAITER'S STATIONS

- Melamine-faced frame and panels
- 2 Upper shelves
- Cutlery drawers on runners, with dividers
- Each compartment has a inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm



Matt lacquering.
RAL Please indicate the RAL code of the chosen colour.



Art. 1600



Cutlery drawer

Article	€	Finish	Description	Internal adjustable shelves	Max dim. cm
1600	755,00	Cherry wood	2 Doors	2	94x48x145 h
1600W	771,00	Wengé			
1600RAL	1.274,00	RAL			
1605	1.133,00	Cherry wood	2 Large flap-opening compartments	-	
1605W	1.146,00	Wengé			
1605RAL	1.649,00	RAL			
1606	943,00	Cherry wood	1 Door + 1 flap-opening compartment	1	
1606W	959,00	Wengé			
1606RAL	1.461,00	RAL			
1607	723,00	Cherry wood	1 Door + 1 open unit	2	
1607W	737,00	Wengé			
1607RAL	1.241,00	RAL			

- Melamine-faced frame and panels
- 2 Upper shelves
- Open cutlery drawers on runners, with dividers
- Each compartment has a inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm

Cherry wood

Wengé

Matt lacquering.
RAL Please indicate the RAL code of the chosen colour.



Open cutlery drawer

Art. 1606FW

Article	€	Finish	Description	Internal adjustable shelves	Max dim. cm
1600F	755,00	Cherry wood	2 Doors	2	94x48x145 h
1600FW	771,00	Wengé			
1600FRAL	1.274,00	RAL			
1605F	1.133,00	Cherry wood	2 Large flap-opening compartments	-	
1605FW	1.146,00	Wengé			
1605FRAL	1.649,00	RAL			
1606F	943,00	Cherry wood	1 Door + 1 flap-opening compartment	1	
1606FW	959,00	Wengé			
1606FRAL	1.461,00	RAL			
1607F	723,00	Cherry wood	1 Door + 1 open unit	2	
1607FW	737,00	Wengé			
1607FRAL	1.241,00	RAL			

HIGH SINGLE WAITER'S STATIONS

- Melamine-faced frame and panels
- 2 Upper shelves
- Cutlery drawer on runners, with dividers
- Compartment with inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm

Cherry wood



Wengé



Matt lacquering.
RAL Please indicate the RAL code of the chosen colour.




Art. 1610



Cutlery drawer

Article	€	Finish	Description	Internal adjustable shelf	Max dim. cm
1610	562,00	Cherry wood	1 Door	1	48x48x145 h
1610W	577,00	Wengé			
1610RAL	1.030,00	RAL			
1615	750,00	Cherry wood	1 flap-opening compartment	-	
1615W	765,00	Wengé			
1615RAL	1.217,00	RAL			
1616	529,00	Cherry wood	1 Open unit	1	
1616W	545,00	Wengé			
1616RAL	996,00	RAL			

- Melamine-faced frame and panels
- 2 Upper shelves
- Open cutlery drawers on runners, with dividers
- Compartment with inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm



Matt lacquering.
RAL Please indicate the RAL code of the chosen colour.



Art. 1616FW



Open cutlery drawer

Article	€	Finish	Description	Internal adjustable shelf	Max dim. cm
1610F	562,00	Cherry wood	1 Door	1	48x48x145 h
1610FW	577,00	Wengé			
1610FRAL	1.030,00	RAL			
1615F	750,00	Cherry wood	1 flap-opening compartment	-	
1615FW	765,00	Wengé			
1615FRAL	1.217,00	RAL			
1616F	529,00	Cherry wood	1 Open unit	1	
1616FW	545,00	Wengé			
1616FRAL	996,00	RAL			

LOW DOUBLE WAITER'S STATIONS

- Melamine-faced frame and panels
- Cutlery drawers on runners, with dividers
- Each compartment has a inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm

Cherry wood



Wengé



Matt
lacquering.
RAL Please indicate
the RAL code
of the chosen
colour.



Art. 1620



Cutlery drawer

Article	€	Finish	Description	Internal adjustable shelves	Max dim. cm
1620	680,00	Cherry wood	2 Doors	2	94x48x98 h
1620W	696,00	Wengé			
1620RAL	1.160,00	RAL			
1625	1.057,00	Cherry wood	2 Large flap-opening compartments	-	
1625W	1.071,00	Wengé			
1625RAL	1.535,00	RAL			
1626	868,00	Cherry wood	1 Door + 1 flap-opening compartment	1	
1626W	883,00	Wengé			
1626RAL	1.348,00	RAL			
1627	648,00	Cherry wood	1 Door + 1 open unit	2	
1627W	662,00	Wengé			
1627RAL	1.127,00	RAL			

- Melamine-faced frame and panels
- Open cutlery drawers on runners, with dividers
- Each compartment has a inner adjustable shelf
- Edges protected by rubber trim
- Castors, ø 5 cm

Cherry wood



Wengé



Matt
lacquering.
RAL Please indicate
the RAL code
of the chosen
colour.



Art. 1627FW



Open cutlery drawer

Article	€	Finish	Description	Internal adjustable shelves	Max dim. cm
1620F	680,00	Cherry wood	2 Doors	2	94x48x98 h
1620FW	696,00	Wengé			
1620FRAL	1.160,00	RAL			
1625F	1.057,00	Cherry wood	2 Large flap-opening compartments	-	
1625FW	1.071,00	Wengé			
1625FRAL	1.535,00	RAL			
1626F	868,00	Cherry wood	1 Door + 1 flap-opening compartment	1	
1626FW	883,00	Wengé			
1626FRAL	1.348,00	RAL			
1627F	648,00	Cherry wood	1 Door + 1 open unit	2	
1627FW	662,00	Wengé			
1627FRAL	1.127,00	RAL			

STAINLESS STEEL SERVICE TROLLEYS - MELAMINE-FACED SHELVES

- Stainless steel 2x2 cm square tube frame, brushed finish
- Melamine-faced shelves with brushed stainless steel tubular edges
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Cherry wood



Tobacco oak



Art. 4690.2T



Art. 4690.3

Article	€	Finish	Shelves	Shelf dim. cm	Max dim. cm
4650.2	242,00	Cherry wood	2	50x45	61x52x95 h
4650.2T	261,00	Tobacco oak			
4650.3	309,00	Cherry wood	3		61x52x103 h
4650.3T	334,00	Tobacco oak			
4650.4	381,00	Cherry wood	4		
4650.4T	411,00	Tobacco oak			
4670.2	253,00	Cherry wood	2	70x45	81x52x95 h
4670.2T	273,00	Tobacco oak			
4670.3	324,00	Cherry wood	3		81x52x103 h
4670.3T	350,00	Tobacco oak			
4670.4	402,00	Cherry wood	4		
4670.4T	434,00	Tobacco oak			
4690.2	272,00	Cherry wood	2	90x45	101x52x95 h
4690.2T	294,00	Tobacco oak			
4690.3	354,00	Cherry wood	3		101x52x103 h
4690.3T	382,00	Tobacco oak			
4690.4	441,00	Cherry wood	4		
4690.4T	476,00	Tobacco oak			

Optional	€	Image	Description	Suitable for
F	21,00		Set with 2 braked castors	All articles
E	155,00		Set with 4 resilient castors, 2 with brake	
Accessories	€	Image	Description	Suitable for
AB02	30,00		PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00		PVC waste bin, 35x19x18 h cm	



STAINLESS STEEL SERVICE TROLLEYS - WOOD EFFECT STEEL SHEET SHELVES

- Stainless steel round tube frame, ø 2.5 cm
- Plexiglass semi-cylindrical dome opening on both sides (depending on the model)
- Plastic coated steel sheet shelves, wood effect finish
- No sharp edges
- Die-cast aluminium corner joints fixing shelves to the frame with rounded inner corners
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Walnut



Art. 4100



Art. 4018

Article	€	Shelves	Dome	Shelf dim. cm	Max dim. cm
4006	283,00	2	-	71x45	87x52x96 h
4008	369,00	3			87x52x96 h
4010	463,00	4			87x52x130 h
4018	289,00	2	-	71x52	87x59x96 h
4020	378,00	3			87x59x96 h
4022	475,00	4			87x59x130 h
4000	297,00	2	-	93x45	108x52x96 h
4002	394,00	3			108x52x96 h
4004	494,00	4			108x52x130 h
4012	305,00	2	-	93x52	108x59x96 h
4014	402,00	3			108x59x96 h
4016	508,00	4			108x59x130 h
4100	631,00	2	Yes	93x52	108x59x112 h
4102	737,00	3			108x59x112 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake	
Accessories	€	📷	Description	Suitable for
AB02	30,00	3	PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00	4	PVC waste bin, 35x19x18 h cm	
A0097	86,00	5	3-compartment PVC cutlery drawer	



STAINLESS STEEL CLEARING TROLLEYS

- Stainless steel 2x2 cm square tube frame, brushed finish
- Upper shelf for up to 3x20 cm-deep GN 1/1 pans (not included)
- Lower removable stainless steel shelves
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97



Art. 1550F + pans

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1550	318,00	1	100x50	112x62x94 h
1552	433,00	2		112x62x112 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake	



- Stainless steel 2.5x2.5 cm square tube frame with stainless steel sheet side panels welded throughout the length, brushed finish
- Stainless steel sheet lower shelf with raised edge
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97



Art. 1515V-F



Watertight well detail (1515V)



Detail for structure without bottom (1515S)



Art. 1515-F

Article	€	Description	Max H pans cm	Shelf dim. cm	Max dim. cm
1515S	413,00	Holding structure without bottom for 3x1/1 GN pans (not included)	20	105x51	117x63x94 h
1515	654,00	Structure without bottom + pans 1x2/1 GN + 2x1/2 GN (included)			
1515V	653,00	Watertight well + tap			
Optional	€	Description	Suitable for		
F	21,00	1 Set with 2 braked castors	1 2		
E	155,00	2 Set with 4 resilient castors, 2 with brake			
Accessories	€	Description	Suitable for		
AB02	30,00	3 PVC waste bin, 33x16x51 h cm	3 4		
AB01	14,00	4 PVC waste bin, 35x19x18 h cm			

STAINLESS STEEL SERVICE TROLLEYS - REMOVABLE SHELVES

- Stainless steel 2x2 cm square tube frame, brushed finish
- Stainless steel 1.5 or 6.5 cm-deep tray shelves, depending on the model, with 90° no-sharp edges
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1516



Removable shelf detail



Art. 1526

Article	€	Shelves	Shelf depth cm	Shelf dim. cm	Max dim. cm
1516	235,00	2	1,5	47x44	58x51x91 h
1517	294,00	3			58x51x110 h
1520	263,00	2		75x44	86x51x91 h
1521	335,00	3			86x51x110 h
1522	406,00	4			86x51x126 h
1523	277,00	2		87x44	98x51x91 h
1524	355,00	3			98x51x110 h
1525	432,00	4			98x51x126 h
1526	327,00	2	6,5	87x44	98x51x91 h
1527	432,00	3			98x51x110 h

Optional	€	Image	Description	Suitable for
F	21,00		Set with 2 braked castors	All articles
E	155,00		Set with 4 resilient castors, 2 with brake	
Accessories	€	Image	Description	Suitable for
AB02	30,00		PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00		PVC waste bin, 35x19x18 h cm	

AISI 304 STAINLESS STEEL SERVICE TROLLEYS - REMOVABLE SHELVES

- AISI 304 stainless steel trolleys, brushed finish
- Round tube frame ø 2.5 cm
- Removable soundproof tray-shaped shelves, with no sharp edges
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm, 2 with brake



Art. 14208EST

NEW



Removable shelf detail

Article	€	Shelves	Shelf dim. cm	Capacity Kg	Max dim. cm
14208EST	348,00	2	80x50	120	92x62x95 h
14308EST	460,00	3			
14210EST	385,00	2	100x50		112x62x95 h
14310EST	520,00	3			

Optional	€	Image	Description	Suitable for
E	155,00		Set with 4 resilient castors, 2 with brake	All articles

Accessories	€	Image	Description	Suitable for
AB02	30,00		PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00		PVC waste bin, 35x19x18 h cm	

STAINLESS STEEL SERVICE TROLLEYS

- L-shaped stainless steel sheet frame, brushed finish
- Stainless steel 4 cm-deep tray shelves with 90° no-sharp edges, bolted to the frame
- Pushing handle
- Swivel castors, ø 9.5 cm



Art. 1545



Art. 1548

Article	€	Shelf dim. cm	Dim. piani cm	Max dim. cm
1545	312,00	2	80x45	89x48x85 h
1546	360,00	3		
1547	322,00	2	90x50	99x53x85 h
1548	376,00	3		

Optional	€	📷	Description	Suitable for
F	9,00	1	Set with 2 braked castors	All articles
E	166,00	2	Set with 4 resilient castors, 2 with brake	

Accessories	€	📷	Description	Suitable for
AB02	30,00	3	PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00	4	PVC waste bin, 35x19x18 h cm	

STAINLESS STEEL SERVICE TROLLEYS

- AISI 304 stainless steel trolleys, brushed finish
- Plexiglass semi-cylindrical dome opening on both sides (depending on model)
- Stainless steel round tube frame, ø 2.5 cm
- Stainless steel 2 cm-deep tray shelves
- No sharp edges
- Die-cast aluminium corner joints fixing the shelves to the frame with rounded inner corners
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 4052



Art. 4150

Article	€	Shelves	Dome	Shelf dim. cm	Max dim. cm
4056	301,00	2	-	71x45	87x52x96 h
4058	393,00	3			87x52x130 h
4060	495,00	4			
4068	312,00	2	-	71x52	87x59x96 h
4070	409,00	3			87x59x130 h
4072	516,00	4			
4050	322,00	2	-	93x45	108x52x96 h
4052	424,00	3			108x52x130 h
4054	536,00	4			
4062	335,00	2	-	93x52	108x59x96 h
4064	443,00	3			108x59x130 h
4066	563,00	4			
4150	634,00	2	Yes	93x52	108x59x112 h
4152	745,00	3			

Optional	€		Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake	



Accessories	€		Description	Suitable for
A0097	86,00	3	PVC 3-compartment cutlery drawer	All articles
AB02	30,00	4	PVC waste bin, 33x16x51 h cm	
AB01	14,00	5	PVC waste bin, 35x19x18 h cm	



STAINLESS STEEL SERVICE TROLLEYS WITH PRESSED SHELVES

- AISI 201 stainless steel trolleys
- Round tube frame ø 2.5 cm
- Tray shaped stainless steel pressed shelves bolted to the frame, sound-proof and with no sharp edges, brushed finish
- Grey rubber buffers
- Swivel castors ø 10 cm, 2 with brake



LOW-COST RANGE



Bolted shelf detail



Art. 2P100-50



Art. 3P100-50

Article	€	Shelves	Shelf dim. cm	Max dim. cm
2P80-50	139,00	2	80x50	89x59x94 h
3P80-50	180,00	3		
2P100-50	155,00	2	100x50	109x59x94 h
3P100-50	191,00	3		
2P100-60	170,00	2	100x60	109x69x94 h
3P100-60	211,00	3		
Accessories	€		Description	Suitable for
AB01	14,00	1	PVC waste bin, 35x19x18 h cm	All articles
AB02	30,00	2	PVC waste bin, 33x16x51 h cm	



AISI 304 STAINLESS STEEL SERVICE TROLLEYS WITH BOLTED PRESSED SHELVES

- AISI 304 stainless steel trolleys, brushed finish
- Round tube frame \varnothing 2.5 cm
- Tray shaped stainless steel pressed shelves bolted to the frame, sound-proof and with no sharp edges
- Grey rubber ring buffers
- Swivel castors, \varnothing 12.5 cm



Waste hole detail



Art. 1400

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1400C	262,00	2	80x50	89x59x95 h
1405C	336,00	3		89x59x95 h
1410C	421,00	4		89x59x126 h
1400C5	516,00	5		89x59x160 h
1400	291,00	2	100x50	109x59x95 h
1405	379,00	3		109x59x95 h
1410	477,00	4		109x59x126 h
14005	582,00	5		109x59x160 h
1402	310,00	2	100x60	109x69x95 h
1407	407,00	3		109x69x95 h
1412	513,00	4		109x69x126 h
14025	621,00	5		109x69x160 h
14032	362,00	2	120x60	129x69x95 h
14033	485,00	3		129x69x95 h
14034	619,00	4		129x69x126 h

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles
E	155,00	2 Set with 4 resilient castors, 2 with brake	
FO	80,00	3 1 waste hole (recommended for items with 2/3 shelves)	
Accessories	€	Description	Suitable for
AB01	14,00	4 PVC waste bin, 35x19x18 h cm	All articles
AB02	30,00	5 PVC waste bin, 33x16x51 h cm	



AISI 304 STAINLESS STEEL SERVICE TROLLEYS WITH WELDED PRESSED SHELVES

- AISI 304 stainless steel trolleys, brushed finish
- Round tube frame ø 2.5 cm
- Tray shaped stainless steel pressed shelves welded to the frame, sound-proof and with no sharp edges
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1405S



Welded shelf detail



Waste hole detail

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1400CS	295,00	2	80x50	89x59x95 h
1405CS	367,00	3		89x59x126 h
1410CS	514,00	4		
1400S	322,00	2	100x50	109x59x95 h
1405S	409,00	3		109x59x126 h
1410S	570,00	4		
1402S	345,00	2	100x60	109x69x95 h
1407S	440,00	3		109x69x126 h
1412S	613,00	4		
14032S	378,00	2	120x60	129x69x95 h
14033S	492,00	3		129x69x126 h
14034S	628,00	4		

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles
E	155,00	2 Set with 4 resilient castors, 2 with brake	
FO	80,00	3 1 waste hole (recommended for items with 2/3 shelves)	




Accessories	€	Description	Suitable for
AB01	14,00	4 PVC waste bin, 35x19x18 h cm	All articles
AB02	30,00	5 PVC waste bin, 33x16x51 h cm	



STAINLESS STEEL HEAVY-DUTY TROLLEYS

- AISI 304 stainless steel trolleys, brushed finish
- Round tube closed frame ø 2.5 cm
- Tray shaped stainless steel pressed shelves welded to the frame, sound-proof and with no sharp edges
- Grey rubber ring buffers
- Swivel castors ø 12.5 cm, 2 with brake



Waste hole detail



Art. 1403P2

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1400CP	367,00	2	80x50	89x59x95 h
1405CP	438,00	3		
1400P	398,00	2	100x50	109x59x95 h
1405P	485,00	3		
1402P	424,00	2	100x60	109x69x95 h
1407P	520,00	3		
1403P2	504,00	2	120x60	129x69x95 h
1403P3	635,00	3		

Optional	€	Image	Description	Suitable for
E	90,00		Set with 4 resilient castors, 2 with brake	All articles
FO	80,00		1 waste hole	

Accessories	€	Image	Description	Suitable for
AB01	14,00		PVC waste bin, 35x19x18 h cm	All articles
AB02	30,00		PVC waste bin, 33x16x51 h cm	

STAINLESS STEEL HEAVY-DUTY TROLLEYS

- AISI 304 stainless steel trolleys, brushed finish
- Stainless steel 2.5x2.5 cm square tube frame
- Steel sheet pressed flat shelves (PL range) or deep tray shelves (PV range), welded to the frame
- Grey rubber ring buffers
- Swivel castors with plate support, ø 12.5 cm, 2 with brake



Art. 1540PL

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1540PL	494,00	2 Flat	100x58	108x61x93 h
1541PL	588,00	3 Flat		
1540PV	504,00	2 Deep tray		
1541PV	604,00	3 Deep tray		

Optional	€		Description	Suitable for	
E	94,00	1	Set with 4 resilient castors, 2 with brake	All articles	1
Accessories	€		Description	Suitable for	
AB02	30,00	2	PVC waste bin, 33x16x51 h cm	All articles	2 3
AB01	14,00	3	PVC waste bin, 35x19x18 h cm		

STAINLESS STEEL HEAVY-DUTY TROLLEYS

- AISI 304 stainless steel trolleys, brushed finish
- Stainless steel 2.5x2.5 cm square tube frame
- Steel sheet pressed flat shelves (PL range) or deep tray shelves (PV range) with reinforcing bar, welded to the frame
- Grey rubber ring buffers
- Swivel castors with support plate and roller bearings, ø 16 cm, 2 with brake



Art. 1542PV

Article	€	Shelves	Shelf dim. cm	Max dim. cm
1542PL	622,00	2 Flat	100x58	108x61x96 h
1543PL	747,00	3 Flat		
1542PV	630,00	2 Deep tray		
1543PV	757,00	3 Deep tray		

Accessories	€	📷	Description	Suitable for
AB02	30,00	1	PVC waste bin, 33x16x51 h cm	All articles
AB01	14,00	2	PVC waste bin, 35x19x18 h cm	



A SUPERIOR PERFORMANCE

metalcarrelli.com



6103 - pag. 29

Sturdy: solid wood.

Elegant: polished chrome-plated steel details.

Equipped: cutlery drawer, glass holder and 2 shelves.

Easy to handle: rail, pushing handles and swivel castors.



METALCARRELLI®

🇮🇹 SINCE 1964 🇮🇹

ALL AROUND YOUR BUSINESS

2

DISPLAY CASES, DISPLAY TROLLEYS, BUFFETS AND DROP-IN UNITS

METALCARRELLI 
SINCE 1964



HEATED DISPLAY CASES

- Fully stainless steel sheet construction, insulated with injected high density expanded polyurethane
- 180° opening tempered glass doors on 2 sides with no sharp edges and removable PVC door seals for easy cleaning
- Snap-closing hinges
- Stainless steel tube side pushing handles with PVC brackets
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- 3-mt long coiled power cable
- Swivel castors ø 12.5 cm, 2 with brake

INTERNAL OPTIONS:


- Rack with 27 grills spaced 4 cm for 65x65 cm grills (standard model supplied with 15 grills spaced 8 cm)

OR:

- Plate holder with different capacities



Art. 3360GS







Article	€	Supports	Power	Max dim. cm
3360GS	2.693,00	15 Grills	2000W	83x77x190 h

Optional	€	Description
A0054	29,00	65x65 cm Grill



Art. 3360PS-88



Article	€	Ø plate cm	Supports	Plate N.	Power	Max dim. cm
3360PS-40	2.534,00	18÷24	Plate holder	40	2000W	83x77x190 h
3360PS-64	2.556,00			64		
3360PS-88	2.578,00			88		
3361PS-40	2.542,00	24÷31		40		
3361PS-64	2.570,00			64		
3361PS-88	2.599,00			88		

REFRIGERATED DISPLAY CASES

- Fully stainless steel sheet construction, insulated with injected high density expanded polyurethane
- Stainless steel watertight deep base with drain hole
- 180° opening tempered glass doors on 2 sides with no sharp edges and removable PVC door seals for easy cleaning
- Snap-closing hinges
- Stainless steel tube side pushing handles with PVC brackets
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase

- Static refrigeration
- 3-mt long coiled power cable
- Swivel castors \varnothing 12.5 cm, 2 with brake

INTERNAL OPTIONS:


- Rack with 27 grills spaced 4 cm for 65x65 cm grills (standard model supplied with 15 grills spaced 8 cm)

OR:

- Plate holder with different capacities



Art. 3370GS







Article	€	Supports	Power	Max dim. cm
3370GS	3.187,00	15 Grills	700W	83x77x190 h

Optional	€	Description
A0055	29,00	65x65 cm Grill



Art. 3370PS-88




Article	€	Ø plate cm	Supports	Plate N.	Power	Max dim. cm
3370PS-40	3.100,00	18÷24	Plate holder	40	700W	83x77x190 h
3370PS-64	3.122,00			64		
3370PS-88	3.143,00			88		
3371PS-40	3.107,00	24÷31	Plate holder	40	700W	83x77x190 h
3371PS-64	3.136,00			64		
3371PS-88	3.164,00			88		

REFRIGERATED TROLLEYS FOR SWEETS AND CHEESE

- Solid wood frame with plywood panels and shelf
- Front opening plexiglass dome
- Glass shelf
- Static refrigeration
- Back panel and perforated false bottom
- Condensation drain at the base of the well (drain tap available on request)
- 3-Compartment cutlery drawer and sliding plate support
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Swivel castors, ø 10 cm

Cherry wood

Wenge



Art. 6670-18W

Article	€	Finish	Power	Max dim. cm
6670-18	2.836,00	Cherry wood	200W	108x61x112 h
6670-18W	2.836,00	Wenge		108x61x112 h



Cutlery drawer



Sliding plate support




Optional	€		Description	Suitable for
F	25,00	1	Set with 2 braked castors	   All articles
E	72,00	2	Set with 4 resilient castors, 2 with brake	
A156	34,00	-	Drain tap	
A0039	25,00	3	Pushing handle	

REFRIGERATED TROLLEYS

- Plexiglass semi-cylindrical dome opening on both sides
- Plywood panels and shelf
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Condensate drain hole at the base of the well (drain tap available on request)
Note: the drain tap is necessary for fish displaying
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration
- Swivel castors ø 12.5 cm, 2 with brake




RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97




Art. 6930.4R + A156 + A20(x4)

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	GN	Power	Max dim. cm	Optional	€	Front shelf
6930.2R	2.729,00	Oak	2x1/1	320W	80x68x120 h	A122R	126,00	1 drop-down shelf with tray slide
6930.2W	2.729,00	Wenge				A122W	126,00	
6930.2N	3.103,00	Black				A122N	147,00	
6930.2RAL	3.286,00	RAL				A122RAL	157,00	
6930.3R	2.957,00	Oak	3x1/1	360W	113x68x120 h	A123R	157,00	1 drop-down shelf with tray slide
6930.3W	2.957,00	Wenge				A123W	157,00	
6930.3N	3.362,00	Black				A123N	183,00	
6930.3RAL	3.553,00	RAL				A123RAL	210,00	
6930.4R	3.324,00	Oak	4x1/1	470W	161x68x120 h	A124R	192,00	1 drop-down shelf with tray slide
6930.4W	3.324,00	Wenge				A124W	192,00	
6930.4N	3.780,00	Black				A124N	224,00	
6930.4RAL	3.957,00	RAL				A124RAL	252,00	


Optional	€	Description		Suitable for
A156	34,00	Drain tap (necessary for fish displaying)		All articles
Accessories	€	📷	Description	Suitable for
A10	29,00	1	1/1 GN Flat	All articles
A20	34,00	2	1/1 GN Perforated	
LED	245,00	-	Well lighting	



REFRIGERATED TROLLEYS

- Plexiglass dome with top shelf, front opening
- Plywood panels, lower and top shelf
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs made of MDF with water-repellent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Condensate drain hole at the base of well (drain tap available on request) **Note: the drain tap is necessary for fish displaying**
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration
- Swivel castors ø 12.5 cm, 2 with brake



Complementary elements see pp. 78-79


Optional Gastronorms - see pp. 96-97

RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Art. 6940.4N + pans


NEW COLOUR



Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	GN	Power	Max dim. cm	Optional	€	Front shelf
6940.2R	2.796,00	Oak	2x1/1	320W	80x68x122 h	A122R	126,00	1 drop-down shelf with tray slide
6940.2W	2.796,00	Wenge				A122W	126,00	
6940.2N	3.116,00	Black				A122N	147,00	
6940.2RAL	3.365,00	RAL				A122RAL	157,00	
6940.3R	3.050,00	Oak	3x1/1	360W	113x68x122 h	A123R	157,00	1 drop-down shelf with tray slide
6940.3W	3.050,00	Wenge				A123W	157,00	
6940.3N	3.401,00	Black				A123N	183,00	
6940.3RAL	3.658,00	RAL				A123RAL	210,00	
6940.4R	3.459,00	Oak	4x1/1	470W	161x68x122 h	A124R	192,00	1 drop-down shelf with tray slide
6940.4W	3.459,00	Wenge				A124W	192,00	
6940.4N	3.857,00	Black				A124N	224,00	
6940.4RAL	4.104,00	RAL				A124RAL	252,00	


Optional	€	Description	Suitable for
A156	34,00	Drain tap (necessary for fish displaying)	All articles
Accessories	€	Description	Suitable for
A10	29,00	1 1/1 GN Flat	All articles
A20	34,00	2 1/1 GN Perforated	
LED	245,00	- Well lighting	



REFRIGERATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Fixed plexiglass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Condensate drain at the base of the well (drain tap available on request)
Note: the drain tap is necessary for fish displaying
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration
- Swivel castors ø 12.5 cm, 2 with brake




NEW

RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97



Art. 6900.4-W + A124W(x2) + A156 + A20(x4)

OPEN LOWER PART VERSION

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6900.2-R	2.560,00	Oak	OPEN LOWER PART	2x1/1	335W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6900.2-W	2.560,00	Wenge					A120W	126,00		A122W	126,00	
6900.2-N	2.944,00	Black					A120N	147,00		A122N	147,00	
6900.2-RAL	3.123,00	RAL					A120RAL	161,00		A122RAL	157,00	
6900.3-R	2.839,00	Oak	OPEN LOWER PART	3x1/1	385W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6900.3-W	2.839,00	Wenge					A120W	126,00		A123W	157,00	
6900.3-N	3.264,00	Black					A120N	147,00		A123N	183,00	
6900.3-RAL	3.463,00	RAL					A120RAL	161,00		A123RAL	210,00	
6900.4-R	3.272,00	Oak	OPEN LOWER PART	4x1/1	500W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6900.4-W	3.272,00	Wenge					A120W	126,00		A124W	192,00	
6900.4-N	3.763,00	Black					A120N	147,00		A124N	224,00	
6900.4-RAL	3.992,00	RAL					A120RAL	161,00		A124RAL	252,00	
6900.5-R	3.617,00	Oak	OPEN LOWER PART	5x1/1	570W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6900.5-W	3.617,00	Wenge					A120W	126,00		A125W	252,00	
6900.5-N	4.159,00	Black					A120N	147,00		A125N	294,00	
6900.5-RAL	4.413,00	RAL					A120RAL	161,00		A125RAL	355,00	
6900.6-R	3.960,00	Oak	OPEN LOWER PART	6x1/1	625W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6900.6-W	3.960,00	Wenge					A120W	126,00		A126W	314,00	
6900.6-N	4.554,00	Black					A120N	147,00		A126N	307,00	
6900.6-RAL	4.831,00	RAL					A120RAL	161,00		A126RAL	434,00	

REFRIGERATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING



Art. 6900CPB.4-N + A124N(x2) +A10(x3) + A20(x1)

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6900CPB.2-R	3.200,00	Oak	CUPBOARD	2x1/1	335W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6900CPB.2-W	3.200,00	Wenge					A120W	126,00		A122W	126,00	
6900CPB.2-N	3.680,00	Black					A120N	147,00		A122N	147,00	
6900CPB.2-RAL	3.904,00	RAL					A120RAL	161,00		A122RAL	157,00	
6900CPB.3-R	3.548,00	Oak	CUPBOARD	3x1/1	385W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6900CPB.3-W	3.548,00	Wenge					A120W	126,00		A123W	157,00	
6900CPB.3-N	4.081,00	Black					A120N	147,00		A123N	183,00	
6900CPB.3-RAL	4.329,00	RAL					A120RAL	161,00		A123RAL	210,00	
6900CPB.4-R	4.090,00	Oak	CUPBOARD	4x1/1	500W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6900CPB.4-W	4.090,00	Wenge					A120W	126,00		A124W	192,00	
6900CPB.4-N	4.704,00	Black					A120N	147,00		A124N	224,00	
6900CPB.4-RAL	4.990,00	RAL					A120RAL	161,00		A124RAL	252,00	
6900CPB.5-R	4.521,00	Oak	CUPBOARD	5x1/1	570W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6900CPB.5-W	4.521,00	Wenge					A120W	126,00		A125W	252,00	
6900CPB.5-N	5.199,00	Black					A120N	147,00		A125N	294,00	
6900CPB.5-RAL	5.516,00	RAL					A120RAL	161,00		A125RAL	355,00	
6900CPB.6-R	4.950,00	Oak	CUPBOARD	6x1/1	625W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6900CPB.6-W	4.950,00	Wenge					A120W	126,00		A126W	314,00	
6900CPB.6-N	5.692,00	Black					A120N	147,00		A126N	307,00	
6900CPB.6-RAL	6.038,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	📷	Description	GN	
A142	108,00	1	Front drop-down stainless steel rodded tray slide	2x1/1	
A143	120,00			3x1/1	
A144	153,00			4x1/1	
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€		Description	Suitable for	
A156	34,00		Drain tap (necessary for fish displaying)	All articles	
Accessories	€	📷	Description	Suitable for	
A10	29,00	2	1/1 GN Flat	All articles	
A20	34,00	3	1/1 GN Perforated		

REFRIGERATED SELF-SERVICE BUFFET TROLLEYS - ADJUSTABLE SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Height-adjustable tempered glass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Condensate drain at the base of the well (drain tap available on request)
Note: the drain tap is necessary for fish displaying
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration
- Swivel castors ø 12.5 cm, 2 with brake




RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97



Art. 6900.4M-R + A124R(x2) + pans

OPEN LOWER PART VERSION

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6900.2M-R	3.044,00	Oak	OPEN LOWER PART	2x1/1	335W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6900.2M-W	3.044,00	Wenge					A120W	126,00		A122W	126,00	
6900.2M-N	3.428,00	Black					A120N	147,00		A122N	147,00	
6900.2M-RAL	3.607,00	RAL					A120RAL	161,00		A122RAL	157,00	
6900.3M-R	3.427,00	Oak	OPEN LOWER PART	3x1/1	385W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6900.3M-W	3.427,00	Wenge					A120W	126,00		A123W	157,00	
6900.3M-N	3.852,00	Black					A120N	147,00		A123N	183,00	
6900.3M-RAL	4.051,00	RAL					A120RAL	161,00		A123RAL	210,00	
6900.4M-R	3.964,00	Oak	OPEN LOWER PART	4x1/1	500W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6900.4M-W	3.964,00	Wenge					A120W	126,00		A124W	192,00	
6900.4M-N	4.455,00	Black					A120N	147,00		A124N	224,00	
6900.4M-RAL	4.684,00	RAL					A120RAL	161,00		A124RAL	252,00	
6900.5M-R	4.413,00	Oak	OPEN LOWER PART	5x1/1	570W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6900.5M-W	4.413,00	Wenge					A120W	126,00		A125W	252,00	
6900.5M-N	4.955,00	Black					A120N	147,00		A125N	294,00	
6900.5M-RAL	5.209,00	RAL					A120RAL	161,00		A125RAL	355,00	
6900.6M-R	4.860,00	Oak	OPEN LOWER PART	6x1/1	625W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6900.6M-W	4.860,00	Wenge					A120W	126,00		A126W	314,00	
6900.6M-N	5.454,00	Black					A120N	147,00		A126N	307,00	
6900.6M-RAL	5.731,00	RAL					A120RAL	161,00		A126RAL	434,00	

REFRIGERATED SELF-SERVICE BUFFET TROLLEYS - ADJUSTABLE SNEEZE GUARD - LED LIGHTING



Art. 6900CPB.3M-N + A123N(x2) + A120N(x2) + pans

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6900CPB.2M-R	3.684,00	Oak	CUPBOARD	2x1/1	335W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6900CPB.2M-W	3.684,00	Wenge					A120W	126,00		A122W	126,00	
6900CPB.2M-N	4.164,00	Black					A120N	147,00		A122N	147,00	
6900CPB.2M-RAL	4.388,00	RAL					A120RAL	161,00		A122RAL	157,00	
6900CPB.3M-R	4.136,00	Oak	CUPBOARD	3x1/1	385W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6900CPB.3M-W	4.136,00	Wenge					A120W	126,00		A123W	157,00	
6900CPB.3M-N	4.669,00	Black					A120N	147,00		A123N	183,00	
6900CPB.3M-RAL	4.917,00	RAL					A120RAL	161,00		A123RAL	210,00	
6900CPB.4M-R	4.782,00	Oak	CUPBOARD	4x1/1	500W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6900CPB.4M-W	4.782,00	Wenge					A120W	126,00		A124W	192,00	
6900CPB.4M-N	5.396,00	Black					A120N	147,00		A124N	224,00	
6900CPB.4M-RAL	5.682,00	RAL					A120RAL	161,00		A124RAL	252,00	
6900CPB.5M-R	5.317,00	Oak	CUPBOARD	5x1/1	570W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6900CPB.5M-W	5.317,00	Wenge					A120W	126,00		A125W	252,00	
6900CPB.5M-N	5.995,00	Black					A120N	147,00		A125N	294,00	
6900CPB.5M-RAL	6.312,00	RAL					A120RAL	161,00		A125RAL	355,00	
6900CPB.6M-R	5.850,00	Oak	CUPBOARD	6x1/1	625W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6900CPB.6M-W	5.850,00	Wenge					A120W	126,00		A126W	314,00	
6900CPB.6M-N	6.592,00	Black					A120N	147,00		A126N	307,00	
6900CPB.6M-RAL	6.938,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	Image	Description	GN	Image
A142	108,00	1	Front drop-down stainless steel rodded tray slide	2x1/1	
A143	120,00			3x1/1	
A144	153,00			4x1/1	
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€		Description		Suitable for
A156	34,00		Drain tap (necessary for fish displaying)		All articles
Accessories	€	Image	Description	Suitable for	Image
A10	29,00	2	1/1 GN Flat	All articles	
A20	34,00	3	1/1 GN Perforated		

HEATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Fixed plexiglass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Bain-marie drain plug
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath the well
- Swivel castors ø 12.5 cm, 2 with brake



RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Art. 6910.4-RAL + A124RAL(x2) + pans

OPEN LOWER PART VERSION

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910.2-R	1.941,00	Oak	OPEN LOWER PART	2x1/1	1213W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910.2-W	1.941,00	Wenge					A120W	126,00		A122W	126,00	
6910.2-N	2.232,00	Black					A120N	147,00		A122N	147,00	
6910.2-RAL	2.368,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910.3-R	2.250,00	Oak	OPEN LOWER PART	3x1/1	1821W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910.3-W	2.250,00	Wenge					A120W	126,00		A123W	157,00	
6910.3-N	2.588,00	Black					A120N	147,00		A123N	183,00	
6910.3-RAL	2.745,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910.4-R	2.620,00	Oak	OPEN LOWER PART	4x1/1	2428W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910.4-W	2.620,00	Wenge					A120W	126,00		A124W	192,00	
6910.4-N	3.013,00	Black					A120N	147,00		A124N	224,00	
6910.4-RAL	3.197,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910.5-R	2.948,00	Oak	OPEN LOWER PART	5x1/1	3035W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910.5-W	2.948,00	Wenge					A120W	126,00		A125W	252,00	
6910.5-N	3.390,00	Black					A120N	147,00		A125N	294,00	
6910.5-RAL	3.596,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910.6-R	3.559,00	Oak	OPEN LOWER PART	6x1/1	3642W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910.6-W	3.559,00	Wenge					A120W	126,00		A126W	314,00	
6910.6-N	4.093,00	Black					A120N	147,00		A126N	307,00	
6910.6-RAL	4.342,00	RAL					A120RAL	161,00		A126RAL	434,00	

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

HEATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING



NEW



Art. 6910CPB.4-RAL + A124RAL(x2) + pans

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910CPB.2-R	2.581,00	Oak	CUPBOARD	2x1/1	1213W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910CPB.2-W	2.581,00	Wenge					A120W	126,00		A122W	126,00	
6910CPB.2-N	2.968,00	Black					A120N	147,00		A122N	147,00	
6910CPB.2-RAL	3.149,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910CPB.3-R	2.960,00	Oak	CUPBOARD	3x1/1	1821W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910CPB.3-W	2.960,00	Wenge					A120W	126,00		A123W	157,00	
6910CPB.3-N	3.404,00	Black					A120N	147,00		A123N	183,00	
6910CPB.3-RAL	3.611,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910CPB.4-R	3.438,00	Oak	CUPBOARD	4x1/1	2428W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910CPB.4-W	3.438,00	Wenge					A120W	126,00		A124W	192,00	
6910CPB.4-N	3.954,00	Black					A120N	147,00		A124N	224,00	
6910CPB.4-RAL	4.195,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910CPB.5-R	3.852,00	Oak	CUPBOARD	5x1/1	3035W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910CPB.5-W	3.852,00	Wenge					A120W	126,00		A125W	252,00	
6910CPB.5-N	4.430,00	Black					A120N	147,00		A125N	294,00	
6910CPB.5-RAL	4.699,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910CPB.6-R	4.549,00	Oak	CUPBOARD	6x1/1	3642W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910CPB.6-W	4.549,00	Wenge					A120W	126,00		A126W	314,00	
6910CPB.6-N	5.231,00	Black					A120N	147,00		A126N	307,00	
6910CPB.6-RAL	5.549,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	📷	Description	GN	
A142	108,00	1	Front drop-down stainless steel rodded tray slide	2x1/1	
A143	120,00			3x1/1	
A144	153,00			4x1/1	
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€		Description		Suitable for
A152	203,00		Mains supply 380V		All articles
A154	163,00		Water loading from net, drain tap and overflow		
Accessories	€	📷	Description	Suitable for	
A10	29,00	2	1/1 GN Flat	All articles	
A20	34,00	3	1/1 GN Perforated		

HEATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - INFRARED LAMPS

- Stainless steel overhead gantry with upper heating set of infrared lamps
- Fixed plexiglass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating

- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Bain-marie drain plug
- Dry heating element underneath the well
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Swivel castors ø 12.5 cm, 2 with brake




RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Art. 6910.4L-W + A124W(x2) + A20(x2) + pans

OPEN LOWER PART VERSION

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910.2L-R	2.193,00	Oak	OPEN LOWER PART	2x1/1	1700W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910.2L-W	2.193,00	Wenge					A120W	126,00		A122W	126,00	
6910.2L-N	2.485,00	Black					A120N	147,00		A122N	147,00	
6910.2L-RAL	2.620,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910.3L-R	2.586,00	Oak	OPEN LOWER PART	3x1/1	2550W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910.3L-W	2.586,00	Wenge					A120W	126,00		A123W	157,00	
6910.3L-N	2.924,00	Black					A120N	147,00		A123N	183,00	
6910.3L-RAL	3.081,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910.4L-R	3.087,00	Oak	OPEN LOWER PART	4x1/1	3400W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910.4L-W	3.087,00	Wenge					A120W	126,00		A124W	192,00	
6910.4L-N	3.480,00	Black					A120N	147,00		A124N	224,00	
6910.4L-RAL	3.663,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910.5L-R	3.544,00	Oak	OPEN LOWER PART	5x1/1	4250W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910.5L-W	3.544,00	Wenge					A120W	126,00		A125W	252,00	
6910.5L-N	3.986,00	Black					A120N	147,00		A125N	294,00	
6910.5L-RAL	4.193,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910.6L-R	4.285,00	Oak	OPEN LOWER PART	6x1/1	5100W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910.6L-W	4.285,00	Wenge					A120W	126,00		A126W	314,00	
6910.6L-N	4.819,00	Black					A120N	147,00		A126N	307,00	
6910.6L-RAL	5.068,00	RAL					A120RAL	161,00		A126RAL	434,00	

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

HEATED SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - INFRARED LAMPS



Art. 6910CPB.4L-W + A124W(x2) + pans



CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910CPB.2L-R	2.833,00	Oak	CUPBOARD	2x1/1	1700W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910CPB.2L-W	2.833,00	Wenge					A120W	126,00		A122W	126,00	
6910CPB.2L-N	3.221,00	Black					A120N	147,00		A122N	147,00	
6910CPB.2L-RAL	3.401,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910CPB.3L-R	3.296,00	Oak	CUPBOARD	3x1/1	2550W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910CPB.3L-W	3.296,00	Wenge					A120W	126,00		A123W	157,00	
6910CPB.3L-N	3.740,00	Black					A120N	147,00		A123N	183,00	
6910CPB.3L-RAL	3.947,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910CPB.4L-R	3.905,00	Oak	CUPBOARD	4x1/1	3400W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910CPB.4L-W	3.905,00	Wenge					A120W	126,00		A124W	192,00	
6910CPB.4L-N	4.421,00	Black					A120N	147,00		A124N	224,00	
6910CPB.4L-RAL	4.661,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910CPB.5L-R	4.448,00	Oak	CUPBOARD	5x1/1	4250W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910CPB.5L-W	4.448,00	Wenge					A120W	126,00		A125W	252,00	
6910CPB.5L-N	5.026,00	Black					A120N	147,00		A125N	294,00	
6910CPB.5L-RAL	5.296,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910CPB.6L-R	5.275,00	Oak	CUPBOARD	6x1/1	5100W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910CPB.6L-W	5.275,00	Wenge					A120W	126,00		A126W	314,00	
6910CPB.6L-N	5.957,00	Black					A120N	147,00		A126N	307,00	
6910CPB.6L-RAL	6.276,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	📷	Description	GN	
A142	108,00	1	Front drop-down stainless steel rodded tray slide	2x1/1	
A143	120,00			3x1/1	
A144	153,00			4x1/1	
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€		Description		Suitable for
LB	0,00		White lamps		All articles
A152	203,00		Mains supply 380V		
A154	163,00		Water loading from net, drain tap and overflow		
Accessories	€	📷	Description	Suitable for	
A10	29,00	2	1/1 GN Flat	All articles	
A20	34,00	3	1/1 GN Perforated		

HEATED SELF-SERVICE BUFFET TROLLEYS - ADJUSTABLE SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Height-adjustable tempered glass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating

- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Bain-marie drain plug
- Dry heating element underneath the well
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Swivel castors ø 12.5 cm, 2 with brake




RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Art. 6910.4M-R + A124R(x2) + pans

OPEN LOWER PART VERSION

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910.2M-R	2.425,00	Oak	OPEN LOWER PART	2x1/1	1213W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910.2M-W	2.425,00	Wenge					A120W	126,00		A122W	126,00	
6910.2M-N	2.716,00	Black					A120N	147,00		A122N	147,00	
6910.2M-RAL	2.852,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910.3M-R	2.838,00	Oak	OPEN LOWER PART	3x1/1	1821W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910.3M-W	2.838,00	Wenge					A120W	126,00		A123W	157,00	
6910.3M-N	3.176,00	Black					A120N	147,00		A123N	183,00	
6910.3M-RAL	3.333,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910.4M-R	3.312,00	Oak	OPEN LOWER PART	4x1/1	2428W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910.4M-W	3.312,00	Wenge					A120W	126,00		A124W	192,00	
6910.4M-N	3.705,00	Black					A120N	147,00		A124N	224,00	
6910.4M-RAL	3.889,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910.5M-R	3.744,00	Oak	OPEN LOWER PART	5x1/1	3035W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910.5M-W	3.744,00	Wenge					A120W	126,00		A125W	252,00	
6910.5M-N	4.186,00	Black					A120N	147,00		A125N	294,00	
6910.5M-RAL	4.392,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910.6M-R	4.459,00	Oak	OPEN LOWER PART	6x1/1	3642W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910.6M-W	4.459,00	Wenge					A120W	126,00		A126W	314,00	
6910.6M-N	4.993,00	Black					A120N	147,00		A126N	307,00	
6910.6M-RAL	5.242,00	RAL					A120RAL	161,00		A126RAL	434,00	

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

HEATED SELF-SERVICE BUFFET TROLLEYS - ADJUSTABLE SNEEZE GUARD - LED LIGHTING



Art. 6910CPB.4M-R + A124R(x2) + pans

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6910CPB.2M-R	3.065,00	Oak	CUPBOARD	2x1/1	1213W	80x68x144 h	A120R	126,00	1 fixed with tray slide	A122R	126,00	1 drop-down with tray slide
6910CPB.2M-W	3.065,00	Wenge					A120W	126,00		A122W	126,00	
6910CPB.2M-N	3.452,00	Black					A120N	147,00		A122N	147,00	
6910CPB.2M-RAL	3.633,00	RAL					A120RAL	161,00		A122RAL	157,00	
6910CPB.3M-R	3.548,00	Oak	CUPBOARD	3x1/1	1821W	113x68x144 h	A120R	126,00	1 fixed with tray slide	A123R	157,00	1 drop-down with tray slide
6910CPB.3M-W	3.548,00	Wenge					A120W	126,00		A123W	157,00	
6910CPB.3M-N	3.992,00	Black					A120N	147,00		A123N	183,00	
6910CPB.3M-RAL	4.199,00	RAL					A120RAL	161,00		A123RAL	210,00	
6910CPB.4M-R	4.130,00	Oak	CUPBOARD	4x1/1	2428W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6910CPB.4M-W	4.130,00	Wenge					A120W	126,00		A124W	192,00	
6910CPB.4M-N	4.646,00	Black					A120N	147,00		A124N	224,00	
6910CPB.4M-RAL	4.887,00	RAL					A120RAL	161,00		A124RAL	252,00	
6910CPB.5M-R	4.648,00	Oak	CUPBOARD	5x1/1	3035W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6910CPB.5M-W	4.648,00	Wenge					A120W	126,00		A125W	252,00	
6910CPB.5M-N	5.226,00	Black					A120N	147,00		A125N	294,00	
6910CPB.5M-RAL	5.495,00	RAL					A120RAL	161,00		A125RAL	355,00	
6910CPB.6M-R	5.449,00	Oak	CUPBOARD	6x1/1	3642W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6910CPB.6M-W	5.449,00	Wenge					A120W	126,00		A126W	314,00	
6910CPB.6M-N	6.131,00	Black					A120N	147,00		A126N	307,00	
6910CPB.6M-RAL	6.449,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	Image	Description	GN	Image
A142	108,00	1	Front drop-down stainless steel rodded tray slide	2x1/1	
A143	120,00			3x1/1	
A144	153,00			4x1/1	
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€	Description			Suitable for
A152	203,00	Mains supply 380V			All articles
A154	163,00	Water loading from net, drain tap and overflow			
Accessories	€	Image	Description	Suitable for	Image
A10	29,00	2	1/1 GN Flat	All articles	
A20	34,00	3	1/1 GN Perforated		

MIXED HOT/COLD SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Fixed plexiglass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)

- Bain-marie drain tap for the heated part and condensate drip tray inside the compressor compartment for the refrigerated part (with tap available on request)
- Dry heating element underneath the well (heated compartments)
- Static refrigeration (cold compartments)
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Swivel castors ø 12.5 cm, 2 with brake




RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Art. 6920.6F3-W + A126W(x2) + A20(x6)

OPEN LOWER PART VERSION

Article	€	Finish	Typology	GN compartments	Power	Max dim. cm	Optional		Optional			
							€	Lateral shelf	€	Front shelf		
6920.4F2-R	3.560,00	Oak	OPEN LOWER PART	2 hot + 2 cold	1550W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6920.4F2-W	3.560,00	Wenge					A120W	126,00		A124W	192,00	
6920.4F2-N	4.094,00	Black					A120N	147,00		A124N	224,00	
6920.4F2-RAL	4.343,00	RAL					A120RAL	161,00		A124RAL	252,00	
6920.5F2-R	3.894,00	Oak	OPEN LOWER PART	3 hot + 2 cold	2155W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920.5F2-W	3.894,00	Wenge					A120W	126,00		A125W	252,00	
6920.5F2-N	4.479,00	Black					A120N	147,00		A125N	294,00	
6920.5F2-RAL	4.751,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920.5F3-R	3.864,00	Oak	OPEN LOWER PART	2 hot + 3 cold	1595W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920.5F3-W	3.864,00	Wenge					A120W	126,00		A125W	252,00	
6920.5F3-N	4.443,00	Black					A120N	147,00		A125N	294,00	
6920.5F3-RAL	4.714,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920.6F3-R	4.192,00	Oak	OPEN LOWER PART	3 hot + 3 cold	2205W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6920.6F3-W	4.192,00	Wenge					A120W	126,00		A126W	314,00	
6920.6F3-N	4.821,00	Black					A120N	147,00		A126N	307,00	
6920.6F3-RAL	5.114,00	RAL					A120RAL	161,00		A126RAL	434,00	

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

MIXED HOT/COLD SELF-SERVICE BUFFET TROLLEYS - FIXED SNEEZE GUARD - LED LIGHTING



NEW



Art. 6920CPB.6F3-W + A126W(x2) + A20(x6)

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN compartments	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6920CPB.4F2-R	4.378,00	Oak	CUPBOARD	2 hot + 2 cold	1550W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6920CPB.4F2-W	4.378,00	Wenge					A120W	126,00		A124W	192,00	
6920CPB.4F2-N	5.035,00	Black					A120N	147,00		A124N	224,00	
6920CPB.4F2-RAL	5.341,00	RAL					A120RAL	161,00		A124RAL	252,00	
6920CPB.5F2-R	4.799,00	Oak	CUPBOARD	3 hot + 2 cold	2155W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920CPB.5F2-W	4.799,00	Wenge					A120W	126,00		A125W	252,00	
6920CPB.5F2-N	5.518,00	Black					A120N	147,00		A125N	294,00	
6920CPB.5F2-RAL	5.854,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920CPB.5F3-R	4.768,00	Oak	CUPBOARD	2 hot + 3 cold	1595W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920CPB.5F3-W	4.768,00	Wenge					A120W	126,00		A125W	252,00	
6920CPB.5F3-N	5.483,00	Black					A120N	147,00		A125N	294,00	
6920CPB.5F3-RAL	5.817,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920CPB.6F3-R	5.182,00	Oak	CUPBOARD	3 hot + 3 cold	2205W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6920CPB.6F3-W	5.182,00	Wenge					A120W	126,00		A126W	314,00	
6920CPB.6F3-N	5.959,00	Black					A120N	147,00		A126N	307,00	
6920CPB.6F3-RAL	6.322,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	Image	Description	GN
A144	153,00	1	Front drop-down stainless steel rodded tray slide	4x1/1
A145	226,00			5x1/1
A146	237,00			6x1/1
Optional	€		Description	Suitable for
A156	34,00		Drain tap (necessary for fish displaying)	All articles
Accessories	€	Image	Description	Suitable for
A10	29,00	2	1/1 GN Flat	All articles
A20	34,00	3	1/1 GN Perforated	

MIXED HOT/COLD SELF-SERVICE BUFFET TROLLEYS - ADJUSTABLE SNEEZE GUARD - LED LIGHTING

- Stainless steel overhead gantry with led lighting
- Height-adjustable tempered glass sneeze guard
- Plywood panels, shelf (and doors in the cupboard version)
- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Bain-marie drain tap for the heated part and condensate drip tray inside the compressor compartment for the

- refrigerated part (with tap available on request)
- Dry heating element underneath the well (heated compartments)
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration (cold compartments)
- Swivel castors ø 12.5 cm, 2 with brake



NEW


RAL Matt lacquering. Please indicate the RAL code of the chosen colour.



Complementary elements see pp. 78-79

Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Adjustable sneeze guard



Art. 6920.6F3M-W + A126W(x2) + pans

OPEN LOWER PART VERSION

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN compartments	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6920.4F2M-R	4.252,00	Oak	OPEN LOWER PART	2 hot + 2 cold	1550W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6920.4F2M-W	4.252,00	Wenge					A120W	126,00		A124W	192,00	
6920.4F2M-N	4.786,00	Black					A120N	147,00		A124N	224,00	
6920.4F2M-RAL	5.035,00	RAL					A120RAL	161,00		A124RAL	252,00	
6920.5F2M-R	4.690,00	Oak	OPEN LOWER PART	3 hot + 2 cold	2155W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920.5F2M-W	4.690,00	Wenge					A120W	126,00		A125W	252,00	
6920.5F2M-N	5.275,00	Black					A120N	147,00		A125N	294,00	
6920.5F2M-RAL	5.547,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920.5F3M-R	4.660,00	Oak	OPEN LOWER PART	2 hot + 3 cold	1595W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920.5F3M-W	4.660,00	Wenge					A120W	126,00		A125W	252,00	
6920.5F3M-N	5.239,00	Black					A120N	147,00		A125N	294,00	
6920.5F3M-RAL	5.510,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920.6F3M-R	5.092,00	Oak	OPEN LOWER PART	3 hot + 3 cold	2205W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6920.6F3M-W	5.092,00	Wenge					A120W	126,00		A126W	314,00	
6920.6F3M-N	5.721,00	Black					A120N	147,00		A126N	307,00	
6920.6F3M-RAL	6.014,00	RAL					A120RAL	161,00		A126RAL	434,00	



NEW



Art. 6920CPB.6F3M-W + A126W(x2) + pans

CUPBOARD VERSION: with back panel, side panels and doors

Note: when ordering one single front shelf, it is mounted on the opposite side to the operator one, unless otherwise specified.

Article	€	Finish	Typology	GN compartments	Power	Max dim. cm	Optional	€	Lateral shelf	Optional	€	Front shelf
6920CPB.4F2M-R	5.070,00	Oak	CUPBOARD	2 hot + 2 cold	1550W	161x68x144 h	A120R	126,00	1 fixed with tray slide	A124R	192,00	1 drop-down with tray slide
6920CPB.4F2M-W	5.070,00	Wenge					A120W	126,00		A124W	192,00	
6920CPB.4F2M-N	5.727,00	Black					A120N	147,00		A124N	224,00	
6920CPB.4F2M-RAL	6.033,00	RAL					A120RAL	161,00		A124RAL	252,00	
6920CPB.5F2M-R	5.595,00	Oak	CUPBOARD	3 hot + 2 cold	2155W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920CPB.5F2M-W	5.595,00	Wenge					A120W	126,00		A125W	252,00	
6920CPB.5F2M-N	6.314,00	Black					A120N	147,00		A125N	294,00	
6920CPB.5F2M-RAL	6.650,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920CPB.5F3M-R	5.564,00	Oak	CUPBOARD	2 hot + 3 cold	1595W	193x68x144 h	A120R	126,00	1 fixed with tray slide	A125R	252,00	1 drop-down with tray slide
6920CPB.5F3M-W	5.564,00	Wenge					A120W	126,00		A125W	252,00	
6920CPB.5F3M-N	6.279,00	Black					A120N	147,00		A125N	294,00	
6920CPB.5F3M-RAL	6.613,00	RAL					A120RAL	161,00		A125RAL	355,00	
6920CPB.6F3M-R	6.082,00	Oak	CUPBOARD	3 hot + 3 cold	2205W	226x68x144 h	A120R	126,00	1 fixed with tray slide	A126R	314,00	1 drop-down with tray slide
6920CPB.6F3M-W	6.082,00	Wenge					A120W	126,00		A126W	314,00	
6920CPB.6F3M-N	6.859,00	Black					A120N	147,00		A126N	307,00	
6920CPB.6F3M-RAL	7.222,00	RAL					A120RAL	161,00		A126RAL	434,00	

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR BOTH VERSIONS

Optional	€	Image	Description	GN	Image
A144	153,00	1	Front drop-down stainless steel rodded tray slide	4x1/1	1
A145	226,00			5x1/1	
A146	237,00			6x1/1	
Optional	€	Description		Suitable for	
A156	34,00	Drain tap (necessary for fish displaying)		All articles	
Accessories	€	Image	Description	Suitable for	Image
A10	29,00	2	1/1 GN Flat	All articles	2
A20	34,00	3	1/1 GN Perforated		3

COMPLEMENTARY ELEMENTS FOR SELF-SERVICE BUFFET TROLLEYS

- Solid wood legs coated by AISI 304 stainless steel sheet, brushed finish
- Plywood panels
- For BLACK finish: structure and legs in water-repellent MDF with transparent coating
- Swivel castors \varnothing 12.5 cm, 2 with brake



NEW



NEW

Matt lacquering.
RAL Please indicate the RAL code of the chosen colour.



Art. 6900.A05W



Art. 6900.A10W



Art. 6900.A01W



Art. 6900.A05W+6910CPB.3L-W

COMPLEMENTARY ELEMENTS FOR SELF-SERVICE BUFFET TROLLEYS




Article				€	Description	Max dim. cm
Oak	Wenge	Black	RAL			
6900.A01R	6900.A01W			746,00	3-Shelf corner trolley	68x68x88 h
		6900.A01N		817,00		
			6900.A01RAL	1.089,00		
6900.A05R	6900.A05W			1.584,00	Trolley with door and open lower part	100x68x88 h
		6900.A05N		1.735,00		
			6900.A05RAL	2.159,00		
6900.A10R	6900.A10W			1.584,00	Neutral plate lowerator for plates ø 18÷28 cm	100x68x88 h
		6900.A10N		1.735,00		
			6900.A10RAL	2.159,00		
6900.A12R	6900.A12W			1.822,00	Neutral plate lowerator for plates ø 28÷32 cm	100x68x88 h
		6900.A12N		1.995,00		
			6900.A12RAL	2.396,00		
6900.A14R	6900.A14W			1.930,00	Heated plate lowerator (1200W) for plates ø 18÷28 cm	100x68x88 h
		6900.A14N		2.114,00		
			6900.A14RAL	2.503,00		
6900.A16R	6900.A16W			2.186,00	Heated plate lowerator (1200W) for plates ø 28÷32 cm	100x68x88 h
		6900.A16N		2.394,00		
			6900.A16RAL	2.760,00		

Optional	€	Description	Finish	Suitable for
A128R	157,00	Front drop-down shelf with tray slide	Oak	6900.A05R - 6900.A10R - 6900.A12R 6900.A14R - 6900.A16R
A128W	157,00		Wenge	6900.A05W - 6900.A10W - 6900.A12W 6900.A14W - 6900.A16W
A128N	183,00		Black	6900.A05N - 6900.A10N - 6900.A12N 6900.A14N - 6900.A16N
A128RAL	210,00		RAL	6900.A05RAL - 6900.A10RAL - 6900.A12RAL 6900.A14RAL - 6900.A16RAL
A148	120,00	Front drop-down stainless steel rodded shelf	-	For all items except for 3-shelf corner trolleys

REFRIGERATED DROP-IN WITH SNEEZE GUARD

- AISI 304 stainless steel overhead gantry with fixed plexiglass sneeze guard or height-adjustable in tempered glass, led lighting
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Drain at the base of well and condensate drip tray or external drain with tap (optional)
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, single-phase - 50/60 Hz
- Static refrigeration

Optional Gastronorms - see pp. 96-97




Art. 6980.4 + A20(x4)

Article	€	GN	Sneeze guard	Lighting	Power	Max dim. cm
6980.2	1.993,00	2x1/1	Fixed	Led	361W	80x68x111 h
6980.3	2.161,00	3x1/1			416W	113x68x111 h
6980.4	2.482,00	4x1/1			543W	161x68x111 h
6980.5	2.693,00	5x1/1			620W	193x68x111 h
6980.6	2.927,00	6x1/1			677W	226x68x111 h
6980.2M	2.477,00	2x1/1	Adjustable	Led	361W	80x68x111 h
6980.3M	2.749,00	3x1/1			416W	113x68x111 h
6980.4M	3.174,00	4x1/1			543W	161x68x111 h
6980.5M	3.489,00	5x1/1			620W	193x68x111 h
6980.6M	3.827,00	6x1/1			677W	226x68x111 h

Optional	€		Description	Suitable for
A156	34,00	-	Drain tap	All articles
A10	29,00	1	1/1 GN flat	
A20	34,00	2	1/1 GN perforated	

- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Drain at the base of well and condensate drip tray or external drain with tap (optional)
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, single-phase - 50/60 Hz
- Static refrigeration




Optional Gastronorms - see pp. 96-97



Art. 6980.4B + A20(x4)

Article	€	GN	Description	Power	Max dim. cm
6980.2B	1.483,00	2x1/1	Well only	348W	80x68x55 h
6980.3B	1.615,00	3x1/1		395W	113x68x55 h
6980.4B	1.869,00	4x1/1		515W	161x68x55 h
6980.5B	2.018,00	5x1/1		585W	193x68x55 h
6980.6B	2.188,00	6x1/1		635W	226x68x55 h




Optional	€		Description	Suitable for
A156	34,00	-	Drain tap	All articles
A10	29,00	1	1/1 GN flat	
A20	34,00	2	1/1 GN perforated	

HEATED DROP-IN WITH SNEEZE GUARD

- AISI 304 stainless steel overhead gantry, with fixed plexiglass sneeze guard or height-adjustable in tempered glass
- Led lighting or heating set of infrared lamps with red light (white light on request)
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Drain at base (optional water loading from net and overflow)

- Heating element underneath the well dry or bain-marie
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, - 50/60 Hz, single-phase (optional 380V three-phase)



Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE




Art. 6990.4 + A20(x4)

Articolo	€	GN	Sneeze guard	Lighting	Power	Max dim. cm
6990.2	1.506,00	2x1/1	Fixed	Led	1213W	80x68x78 h
6990.3	1.744,00	3x1/1			1821W	113x68x78 h
6990.4	2.042,00	4x1/1			2428W	161x68x78 h
6990.5	2.366,00	5x1/1			3035W	193x68x78 h
6990.6	2.725,00	6x1/1			3642W	226x68x78 h
6990.2M	1.990,00	2x1/1			Adjustable	Led
6990.3M	2.332,00	3x1/1	1821W	113x68x78 h		
6990.4M	2.734,00	4x1/1	2428W	161x68x78 h		
6990.5M	3.162,00	5x1/1	3035W	193x68x78 h		
6990.6M	3.625,00	6x1/1	3635W	226x68x78 h		
6990.2L	1.758,00	2x1/1	Fixed	Infrared		
6990.3L	2.080,00	3x1/1			2550W	113x68x78 h
6990.4L	2.508,00	4x1/1			3400W	161x68x78 h
6990.5L	2.962,00	5x1/1			4250W	193x68x78 h
6990.6L	3.451,00	6x1/1			5100W	226x68x78 h

Optional	€	📷	Description	Suitable for
A152	203,00	-	Mains supply 380V	All articles
A154	163,00	-	Water loading from net, drain tap and overflow	
A10	29,00	1	GN 1/1 flat	
A20	34,00	2	GN 1/1 perforated	
LB	0,00	-	White lamps	6990.2L - 6990.3L - 6990.4L 6990.5L - 6990.6L

- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Drain at base (optional water loading from net and overflow)
- Control panel with digital thermostat-thermometer and ON/OFF switch

- Mains supply: 230V, - 50/60 Hz, single-phase (optional 380V three-phase)
- Heating element underneath the well, possible use with Bain-Marie or dry heating





Optional Gastronorms - see pp. 96-97

DRY + BAIN-MARIE



Art. 6990.4B + A20(x4)

Article	€	GN	Description	Power	Max dim. cm
6990.2B	996,00	2x1/1	Well only	1200W	80x68x22 h
6990.3B	1.197,00	3x1/1		1800W	113x68x22 h
6990.4B	1.429,00	4x1/1		2400W	161x68x22 h
6990.5B	1.691,00	5x1/1		3000W	193x68x22 h
6990.6B	1.986,00	6x1/1		3600W	226x68x22 h



Optional	€	📷	Description	Suitable for
A152	203,00	-	Mains supply 380V	All articles
A154	163,00	-	Water loading from net, drain tap and overflow	
A10	29,00	1	GN 1/1 flat	
A20	34,00	2	GN 1/1 perforated	

SET YOUR STAINLESS STEEL SELF-SERVICE LINE

metalcarrelli.com



6703CH-RM (Customized) *pag. 90*

Affordable - Functional - Versatile:
heated, refrigerated or neutral,
with standard sneeze guard or “kid-service”
opening, customizable panel and feet
(optional castors and pushing handle).

METALCARRELLI 
S I N C E 1 9 6 4

ALL around YOUR BUSINESS

3

BREAKFAST TROLLEYS, BAIN-MARIE, REFRIGERATED AND NEUTRAL GN UNITS FOR MEAL DISTRIBUTION, REFRIGERATED TROLLEYS, DISPENSERS FOR PLATES, TRAYS AND PANS

METALCARRELLI 
SINCE 1964



BREAKFAST TROLLEYS

- AISI 304 stainless steel sheet construction, brushed finish
- Possibility to hold beverage containers on the top shelf
- Pushing handle
- Drip tray with grid for beverage containers
- Right lower compartment: runners for 1 GN 1/1 container and 3 runners for GN 1/1 or EN trays
- Left lower compartment with runners for dishwasher racks
- Grey rubber all-round bumper
- Swivel castors ø 12.5 cm, 2 with brake



Waste bin (not included)



Drip tray with grid



Art. 7452

Article	€	Max dim. cm
7452	1.854,00	116x70x95 h

Optional	€	Description
AB02	30,00	PVC waste bin, cm 33x16x51 h
A7452	514,00	Two stainless steel doors
T0003	121,00	Lateral drop-down stainless steel shelf


Accessories	€	Description
A050C	122,00	Stainless steel drip tray to be placed on the bottom of left compartment



Art. 7452 + A7452 + AB02 + T0003

DRINK DISPENSERS

- Double skinned, AISI 304 stainless steel sheet construction, brushed finish
- Removable top cover with handles
- 15 lt beverage containers, all with covers
- Drip tray with grill in stainless steel sheet
- Bain-Marie drain tap
- Bain-Marie immersion heating element
- ON/OFF switch with warning light
- Adjustable thermostat
- Power cable
- Mains supply: 230V, 50/60 Hz, single-phase



Art. 1178

Article	€	Container capacity	Power	Max dim. cm
1176	2.109,00	3x15 lt containers	2000W	105x52x74 h
1178	2.585,00	4x15 lt containers		135x52x74 h

WHEELED CABINETS FOR DRINK DISPENSERS

- AISI 304 stainless steel sheet construction, brushed finish
- Side pushing handles
- Special fittings to fix the beverage dispenser (on request)
- Hinged doors with lock
- Height-adjustable middle shelf
- 2 Fixed and 2 swivel castors, ø 16 cm



Art. 1178V-F



Art. 1178 + 1178V-F

Article	€	Suitable for	Max dim. cm
1176V	1.297,00	1176	116x69x87 h
1178V	1.405,00	1178	146x69x87 h

Optional	€	📷	Description	Suitable for
F	35,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	




BAIN-MARIE, REFRIGERATED AND NEUTRAL GN UNITS FOR MEAL DISTRIBUTION

NEUTRAL

- AISI 304 stainless steel sheet cupboard structure, brushed finish
- Glass sneeze guard with standard or “kid-service” opening (depending on the model)
- Stainless steel rodded tray slide
- Flat shelf

• For “COUNTER” service version without sneeze guard, with tray slide



Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE

REFRIGERATED

- AISI 304 stainless steel sheet cupboard structure, brushed finish
- Glass sneeze guard with standard or “kid-service” opening (depending on the model)
- Stainless steel rodded tray slide
- Static refrigeration
- AISI 304 stainless steel well for up to 20 cm-deep GN pans (not included)
- Hole at the bottom of the well with tap
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply 230V, single-phase, 50/60Hz
- Shelves and control panel at the base of the trolley on operator side
- Adjustable feet, optional swivel castors, 2 with brake

HEATED

- AISI 304 stainless steel sheet cupboard structure, brushed finish
- Glass sneeze guard with standard or “kid-service” opening (depending on the model)
- Stainless steel rodded tray slide
- AISI 304 stainless steel well for up to 20 cm-deep GN pans (not included)
- Dry heating element underneath the well
- Hole at the bottom of the well with drain tap
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply 230V, single-phase, 50/60Hz
- Shelves and control panel at the base of the trolley on operator side
- Adjustable feet, optional swivel castors, 2 with brake

STANDARD SNEEZE GUARD VERSION

Article	€	Typology	GN	Power	Max dim. cm
6702N	2.140,00	☐	2x1/1	-	82x94x120 h
6703N	2.275,00		3x1/1		120x94x120 h
6704N	2.544,00		4x1/1		158x94x120 h
6702F	3.934,00	❄️	2x1/1	361W	82x94x120 h
6703F	4.191,00		3x1/1	416W	120x94x120 h
6704F	4.693,00		4x1/1	543W	158x94x120 h
6702C	2.945,00	☀️	2x1/1	1200W	82x94x120 h
6703C	3.450,00		3x1/1	1800W	120x94x120 h
6704C	3.954,00		4x1/1	2400W	158x94x120 h

“KID-SERVICE” OPENING SNEEZE GUARD VERSION

Article	€	Typology	GN	Description	Power	Max dim. cm
6702NH	2.189,00	☐	2x1/1	Glass sneeze guard with “kid-service opening”	-	82x94x133 h
6703NH	2.324,00		3x1/1			120x94x133 h
6704NH	2.593,00		4x1/1			158x94x133 h
6702FH	3.983,00	❄️	2x1/1	Glass sneeze guard with “kid-service opening”	361W	82x94x133 h
6703FH	4.240,00		3x1/1		416W	120x94x133 h
6704FH	4.742,00		4x1/1		543W	158x94x133 h
6702CH	2.994,00	☀️	2x1/1	Glass sneeze guard with “kid-service opening”	1200W	82x94x133 h
6703CH	3.499,00		3x1/1		1800W	120x94x133 h
6704CH	4.002,00		4x1/1		2400W	158x94x133 h



Art. 6704FH-RM

Customizable

NEW

Art. 6703N-P-RM

Art. 6704F

NO SNEEZE GUARD VERSION

Article	€	Typology	GN	Max dim. cm
6702N-P	1.688,00	☉	2x1/1	82x94x83 h
6703N-P	1.801,00		3x1/1	120x94x83 h
6704N-P	2.009,00		4x1/1	158x94x83 h

OPTIONAL ITEMS AND ACCESSORIES SUITABLE FOR ALL VERSIONS BOTH WITH AND WITHOUT SNEEZE GUARD

Optional	€	📷	Description	Suitable for	🛞
RM	49,00	1	Set with 4 swivel castors ø 12.5 cm, 2 with brake (as alternative to the feet) and pushing handle	All articles	1
Accessories	€	📷	Description	Suitable for	
A10	29,00	2	1/1 GN Flat	All articles	2
A20	34,00	3	1/1 GN Perforated		3

STAINLESS STEEL REFRIGERATED TROLLEYS


- 2.5x2.5 cm square tube construction and panels in AISI 304 stainless steel sheet, brushed finish
- Side pushing handle
- Lower shelf
- AISI 304 stainless steel 19 cm-deep well for up to 15 cm-deep GN pans (not included)
- Condensate drain at the base of well with drain tap
- Control panel with digital thermostat-thermometer and ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Static refrigeration
- Grey non marking rubber bumper
- Swivel castors ø 12.5 cm, 2 with brake



Optional Gastronorms - see pp. 96-97



Art. 6962.3



Article	€	GN	Power	Max dim. cm
6962.2	2.426,00	2x1/1	320W	87x75x88 h
6962.3	2.815,00	3x1/1	360W	120x75x88 h
6962.4	3.316,00	4x1/1	470W	168x75x88 h


Optional	€	📷	Description	GN
CUP2	582,00	-	Plexiglass semi-cylindrical dome opening on both sides	2x1/1
CUP3	636,00	1		3x1/1
CUP4	688,00	-		4x1/1
A132	102,00	-	Front drop-down shelf	2x1/1
A133	115,00	2		3x1/1
A134	153,00	-		4x1/1
A142	108,00	-	Front drop-down stainless steel rodded tray slide	2x1/1
A143	120,00	3		3x1/1
A144	153,00	-		4x1/1




Accessories	€	📷	Description	GN
A10	29,00	4	Flat	1/1
A20	34,00	5	Perforated	



- AISI 304 stainless steel sheet construction, brushed finish
- Pushing handle
- Suitable for GN 1/1 – EN trays
- 1 open elevating column
- Automatic lifting system adjustable according to the weight
- Castors ø 12.5 cm, 2 with brake



Pushing handle



Art. 9705GN


Article	€	Trays	Max dim. cm
9705GN	1.100,00	1/1 GN	81x52x90 h
9705EN	1.100,00	EN	

PLATE DISPENSERS AND LOWERATORS


- AISI 304 stainless steel sheet construction, brushed finish
- Heat-proof pushing handle
- 1 or 2 columns suitable for plates of various diameters, (depending on the model) with load adjustment by springs
- Lids included
- Rubber corner bumpers
- Swivel castors \varnothing 12.5 cm, 2 with brake

HEATED VERSION

- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- 3-mt long coiled power cable
- Lids included



Art. 9701-1828RC



= neutral = hot

Article	€		Description	ø Plates	Plate capacity	Power	Max dim. cm
9701-1621FN	767,00		1 Fixed plate lowerator	16÷21		-	60x50x89 h
9701-1621FC	1.262,00					1200W	
9701-1828RN	941,00		1 Adjustable plate lowerator	18÷28	about 50-60	-	
9701-1828RC	1.388,00					1200W	
9701-2832RN	1.182,00					28÷32	
9701-2832RC	1.574,00		1200W				

Accessories	€	Description	Suitable for
9703-1621	89,00	1 Lid	9701-1621FN / 9701-1621FC
9703-1828	95,00		9701-1828RN / 9701-1828RC
9307-2832	109,00		9701-2832RN / 9701-2832RC



Art. 9702-1621FN + 9703-1621 (x2)



Art. 9702-1828RC

☰ = neutral ☀ = hot

Article	€		Description	ø Plates	Plate capacity	Power	Max dim. cm
9702-1621FN	1.451,00	☰	2 Fixed plate lowerators	16÷21		-	95x50x89 h
9702-1621FC	2.194,00	☀				1 x 1200W	
9702-1828RN	1.616,00	☰	2 Adjustable plate lowerators	18÷28	about 100-120	-	
9702-1828RC	2.163,00	☀				1 x 1200W	
9702-2832RN	2.109,00	☰					
9702-2832RC	2.472,00	☀		28÷32	1 x 1200W		


Accessories	€	Description	Suitable for
9703-1621	89,00	1 Lid	9702-1621FN / 9702-1621FC
9703-1828	95,00		9702-1828RN / 9702-1828RC
9307-2832	109,00		9702-2832RN / 9702-2832RC

STAINLESS STEEL GASTRONORM CONTAINERS, LIDS AND DIVIDERS

Bain-marie units for meal distribution, as well as self-service buffet trolleys, Bain-Marie trolleys and a few types of hotplates are designed in compliance with Gastronorm size standards. Stainless steel Gastronorm containers are widely used in the catering industry for food storage. Lids are also available. Dividers are needed to fit a number of containers into the trolley wells.



GASTRONORM CONTAINERS SIZES



LIDS FOR GASTRONORM CONTAINERS

Article	€	GN	Dim. max cm
B0190	19,00	1/1	32,5x53
B0290	16,00	2/3	32,5x35,4
B0390	12,00	1/2	26,5x32,5
B0490	10,00	1/3	17,6x32,5
B0590	8,00	1/4	26,5x16,2
B0690	7,00	1/6	17,6x16,2

DIVIDERS FOR GASTRONORM CONTAINERS

Article	€	GN	Dim. max cm
B0002	10,00	1/1	53
B0004	8,00	1/2	32,5

Article	€	GN	H cm	Max dim. cm
B0010	45,00	2/1	2	65x53
B0020	50,00		4	
B0030	54,00		6,5	
B0040	70,00		10	
B0050	96,00		15	
B0060	109,00		20	
B0110	21,00	1/1	2	32,5x53
B0120	24,00		4	
B0130	28,00		6,5	
B0140	34,00		10	
B0150	48,00		15	
B0160	58,00		20	
B0210	14,00	2/3	2	32,5x35,4
B0220	19,00		4	
B0230	21,00		6,5	
B0240	28,00		10	
B0250	34,00		15	
B0260	40,00		20	
B0310	12,00	1/2	2	26,5x32,5
B0320	14,00		4	
B0330	17,00		6,5	
B0340	22,00		10	
B0350	28,00		15	
B0360	34,00		20	
B0410	9,00	1/3	2	17,6x32,5
B0420	12,00		4	
B0430	14,00		6,5	
B0440	18,00		10	
B0450	23,00		15	
B0460	26,00		20	
B0510	7,00	1/4	2	26,5x16,2
B0520	10,00		4	
B0530	11,00		6,5	
B0540	16,00		10	
B0550	19,00		15	
B0560	25,00		20	
B0630	12,00	1/6	6,5	17,6x16,2
B0640	14,00		10	
B0650	18,00		15	
B0660	30,00		20	
B0730	10,00	1/9	6,5	17,6x10,8
B0740	14,00		10	

AN AGILE SERVICE

metacarrelli.com

7375A3-GS-E - pag. 118

Sturdy: made of AISI 304 and highly resistant to corrosion.

Versatile: separate wells with separate temperature control.

Practical: pressed runners for easy cleaning

Easy to handle: resilient and swivel castors for easy transport on uneven floors and outdoor use.



METALCARRELLI 

 SINCE 1964 

ALL around YOUR BUSINESS

4




COUNTERTOP HOTPLATES, INFRARED LAMPS AND HEATED TROLLEYS

METALCARRELLI 
SINCE 1964



COUNTERTOP HOTPLATES

- AISI 304 stainless steel sheet top
- Heated by electrical heating element
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber feet



1x1/1 GN | 33

2x1/1 GN | 66


3x1/1 GN | 99

4x1/1 GN | 132

Article	€	GN	Power	Max dim. cm
9080	174,00	1x1/1	250W	33x53x6 h
9082	219,00	2x1/1	500W	66x53x6 h
9084	264,00	3x1/1	750W	99x53x6 h
9086	305,00	4x1/1	1000W	132x53x6 h
905050	216,00	-	600W	50x50x6 h
906040	208,00		600W	60x40x6 h
906080	273,00		750W	60x80x6 h




Article	€	Power	Max dim. cm
9035	203,00	300W	50x35x6 h
9040	267,00	500W	63x53x6 h
9045	275,00	600W	90x45x6 h
9050	305,00	750W	100x50x6 h
9051	294,00	750W	92x52x6 h
9053	251,00	600W	86x46x6 h



COUNTERTOP HOTPLATES WITH INFRARED LAMPS

- AISI 304 stainless steel sheet top
- Built-in upper frame in tube and stainless steel sheet
- Plexiglass curved sneeze guard
- Infrared lamps, 250W each, red colour
- Heated by electrical heating element
- Separate switches for hotplate and infrared lamps, with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber feet



Art. 9568

Article	€	GN	Nr. of lamps	Power	Max dim. cm
9564	401,00	1x1/1	1	500W	38x53x70 h
9566	544,00	2x1/1	2	1000W	70x53x70 h
9568	704,00	3x1/1	3	1500W	103x53x70 h
9570	851,00	4x1/1	4	2000W	136x53x70 h

Optional	€	Description	Suitable for
LB	0,00	White lamps	All articles

INFRARED OVERHEAD GANTRIES

- Upper frame in tube and stainless steel sheet
- Plexiglass curved sneeze guard
- Infrared lamps, 250W each, red colour
- ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber feet




Art. 9568T

Article	€	GN	Nr. of lamps	Power	Max dim. cm
9564T	312,00	1x1/1	1	250W	38x53x70 h
9566T	411,00	2x1/1	2	500W	70x53x70 h
9568T	529,00	3x1/1	3	750W	103x53x70 h
9570T	639,00	4x1/1	4	1000W	136x53x70 h
Optional	€	Description		Suitable for	
LB	0,00	White lamps		All articles	

SUSPENDED INFRARED LAMPS

- Suspended stainless steel sheet heating gantry
- Plexiglass curved sneeze guard
- Infrared lamps, 250W each, red colour
- ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase



Art. 9568S

Article	€	GN	Nr. of lamps	Power	Max dim. cm
9566S	357,00	2x1/1	2	500W	71x53x24 h
9568S	476,00	3x1/1	3	750W	104x53x24 h
9570S	585,00	4x1/1	4	1000W	137x53x24 h

Optional	€	Description	Suitable for
LB	0,00	White lamps	All articles

INFRARED LAMPS

- Height-adjustable lamp holder
- Infrared lamp, 250 W, red colour or white colour upon request
- ON/OFF switch on lamp holder body
- Mains supply: 230V, 50/60 Hz, single-phase





Art. 9510A



Art. 9511A



Art. 9512A



Article	€	Finish	Cable length	Power	Max dim. cm
9510A	245,00	Aluminium	Adjustable 48 - 155 cm	250W	ø 22,5
9511A	358,00	Chrome-plated			
9512A	358,00	Copper			
Optional	€	Description		Suitable for	
LB-1	8,00	White lamp		All articles	

- Height-adjustable lamp holder
- Infrared lamp, 250 W, red colour or white colour upon request
- ON/OFF switch on lamp holder body
- Mains supply: 230V, 50/60 Hz, single-phase




NEW



Art. 9516A



Art. 9518A



Article	€	Finish	Cable length	Power	Max dim. cm
9516A	432,00	Brass-plated	Adjustable, 48 - 155 cm	250W	ø 22,5
9518A	270,00	Black			


Optional	€	Description	Suitable for
LB-1	8,00	White lamp	All articles

NEUTRAL AND HEATED DISPLAY CASES

- Stainless steel sheet top
- Plexiglass semi-cylindrical dome, opening on both sides
- Heated by electrical heating element
- ON/OFF switch with warning light
- Thermostatic control
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber feet



Art. 9070



- Base and shelf in stainless steel
- Structure in see-through Plexiglass (PMMA)
- Doors opening on two sides with locking device (included)
- Rubber feet

HEATED VERSION:

- ON/OFF switch with warning light, heat intensity regulator and humidifier pan
- Mains supply: 230V, 50/60 Hz, single-phase



Art. 3070




Art. 3072K

☰ = neutral ☀ = hot

Article	€		Shelves	Doors	Power	Max dim. cm
9070	540,00	☀	1	2	450W	92x52x32 h
3070	196,00	☰	1	2	-	51x35x18 h
3072	300,00		2	4		51x35x34 h
3070K	320,00	☀	1	2	250W	51x35x23 h
3072K	414,00		2	4		51x35x38 h

- Stainless steel structure
- Double skinned steel sheet well for up to 15 cm-deep GN 1/1 pans (not included) with separate temperature control
- For each well:
 - Bain-Marie drain tap
 - Adjustable thermostat
 - ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase



Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE




Art. 9555-2

Article	€	GN	Power	Max dim. cm
9555-1	331,00	1x1/1	600W	34x60x24 h
9555-2	524,00	2x1/1	1200W	70x60x24 h
9555-3	706,00	3x1/1	1800W	106x60x24 h

COUNTERTOP BAIN-MARIE UNITS

- Double skinned AISI 304 stainless steel sheet construction
- Bain-Marie well for up to 20 cm-deep GN 1/1 pans (not included)
- Bain-Marie drain tap
- Bain-Marie immersion heating element
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Adjustable feet



Optional Gastronorms: see pp. 96-97

BAIN-MARIE ONLY



Art. 9531 + pans




Art. 9531GR3

Article	€	GN	Power	Max dim. cm
9541	596,00	1x1/1	1950W	49x60x34 h
9551	696,00	2x1/1		81x60x34 h
9531	794,00	3x1/1		114x60x34 h
9521	909,00	4x1/1	3900W	153x60x34 h

Accessories	€	Bottom safety grill	Suitable for
GR1	46,00	1x1/1 GN	9541
GR2	54,00	2x1/1 GN	9551
GR3	62,00	3x1/1 GN	9531
GR4	70,00	4x1/1 GN	9521

COUNTERTOP BAIN-MARIE UNITS WITH DRY HEATING ELEMENTS

- Stainless steel structure
- Double skinned well for up to 20 cm-deep GN pans (not included)
- Grill on the bottom
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Adjustable feet



Optional Gastronorms: see pp. 96-97

DRY HEATING ONLY




Art. 9531RS

Article	€	GN	Well	Power	Max dim. cm
9551RS	629,00	2x1/1	Single	1000W	82x61x34 h
9531RS	729,00	3x1/1		2x1000W	115x61x34 h
9521RS	829,00	4x1/1			153x61x34 h

BAIN-MARIE TROLLEYS WITH LID

- 2x2 cm square steel tube construction with AISI 304 stainless steel sheet panels, brushed finish
- Hinged top lid
- Bain-Marie well for up to 20 cm-deep GN pans (not included)
- Grill on the bottom
- Bain-Marie immersion heating element and drain tap
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Open sided base
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97

BAIN-MARIE ONLY




Art. 1393

Article	€	GN	Power	Max dim. cm
1391	774,00	1x1/1	1950W	49x60x90 h
1392	868,00	2x1/1		81x60x90 h
1393	995,00	3x1/1		114x60x90 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles 
A0040	23,00	-	Pushing handle	

Accessories	€	Description	Suitable for
A0431	42,00	Lower s/s additional shelf	1391
A0432	63,00		1392
A0433	84,00		1393

- 2x2cm square steel tube construction with AISI 304 stainless steel sheet panels, brushed finish
- Bain-Marie well for up to 20 cm-deep GN pans (not included)
- Bain-Marie immersion heating element and drain tap
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Open sided base with removable shelf
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97

BAIN-MARIE ONLY



Art. 1397


Article	€	GN	Power	Max dim. cm
1395	752,00	1x1/1	1950W	49x60x84 h
1396	862,00	2x1/1		81x60x84 h
1397	956,00	3x1/1		114x60x84 h
1398	1.124,00	4x1/1	3900W	153x60x84 h

Optional	€	📷	Descrizione	Suitable for
F	21,00	1	Set with 2 braked castors	All articles 
A0040	23,00	-	Pushing handle	

Accessories	€	Bottom safety grill	Suitable for
GR1	46,00	1x1/1 GN	1395
GR2	54,00	2x1/1 GN	1396
GR3	62,00	3x1/1 GN	1397
GR4	70,00	4x1/1 GN	1398

HEATED TROLLEYS WITH SEPARATE TEMPERATURE CONTROL

- Stainless steel structure
- Double skinned well for up to 15 cm-deep GN pans (not included) with separate temperature control
- For each well:
 - Bain-Marie drain tap
 - Adjustable thermostat
 - ON/OFF switch with warning light
- Mains supply: 230V, 50/60 Hz, single-phase
- Pushing handle
- Swivel castors ø 12.5 cm, 2 with brake



Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE

SEPARATE WELLS

NEW




Art. 7370RS

Article	€	GN	Well	Power	Max dim. cm
7370RS	926,00	2x1/1	Separate	2x600W	88x61x85 h
7375RS	1.183,00	3x1/1		3x600W	121x61x85 h

HEATED TROLLEYS WITH DRY HEATING ELEMENTS

- Stainless steel structure
- Double skinned well for up to 20 cm-deep GN pans (not included)
- Grill on the bottom
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Pushing handle
- Swivel castors ø 12.5 cm, 2 with brake



Optional Gastronorms: see pp. 96-97

DRY HEATING ONLY

SINGLE WELL




Art. 1397RS

Article	€	GN	Well	Power	Max dim. cm
1396RS	760,00	2x1/1	Single	1000W	88x61x85 h
1397RS	860,00	3x1/1		2x1000W	121x61x85 h
1398RS	960,00	4x1/1		159x61x85 h	

BAIN-MARIE TROLLEYS - SINGLE WELL

- 2.5x2.5 cm square steel tube construction with AISI 304 stainless steel sheet panels, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Lower welded shelf
- Single Bain-Marie well made of pressed steel sheet with no sharp edges for up to 20 cm deep GN pans (not included)

- Bain-Marie dry heating element underneath the well and drain tap
- ON/OFF switch with warning light
- Control panel with adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber corner bumpers
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE

SINGLE WELL



Art. 7365F

Article	€	GN	Power	Max dim. cm
7360	1.379,00	2x1/1	1200W	87x65x86 h
7365	1.654,00	3x1/1	1350W	125x65x86 h
7368	1.967,00	4x1/1	2400W	163x65x86 h


Optional	€	Image	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles



BAIN-MARIE TROLLEYS WITH SEPARATE WELLS

- 2.5x2.5 cm square steel tube construction with AISI 304 stainless steel sheet panels, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Lower welded shelf
- Bain-Marie wells with separate temperature control in pressed steel sheet with no sharp edges for up to 20 cm-deep GN pans (not included)

- Bain-Marie dry heating element underneath the well and drain tap
- ON/OFF switch with warning light
- Control panel with adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Rubber corner bumpers
- Swivel castors, ø 12.5 cm



Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE

SEPARATE WELLS



Art. 7375F


Article	€	GN	Power	Max dim. cm
7370	1.478,00	2x1/1	1200W	87x65x86 h
7375	2.120,00	3x1/1	1800W	125x65x86 h
7378	2.532,00	4x1/1	2400W	163x65x86 h

Optional	€	Image	Description	Suitable for
F	21,00		Set with 2 braked castors	All articles

Technical features


- AISI 304 stainless steel
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Single or separate bain-marie wells, suitable for GN pans
- One or more Bain-Marie drain taps
- Single or separate neutral, heated, refrigerated or mixed lower compartments
- Mains supply: 230V, 50/60 Hz, single-phase
- Bain-marie dry heating element underneath each well
- Control panel with independent thermostatic control, from +30° C to +90°C, one for each heated or refrigerated compartment from +4°C to +10°C.
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- Castors Ø 16 cm, 2 fixed, 2 swivel with brake

DRY + BAIN-MARIE



Optional

LIDS FOR 2 GN - 3 GN ITEMS



(C2-C3)

Lids opening to 180°



(L2-L3)

Lids opening 2/3 + 1/3 on the long side



(S2-S3)

Sliding lids on the long side



STEEL AND GLASS SNEEZE GUARD (it cannot be mounted on trolleys with lids)

Art. PAR2L - PAR3L - PAR4L



STEEL AND GLASS SNEEZE GUARD with "KID-SERVICE" OPENING (it cannot be mounted on trolleys with lids)

Art. PAR2H - PAR3H - PAR4H



TRAY SLIDE SHELF frontal, drop-down



IPX5 INSULATED DIGITAL PANEL




TOW BAR WITH COUPLER



SET OF 4 RESILIENT WHEELS, 2 with brake for uneven floors / outdoor use

Separate lower compartments with "C"-shaped runners



- Up-and-over opening doors


- Single or separate lower compartments



- Mechanical thermostats





- "C"-shaped runners to easily fit pans and for a greater support



Separate lower compartments compliant with "H1" system with pressed runners

- Digital thermostats

- 270° opening doors with magnet



H1
- Compartment with no-sharp edges compliant with "H1" hygiene system



- Pressed runners made with one single steel sheet layer for easy cleaning


- Separate lower compartments



Bain-marie cupboard trolleys - single well - lower compartments with pressed shelves

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Single Bain-Marie well in pressed steel sheet with no sharp edges for up to 20 cm-deep GN pans (not included)
- Bain-Marie drain tap
- Separate heated or neutral lower compartments with no-sharp edges (compliant with H1 hygiene system), with independent thermostats, insulated up-and-over doors. N. 6 pairs of "pressed" runners suitable for containers 1/1 GN (or submultiples) spaced 5,5 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath the well
- Digital control panel with independent thermostatic control - one thermostat for each heated compartment
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub




DRY + BAIN-MARIE

Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97

NEW

Art. 7365A3-GS-E



☐ = neutral ☀ = hot

Article	€	GN	Lower compartment	Power	Max dim. cm
7360A0-GS	3.020,00	2x1/1	☐ ☐	1200W	95x72x96 h
7360A1-GS	3.140,00		☐ ☀	1600W	
7360A2-GS	3.260,00		☀ ☀	2000W	
7365A0-GS	3.764,00	3x1/1	☐ ☐ ☐	1350W	134x72x96 h
7365A1-GS	3.945,00		☐ ☐ ☀	1750W	
7365A2-GS	4.060,00		☐ ☀ ☀	2150W	
7365A3-GS	4.175,00		☀ ☀ ☀	2550W	

Optional	€	📷	Description	Suitable for
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles



LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN



Bain-marie cupboard trolleys - separate wells - lower compartments with pressed runners

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Separate Bain-Marie wells in pressed steel sheet with no sharp edges for up to 20 cm deep GN pans (not included)
- Separate Bain-Marie drain taps
- Separate heated or neutral lower compartments with no-sharp edges (compliant with H1 hygiene system), with independent thermostats, insulated up-and-over doors. N. 6 pairs of "pressed" runners suitable for containers 1/1 GN (or submultiples) spaced 5,5 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath each well
- Digital control panel with independent adjustable thermostatic control, one thermostat for each well
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



DRY + BAIN-MARIE

Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97

NEW



Art. 7375A3-GS-E



☰ = neutral ☀ = hot

Article	€	GN	Lower compartments	Power	Max dim. cm
7370A0-GS	3.278,00	2x1/1	☰ ☰	1200W	95x72x96 h
7370A1-GS	3.397,00		☰ ☀	1600W	
7370A2-GS	3.518,00		☀ ☀	2000W	
7375A0-GS	4.306,00	3x1/1	☰ ☰ ☰	1800W	134x72x96 h
7375A1-GS	4.495,00		☰ ☰ ☀	2200W	
7375A2-GS	4.615,00		☰ ☀ ☀	2600W	
7375A3-GS	4.735,00		☀ ☀ ☀	3000W	

Optional	€	📷	Description	Suitable for
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles



LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN



Bain-marie cupboard trolleys - single well - single neutral lower compartment

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Single Bain-Marie well in pressed steel sheet with no sharp edges for up to 20 cm-deep GN pans (not included)
- Bain-Marie drain tap
- Single lower neutral compartment with up-and-over door
- Mains supply: 230V, 50/60 Hz, single-phase

- Dry heating element underneath the well
- Control panel with mechanical thermostatic control
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97


DRY + BAIN-MARIE



Art. 7365A

 = neutral

Article	€	GN	Lower compartment	Power	Max dim. cm
7360A	2.075,00	2x1/1		1200W	95x72x96 h
7365A	2.421,00	3x1/1		1350W	134x72x96 h
7368A	2.832,00	4x1/1		2400W	172x72x96 h

Optional	€		Description	Suitable for
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles  

LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	


TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



Bain-marie cupboard trolleys - single well - separate neutral and heated lower compartments with "C"-shaped runners

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Single Bain-Marie well in pressed steel sheet with no sharp edges for up to 20 cm-deep GN pans (not included)
- Bain-Marie drain tap
- Separate heated or neutral lower compartments with independent thermostats, insulated up-and-over doors. N. 4 pairs of "C"-shaped runners suitable for containers 1/1 GN (or submultiples) spaced 7,6 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath the well
- Control panel with independent mechanical thermostatic control - one thermostat for each heated compartment
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



DRY + BAIN-MARIE

Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97



Art. 7365A3

☐ = neutral ☀ = hot

Article	€	GN	Lower compartments	Power	Max dim. cm
7360A0	2.610,00		☐ ☐	1200W	95x72x96 h
7360A1	2.714,00	2x1/1	☐ ☀	1600W	
7360A2	2.818,00		☀ ☀	2000W	
7365A0	3.254,00	3x1/1	☐ ☐ ☐	1350W	134x72x96 h
7365A1	3.410,00		☐ ☐ ☀	1750W	
7365A2	3.510,00		☐ ☀ ☀	2150W	
7365A3	3.609,00		☀ ☀ ☀	2550W	
7368A0	4.030,00	4x1/1	☐ ☐ ☐ ☐	2400W	172x72x96 h
7368A1	4.134,00		☐ ☐ ☐ ☀	2800W	
7368A2	4.238,00		☐ ☐ ☀ ☀	3200W	
7368A3	4.342,00		☐ ☀ ☀ ☀	3600W	
7368A4	4.446,00		☀ ☀ ☀ ☀	4000W	
Optional	€	📷	Description	Suitable for	
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use		

LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



Bain-marie cupboard trolleys - single well - separate mixed lower compartments with "C"-shaped runners

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Single Bain-Marie well in pressed steel sheet with no sharp edges for up to 20 cm-deep GN pans (not included)
- Bain-Marie drain tap
- Separate heated, refrigerated or neutral lower compartments with independent thermostats, insulated up-and-over doors. N. 4 pairs of "C"-shaped runners suitable for containers 1/1 GN (or submultiples) spaced 7,6 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath the well
- IPX5 digital control panel supplied as standard with independent thermostatic control - one thermostat for each heated or refrigerated compartment
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97


DRY + BAIN-MARIE



Art. 7365A1F1



Note: IPX5 digital control panel is supplied as standard in the Bain-Marie trolleys with refrigerated compartments



☰ = neutral ☀ = hot ❄ = cold

Article	€	GN	Lower compartments	Power	Max dim. cm
7360A0F1	3.652,00	2x1/1	❄	1600W	95x72x96 h
7365A0F2	4.151,00	3x1/1	❄ ❄	2200W	134x72x96 h
7365A1F1	4.471,00		☀ ❄	2600W	
7368A0F2	4.967,00	4x1/1	☰ ❄ ❄	2800W	172x72x96 h
7368A1F2	5.138,00		☀ ❄ ❄	3200W	
7368A2F1	5.419,00		☀ ☀ ❄	3600W	

Optional	€	Description	Suitable for
E	50,00	1 Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles



LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Heat-proof lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



Bain-marie cupboard trolleys - separate wells - single neutral lower compartment

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Separate Bain-Marie wells in pressed steel sheet with no sharp edges for up to 20 cm deep GN pans (not included)
- Separate Bain-Marie drain taps
- Single lower neutral compartment with up-and-over door
- Mains supply: 230V, 50/60 Hz, single-phase

- Dry heating element underneath each well
- Control panel with independent mechanical adjustable thermostatic control, one thermostat for each well
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE



Art. 7375A

 = neutral

Article	€	GN	Lower compartment	Power	Max dim. cm
7370A	2.297,00	2x1/1		1200W	95x72x96 h
7375A	2.854,00	3x1/1		1800W	134x72x96 h
7378A	3.402,00	4x1/1		2400W	172x72x96 h

Optional	€		Description	Suitable for
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles  

LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



Bain-marie cupboard trolleys - separate wells - separate neutral and heated lower compartments with "C"-shaped runners

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Separate Bain-Marie wells in pressed steel sheet with no sharp edges for up to 20 cm deep GN pans (not included)
- Separate Bain-Marie drain taps
- Separate heated or neutral lower compartments with independent thermostats, insulated up-and-over doors. N. 4 pairs of "C"-shaped runners suitable for containers 1/1 GN (or submultiples) spaced 7,6 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath each well
- Control panel with independent mechanical adjustable thermostatic control, one thermostat for each well
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



DRY + BAIN-MARIE

Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97



Art. 7375A3

☐ = neutral ☀ = hot

Article	€	GN	Lower compartments	Power	Max dim. cm
7370A0	2.834,00	2x1/1	☐ ☐	1200W	95x72x96 h
7370A1	2.937,00		☐ ☀	1600W	
7370A2	3.041,00		☀ ☀	2000W	
7375A0	3.722,00	3x1/1	☐ ☐ ☐	1800W	134x72x96 h
7375A1	3.885,00		☐ ☐ ☀	2200W	
7375A2	3.989,00		☐ ☀ ☀	2600W	
7375A3	4.093,00		☀ ☀ ☀	3000W	
7378A0	4.601,00	4x1/1	☐ ☐ ☐ ☐	2400W	172x72x96 h
7378A1	4.705,00		☐ ☐ ☐ ☀	2800W	
7378A2	4.809,00		☐ ☐ ☀ ☀	3200W	
7378A3	4.913,00		☐ ☀ ☀ ☀	3600W	
7378A4	5.017,00		☀ ☀ ☀ ☀	4000W	
Optional	€	📷	Description	Suitable for	
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use	All articles	



LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	



TRAY SLIDE SHELF


Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



Bain-marie cupboard trolleys - separate wells - separate mixed lower compartments with "C"-shaped runners

- AISI 304 stainless steel sheet construction, brushed finish
- Polyurethane foam insulation panels
- Heat-proof pushing handles
- Separate Bain-Marie wells in pressed steel sheet with no sharp edges for up to 20 cm deep GN pans (not included)
- Separate Bain-Marie drain taps
- Separate heated, refrigerated or neutral lower compartments with independent thermostats, insulated up-and-over doors. N. 4 pairs of "C"-shaped runners suitable for containers 1/1 GN (or submultiples) spaced 7,6 cm

- Mains supply: 230V, 50/60 Hz, single-phase
- Dry heating element underneath each well
- IPX5 digital control panel supplied as standard, fitted with independent adjustable thermostats, one for every heated or refrigerated compartment
- 3-mt long coiled power cable (no plug)
- All round grey non marking rubber bumpers
- 2 Fixed and 2 braked swivel castors with heavy-duty brackets, ø 16 cm; grey non marking rubber tread on centre with roller bearing hub



Optional + accessories: see pp. 134-135

Optional Gastronorms: see pp. 96-97

DRY + BAIN-MARIE



Note: IPX5 digital control panel is supplied as standard in the Bain-Marie trolleys with refrigerated compartments



Art. 7375A1F1

☰ = neutral ☀ = hot ❄ = cold

Article	€	GN	Lower compartments	Power	Max dim. cm
7370A0F1	3.874,00	2x1/1	❄	1600W	95x72x96 h
7375A0F2	4.659,00	3x1/1	❄ ❄	2200W	134x72x96 h
7375A1F1	4.992,00		☀ ❄	2600W	
7378A0F2	5.539,00	4x1/1	☰ ❄ ❄	2800W	172x72x96 h
7378A1F2	5.709,00		☀ ❄ ❄	3200W	
7378A2F1	5.989,00		☀ ☀ ❄	3600W	
Optional	€	📷	Description	Suitable for	
E	50,00	1	Set of 4 resilient wheels, 2 with brake for uneven floors / outdoor use		

LID

- Insulated lids, when open they can be used as support
- AISI 304 stainless steel sheet construction, brushed finish

Optional	€	Description	Typology	Suitable for		
C2	603,00	Lids	opening to 180°	2x1/1 GN		
C3	638,00			3x1/1 GN		
L2	630,00		opening to 2/3 + 1/3	2x1/1 GN		
L3	702,00			3x1/1 GN		
S2	1.687,00		sliding	2x1/1 GN		
S3	1.870,00			3x1/1 GN		

SNEEZE GUARD

Optional	€		Description	Typology	Suitable for
PAR2L	452,00	2	Glass sneeze guard	Standard	2x1/1 GN
PAR2H	507,00	3		"Kid-service" opening	
PAR3L	474,00	2		Standard	3x1/1 GN
PAR3H	534,00	3		"Kid-service" opening	
PAR4L	535,00	2		Standard	4x1/1 GN
PAR4H	547,00	3		"Kid-service" opening	



TRAY SLIDE SHELF

Optional	€	Description	Suitable for
ME2	138,00	Tray slide shelf, long side	2x1/1 GN
ME3	151,00		3x1/1 GN
ME4	195,00		4x1/1 GN



OPTIONAL CONTROL PANEL

• Control panel with IPX5 protection (*) ON/OFF digital switch thermostatic control

(*) The IPX5 control panel is supplied as standard in the Bain-Marie trolleys featuring one or more lower refrigerated compartments.



Article	T0100	T0102	T0104	T0106	T0108	T0110	T0112	T0114	T0116
	96,00 €	136,00 €	183,00 €	229,00 €	216,00 €	136,00 €	176,00 €	223,00 €	176,00 €
7360A	X								
7365A	X								
7368A	X								
7360A0	X								
7360A0-GS	X								
7360A1		X							
7360A1-GS		X							
7360A2			X						
7360A2-GS			X						
7365A0	X								
7365A0-GS	X								
7365A1		X							
7365A1-GS		X							
7365A2			X						
7365A2-GS			X						
7365A3				X					
7365A3-GS				X					
7368A0	X								
7368A1		X							
7368A2			X						
7368A3				X					
7368A4					X				
7370A						X			
7375A									X
7370A0						X			
7370A0-GS						X			
7370A1							X		
7370A1-GS							X		
7370A2								X	
7370A2-GS								X	
7375A0									X
7375A0-GS									X

OPTIONAL CONTROL PANEL

- Control panel with IPX5 protection (*) ON/OFF digital switch thermostatic control
- (*) The IPX5 control panel is supplied as standard in the Bain-Marie trolleys featuring one or more lower refrigerated compartments.



Article	T0118	T0120	T0122	T0124	T0126	T0128	T0130	T0132	
	216,00 €	263,00 €	310,00 €	200,00 €	237,00 €	282,00 €	325,00 €	368,00 €	
7378A				X					
7375A1	X								
7375A1-GS	X								
7375A2		X							
7375A2-GS		X							
7375A3			X						
7375A3-GS			X						
7378A0				X					
7378A1					X				
7378A2						X			
7378A3							X		
7378A4								X	

OPTIONAL POWER PLUG

Optional	€	Description
T200	44,00	Power plug 2P+GND-6h/250V - 16A - IP67 (IEC 309)



OPTIONAL TOW BAR

Optional	€	Description
T-2018	690,00	Tow bar with coupler for all bain-marie cupboard trolleys Note: this item is not compatible with accessory sneeze guard: Art. PAR2L - PAR2H - PAR3L - PAR3H - PA4L - PAR4H



ACCESSORY EUTECTIC PLATE

Accessories	€	Description
T0030	126,00	GN eutectic plate (-10 °C) for neutral lower compartments



A UNIVERSAL FLYING

metalcarelli.com



1470U-PNB

pag. 162

Universal:
suitable for all types of trays.

Modular:
also available with
back panel and top shelf.

Easy to handle:
swivel castors and
grey rubber bumper.

METALCARRELLI [®]
S I N C E 1 9 6 4

ALL around YOUR BUSINESS

5



TABLEWARE HANDLING TROLLEYS, KNIFE STERILIZERS AND TRAY/PAN TROLLEYS

METALCARRELLI 
SINCE 1964





UV KNIFE STERILIZERS

- Stainless steel structure
- Methacrylate door with anti UV dispersion and magnetic closure
- Steel wire rack
- Safety microswitch that automatically turns the lamp OFF when opening the door
- ON/OFF switch
- Adjustable timer: 0-60 minutes
- Mains supply: 230V, 50 Hz, single-phase



Article	€	Knife qty.	Power	Max dim. cm
7501	267,00	12	16W	36x13x67 h
7502	292,00	14		40x13x67 h
7504	324,00	20		51x13x67 h

- Double skinned, stainless steel sheet construction insulated with expanded polyurethane panels
- Insulated double skinned hinged front doors opening to 180°, with mechanical key lock
- Internal perforated height-adjustable shelves
- ON/OFF switch with warning light
- Adjustable thermostat
- Mains supply: 230V, 50/60 Hz, single-phase
- Adjustable feet (Art. 9630)
- Swivel castors, ø 8 cm, (Art. 9660 - 96100 - 96120)



Art. 9660



Art. 96120-F




Art. 9630

Article	€	Plate cap.	Max plate ø cm	Doors	Shelves	Power	Max dim. cm
9630	839,00	30	32	1	1	400W	42x46x58 h
9660	980,00	60			42x46x94 h		
96100	1.251,00	100		2	2	800W	77x46x80 h
96120	1.363,00	120					77x46x94 h
Optional	€		Description			Suitable for	
F	21,00	1	Set with 2 braked castors			9660 - 96100 - 96120	




COUNTERTOP PLATE STACKERS


- Black painted steel construction
- White rilsan plastic coated steel plate supports
- Adjustable feet



24 plates



48 plates



Art. 3019

Article	€	Plate capacity	Plate σ cm	Max dim. cm
3020	248,00	48	18÷24	77x77x95 h
3021	260,00		24÷31	
3018	223,00	24	18÷24	
3019	227,00		24÷31	


Accessories	€		Description	Suitable for
A0252	146,00	1	PVC cover with zipper	All articles




1

WHEELED PLATE STACKERS


- Black painted steel construction
- White rilsan plastic coated steel plate support
- Pushing handles
- Swivel castors, ø 12.5 cm, 2 with brake




48 plates



72 plates



96 plates



Art. 3011

Article	€	Plate capacity	Plate ø cm	Max dim. cm
3008	479,00	48	18÷24	77x77x180 h
3009	521,00	72		
3010	509,00	96		
3013	476,00	48	24÷31	
3012	521,00	72		
3011	531,00	96		
Accessories	€		Description	Suitable for
A0250	150,00	1	PVC cover with zipper	All articles



PLATE/GLASS/TRAY TROLLEYS

- Stainless steel 2x2 cm square tube frame
- AISI 304 stainless steel sheet side panels
- Inclined base to prevent sliding
- Additional lower stainless steel shelf (depending on the model)
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1270-F



Art. 1272-F + A0255



Art. 1272-F

Article	€		Shelves	Max dim. cm
1270	390,00		1	84x51x91 h
1272	440,00		2	84x51x116 h
Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles  1
Accessories	€	📷	Description	Suitable for
A0254	106,00	2	PVC cover with zipper	1270
A0255	138,00			1272



- AISI 304 stainless steel 2x2 cm square tube frame
- AISI 304 stainless steel sheet side panels and base
- Inclined base to prevent from sliding
- AISI 304 stainless steel wire dividers (optional)
- Swivel castors, ø 12.5 cm, 2 with brake



Art. 1270PR-E + A0056(x2)



Art. 1270P + A0056(x2)


Article	€	Shelves	Max dim. cm
1270P	483,00	1	90x60x91 h
1270PR	583,00	2	90x60x102 h

Optional	€	Description	Suitable for
E	94,00	Set of 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles

Accessories	€	Description	Suitable for
A0056	49,00	AISI 304 stainless steel single removable wire divider	All articles
A0260	174,00	PVC cover with zipper	

CROCKERY AND GLASSWARE DRAINING TROLLEYS

- Stainless steel 2x2 cm square tube frame, or 2.5x2.5 cm square tube frame (Art. 5034 - 5036 - 5038)
- Stainless steel sheet crockery racks with no sharp edges
- Lower thermoformed ABS glass rack with drip tray and watertight plug
- Swivel castors, ø 12.5 cm



Art. 5024-F



Art. 5020-F



Art. 5022-F

Article	€	Plate cap.	Ø plates	Crockery racks	Glass racks	Max dim. cm
5002	559,00	180	16÷26	3	-	87x62x121 h
5004	562,00	120		2	1	
5006	565,00	60		1	2	
5020	605,00	216		3	-	102x62x121 h
5022	600,00	144		2	1	
5024	596,00	72		1	2	
5034	636,00	216	16÷32	3	-	102x69x134 h
5036	631,00	144		2	1	
5038	626,00	72		1	2	

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles 
Accessories	€	📷	Description	Suitable for
A0282	131,00	2	PVC cover with zipper	5002 - 5004 - 5006
A0284	142,00			5020 - 5022 - 5024
A0289	189,00			5034 - 5036 - 5038



CROCKERY AND GLASSWARE DRAINING TROLLEYS

- Stainless steel 2x2 cm square tube frame
- Stainless steel sheet crockery racks with no sharp edges
- Thermoformed ABS glass rack with drip tray and watertight plug
- Swivel castors, ø 12.5 cm



Art. 5026-F



Art. 5032-F

Article	€	Plate cap.	Ø plates	Crockery racks	Glass racks	Max dim. cm
5012	714,00	240	16÷26	4	-	87x62x159 h
5014	714,00	180		3	1	
5016	714,00	120		2	2	
5018	714,00	60		1	3	
5026	768,00	288	16÷26	4	-	102x62x159 h
5028	763,00	216		3	1	
5030	759,00	144		2	2	
5032	754,00	72		1	3	

Optional	€	Image	Description	Suitable for
F	21,00		Set with 2 braked castors	All articles

Accessories	€	Image	Description	Suitable for
A0286	148,00		PVC cover with zipper	5012 - 5014 5016 - 5018
A0288	162,00			5026 - 5028 5030 - 5032

HANGING DRAINERS

- Stainless steel 2x2 cm square tube frame
- Stainless steel sheet crockery racks with no sharp edges
- Stainless steel sheet glass racks with drip tray
- Hardware for wall-mounting not included



Art. 5062



Art. 5064



Art. 5066

Article	€	Plate cap.	Ø plates	Crockery racks	Glass racks	Max dim. cm
5052	171,00	60	16÷32	2	-	83x42x48 h
5054	178,00	30		1	1	
5056	185,00	-	-	-	2	
5062	185,00	72	16÷32	2	-	98x42x48 h
5064	219,00	36		1	1	
5066	213,00	-	-	-	2	

TRAY/LID DRAINING TROLLEYS

- Stainless steel 2.5x2.5 cm square tube frame
- Stainless steel wire dividers
- Thermoformed ABS lower drip tray with watertight plug
- Swivel castors, ø 12.5 cm



Art. 2264

Article	€		Tray/lid capacity	Max dim. cm
2264	730,00		60	102x62x143 h
Optional	€		Description	
F	21,00	1	Set with 2 braked castors	 1
Accessories	€		Description	
A0270	213,00		PVC cover with zipper	

RACK STACKING TROLLEYS

- Linear polyethylene support with drain hole and plug (Art. 2205P - 2206P)
- Stainless steel base (Art. 2202P - 2203P - 2207P - 2208P)
- Stainless steel handle (depending on the model)
- Swivel castors ø 9.5 cm



Art. 2205P



Art. 2207P



Art. 2206P



Art. 2202P

For pizza dough boxes


Article	€	Description	Material	Base dim. cm	Max dim. cm
2205P	153,00	Base with handle	Polyethylene	51x51	75x58x85 h
2206P	131,00	Base only			58x58x19 h
2207P	221,00	Base with handle	Stainless steel	51x51	61x52x95 h
2208P	213,00	Base only			52x52x19 h
2202P	230,00	Base with handle		61x41	71x42x95 h
2203P	219,00	Base only			62x42x19 h

Optional	€	📷	Description	Suitable for	
F	9,00	1	Set with 2 braked castors	All articles	1

- Stainless steel 2x2 cm square tube frame with bolted cross-members
- Stainless steel sheet "L"-shaped runners
- Suitable for dishwasher glass rack (dim. 51x51 cm)
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1498.5



Runner detail

Article	€	Runner qty	Shelf-spacing cm	Max dim. cm
1498.5	280,00	5	30	64x60x184 h
1498.6	299,00	6	26	
1498.7	316,00	7	22	

Optional	€		Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles






Accessories	€	Description	Suitable for
A0278	176,00	PVC cover with zipper	All articles

GN / EN TRAY TROLLEYS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1475GN



Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN	305,00	10 GN 1/1	L	11	45x60x150 h
1472GN	336,00	12 GN 1/1			45x60x172 h
1475GN	465,00	20 GN 1/1			80x60x150 h
1477GN	513,00	24 GN 1/1			80x60x172 h
1480GN	618,00	30 GN 1/1			116x60x150 h
1482GN	691,00	36 GN 1/1			116x60x172 h
1470EN	305,00	10 EN			49x60x150 h
1472EN	336,00	12 EN			49x60x172 h
1475EN	465,00	20 EN			89x60x150 h
1477EN	513,00	24 EN			89x60x172 h
1480EN	618,00	30 EN			129x60x150 h
1482EN	691,00	36 EN			129x60x172 h

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles  
E	155,00	2 Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	Description	Suitable for
A050GN	59,00	3 Removable stainless steel container (1 for each column)	GN models 
A050EN	59,00		EN models

GN - EN TRAY TROLLEYS WITH AISI 304 STAINLESS STEEL PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- AISI 304 stainless steel sheet panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Stainless steel



Art. 1470GN-PI

• GN - EN TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN-PI	438,00	10 GN 1/1	L	11	45x60x150 h
1472GN-PI	488,00	12 GN 1/1			45x60x172 h
1475GN-PI	598,00	20 GN 1/1			80x60x150 h
1477GN-PI	665,00	24 GN 1/1			80x60x172 h
1480GN-PI	751,00	30 GN 1/1			116x60x150 h
1482GN-PI	843,00	36 GN 1/1			116x60x172 h
1470EN-PI	438,00	10 EN			49x60x150 h
1472EN-PI	488,00	12 EN			49x60x172 h
1475EN-PI	598,00	20 EN			89x60x150 h
1477EN-PI	665,00	24 EN			89x60x172 h
1480EN-PI	751,00	30 EN			129x60x150 h
1482EN-PI	843,00	36 EN			129x60x172 h



Art. 1476GN

• GN - EN TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471GN	563,00	10 GN 1/1	L	11	45x60x150 h
1474GN	625,00	12 GN 1/1			45x60x172 h
1476GN	818,00	20 GN 1/1			80x60x150 h
1478GN	909,00	24 GN 1/1			80x60x172 h
1481GN	1.066,00	30 GN 1/1			116x60x150 h
1483GN	1.194,00	36 GN 1/1			116x60x172 h
1471EN	563,00	10 EN			49x60x150 h
1474EN	625,00	12 EN			49x60x172 h
1476EN	818,00	20 EN			89x60x150 h
1478EN	909,00	24 EN			89x60x172 h
1481EN	1.066,00	30 EN			129x60x150 h
1483EN	1.194,00	36 EN			129x60x172 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050GN	59,00	3	Removable stainless steel container (1 for each column)	GN models
A050EN	59,00			EN models



GN - EN TRAY TROLLEYS - CHERRY WOOD STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- Cherry wood stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Cherry wood



Art. 1475GN-PN

• GN - EN TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN-PN	405,00	10 GN 1/1	L	11	45x60x150 h
1472GN-PN	450,00	12 GN 1/1			45x60x172 h
1475GN-PN	565,00	20 GN 1/1			80x60x150 h
1477GN-PN	627,00	24 GN 1/1			80x60x172 h
1480GN-PN	718,00	30 GN 1/1			116x60x150 h
1482GN-PN	805,00	36 GN 1/1			116x60x172 h
1470EN-PN	405,00	10 EN			49x60x150 h
1472EN-PN	450,00	12 EN			49x60x172 h
1475EN-PN	565,00	20 EN			89x60x150 h
1477EN-PN	627,00	24 EN			89x60x172 h
1480EN-PN	718,00	30 EN			129x60x150 h
1482EN-PN	805,00	36 EN			129x60x172 h

• GN - EN TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS



Art. 1476SGN-F

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SGN	499,00	10 GN 1/1	L	11	45x60x150 h
1474SGN	550,00	12 GN 1/1			45x60x172 h
1476SGN	731,00	20 GN 1/1			80x60x150 h
1478SGN	805,00	24 GN 1/1			80x60x172 h
1481SGN	956,00	30 GN 1/1			116x60x150 h
1483SGN	1.061,00	36 GN 1/1			116x60x172 h
1471SEN	499,00	10 EN			49x60x150 h
1474SEN	550,00	12 EN			49x60x172 h
1476SEN	731,00	20 EN			89x60x150 h
1478SEN	805,00	24 EN			89x60x172 h
1481SEN	956,00	30 EN			129x60x150 h
1483SEN	1.061,00	36 EN			129x60x172 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories				
Accessories	€	📷	Description	Suitable for
A050GN	59,00	3	Removable stainless steel container (1 for each column)	GN models
A050EN	59,00			EN models



GN - EN TRAY TROLLEYS - TOBACCO OAK STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- Tobacco oak stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Tobacco oak



Art. 1475GN-PNT

• GN - EN TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN-PNT	417,00	10 GN 1/1	L	11	45x60x150 h
1472GN-PNT	464,00	12 GN 1/1			45x60x172 h
1475GN-PNT	577,00	20 GN 1/1			80x60x150 h
1477GN-PNT	641,00	24 GN 1/1			80x60x172 h
1480GN-PNT	730,00	30 GN 1/1			116x60x150 h
1482GN-PNT	819,00	36 GN 1/1			116x60x172 h
1470EN-PNT	417,00	10 EN			49x60x150 h
1472EN-PNT	464,00	12 EN			49x60x172 h
1475EN-PNT	577,00	20 EN			89x60x150 h
1477EN-PNT	641,00	24 EN			89x60x172 h
1480EN-PNT	730,00	30 EN			129x60x150 h
1482EN-PNT	819,00	36 EN			129x60x172 h

• GN - EN TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS



Art. 1476SGNT-F

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SGNT	522,00	10 GN 1/1	L	11	45x60x150 h
1474SGNT	576,00	12 GN 1/1			45x60x172 h
1476SGNT	763,00	20 GN 1/1			80x60x150 h
1478SGNT	840,00	24 GN 1/1			80x60x172 h
1481SGNT	997,00	30 GN 1/1			116x60x150 h
1483SGNT	1.105,00	36 GN 1/1			116x60x172 h
1471SENT	522,00	10 EN			49x60x150 h
1474SENT	576,00	12 EN			49x60x172 h
1476SENT	763,00	20 EN			89x60x150 h
1478SENT	840,00	24 EN			89x60x172 h
1481SENT	997,00	30 EN			129x60x150 h
1483SENT	1.105,00	36 EN			129x60x172 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050GN	59,00	3	Removable stainless steel container (1 for each column)	GN models
A050EN	59,00			EN models



GN - EN TRAY TROLLEYS - WHITE STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- White stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



White



Art. 1470GN-PNB

• GN - EN TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN-PNB	405,00	10 GN 1/1	L	11	45x60x150 h
1472GN-PNB	450,00	12 GN 1/1			45x60x172 h
1475GN-PNB	565,00	20 GN 1/1			80x60x150 h
1477GN-PNB	627,00	24 GN 1/1			80x60x172 h
1480GN-PNB	718,00	30 GN 1/1			116x60x150 h
1482GN-PNB	805,00	36 GN 1/1			116x60x172 h
1470EN-PNB	405,00	10 EN			49x60x150 h
1472EN-PNB	450,00	12 EN			49x60x172 h
1475EN-PNB	565,00	20 EN			89x60x150 h
1477EN-PNB	627,00	24 EN			89x60x172 h
1480EN-PNB	718,00	30 EN			129x60x150 h
1482EN-PNB	805,00	36 EN			129x60x172 h

• GN - EN TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS



Art. 1476SENB-F

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SGNB	499,00	10 GN 1/1	L	11	45x60x150 h
1474SGNB	550,00	12 GN 1/1			45x60x172 h
1476SGNB	731,00	20 GN 1/1			80x60x150 h
1478SGNB	805,00	24 GN 1/1			80x60x172 h
1481SGNB	956,00	30 GN 1/1			116x60x150 h
1483SGNB	1.061,00	36 GN 1/1			116x60x172 h
1471SENB	499,00	10 EN			49x60x150 h
1474SENB	550,00	12 EN			49x60x172 h
1476SENB	731,00	20 EN			89x60x150 h
1478SENB	805,00	24 EN			89x60x172 h
1481SENB	956,00	30 EN			129x60x150 h
1483SENB	1.061,00	36 EN			129x60x172 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050GN	59,00	3	Stainless steel removable container (1 for each column)	GN models
A050EN	59,00			EN models



GN -EN TRAY TROLLEYS - CUSTOMIZED PANELS ON 2 SIDES

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners suitable for GN or EN trays (depending on the model)
- Melamine-faced panels covered with adhesive PVC, with water-proof UV-resistant customizable digital print
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm

customized



NEW

Promote your mark and decorate your space!

CUSTOMIZABLE WATER-PROOF UV-RESISTANT DIGITAL PRINT

NOTE: the file containing the image should be provided from you

Art. 1470GN-ADV-F + A050GN

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470GN-ADV	593,00	10 GN 1/1	L	11	45x60x150 h
1472GN-ADV	656,00	12 GN 1/1			45x60x172 h
1475GN-ADV	753,00	20 GN 1/1			80x60x150 h
1477GN-ADV	833,00	24 GN 1/1			80x60x172 h
1480GN-ADV	906,00	30 GN 1/1			116x60x150 h
1482GN-ADV	1.011,00	36 GN 1/1			116x60x172 h
1470EN-ADV	593,00	10 EN			49x60x150 h
1472EN-ADV	656,00	12 EN			49x60x172 h
1475EN-ADV	753,00	20 EN			89x60x150 h
1477EN-ADV	833,00	24 EN			89x60x172 h
1480EN-ADV	906,00	30 EN			129x60x150 h
1482EN-ADV	1.011,00	36 EN			129x60x172 h

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles
E	155,00	2 Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	






Accessories	€	Description	Suitable for
A050GN	59,00	3 Stainless steel removable container (1 for each column)	GN models
A050EN	59,00		EN models




UNIVERSAL TRAY TROLLEYS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 1475U



Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U	304,00	10 U	Wire		52x60x159 h
1472U	326,00	12 U			52x60x183 h
1475U	455,00	20 U			95x60x159 h
1477U	500,00	24 U			95x60x183 h
1480U	603,00	30 U			138x60x159 h
1482U	673,00	36 U			138x60x183 h

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles
E	155,00	2 Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	Description	Suitable for
A050U	69,00	3 Removable stainless steel Universal-size container (1 for each column)	All articles



UNIVERSAL TRAY TROLLEYS WITH AISI 304 STAINLESS STEEL PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- AISI 304 stainless steel side panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm




Stainless steel



Art. 1475U-PI


• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U-PI	450,00	10 U	Wire		52x60x159 h
1472U-PI	493,00	12 U			52x60x183 h
1475U-PI	601,00	20 U			95x60x159 h
1477U-PI	667,00	24 U			95x60x183 h
1480U-PI	749,00	30 U			138x60x159 h
1482U-PI	840,00	36 U			138x60x183 h



Art. 1476U

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471U	584,00	10 U	Wire		52x60x159 h
1474U	640,00	12 U			52x60x183 h
1476U	837,00	20 U			95x60x159 h
1478U	928,00	24 U			95x60x183 h
1481U	1.086,00	30 U			138x60x159 h
1483U	1.216,00	36 U			138x60x183 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050U	69,00	3	Removable stainless steel Universal-size container (1 for each column)	All articles



UNIVERSAL TRAY TROLLEYS - CHERRY WOOD STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- Cherry wood stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Cherry wood



Art. 1470U-PN

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U-PN	411,00	10 U	Wire		52x60x159 h
1472U-PN	448,00	12 U			52x60x183 h
1475U-PN	562,00	20 U			95x60x159 h
1477U-PN	622,00	24 U			95x60x183 h
1480U-PN	710,00	30 U			138x60x159 h
1482U-PN	795,00	36 U			138x60x183 h



Art. 1471SU

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SU	512,00	10 U	Wire		52x60x159 h
1474SU	555,00	12 U			52x60x183 h
1476SU	740,00	20 U			95x60x159 h
1478SU	812,00	24 U			95x60x183 h
1481SU	965,00	30 U			138x60x159 h
1483SU	1.069,00	36 U			138x60x183 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050U	69,00	3	Removable stainless steel Universal-size container (1 for each column)	All articles



UNIVERSAL TRAY TROLLEYS - TOBACCO OAK STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- Tobacco oak stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm




Tobacco oak



Art. 1470U-PNT-F + A050U


• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U-PNT	427,00	10 U	Wire		52x60x159 h
1472U-PNT	466,00	12 U			52x60x183 h
1475U-PNT	578,00	20 U			95x60x159 h
1477U-PNT	640,00	24 U			95x60x183 h
1480U-PNT	726,00	30 U			138x60x159 h
1482U-PNT	813,00	36 U			138x60x183 h



Art. 1476SUT-F

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SUT	534,00	10 U	Wire		52x60x159 h
1474SUT	590,00	12 U			52x60x183 h
1476SUT	783,00	20 U			95x60x159 h
1478SUT	860,00	24 U			95x60x183 h
1481SUT	1.019,00	30 U			138x60x159 h
1483SUT	1.129,00	36 U			138x60x183 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories	€	📷	Description	Suitable for
A050U	69,00	3	Removable stainless steel Universal-size container (1 for each column)	All articles




UNIVERSAL TRAY TROLLEYS - WHITE STAINED PANELS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- White stained melamine-faced panels
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



White



Art. 1470U-PNB-F

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 2 SIDES

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U-PNB	414,00	10 U	Wire		52x60x159 h
1472U-PNB	451,00	12 U			52x60x183 h
1475U-PNB	565,00	20 U			95x60x159 h
1477U-PNB	625,00	24 U			95x60x183 h
1480U-PNB	713,00	30 U			138x60x159 h
1482U-PNB	798,00	36 U			138x60x183 h



Art. 1476SUB-F

• UNIVERSAL TRAY TROLLEYS WITH PANELS ON 3 SIDES - TOP SHELF WITH RAILS

Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1471SUB	517,00	10 U	Wire		52x60x159 h
1474SUB	561,00	12 U			52x60x183 h
1476SUB	748,00	20 U			95x60x159 h
1478SUB	821,00	24 U			95x60x183 h
1481SUB	975,00	30 U			138x60x159 h
1483SUB	1.080,00	36 U			138x60x183 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	



Accessories	€	📷	Description	Suitable for
A050U	69,00	3	Removable stainless steel Universal-size container (1 for each column)	All articles




UNIVERSAL TRAY TROLLEYS - CUSTOMIZED PANELS ON 2 SIDES

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Chrome-plated steel wire supports suitable for trays having a maximum dimension of 53x39 cm even in different sizes and shapes
- Melamine-faced panels covered with adhesive PVC with water-proof UV-resistant customizable digital print
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



customized



Art. 1470U-ADV-F

NEW

Promote your mark and decorate your space!

CUSTOMIZABLE WATER-PROOF UV-RESISTANT DIGITAL PRINT

NOTE: the file containing the image should be provided from you


Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1470U-ADV	602,00	10 U	Wire		52x60x159 h
1472U-ADV	657,00	12 U			52x60x183 h
1475U-ADV	753,00	20 U			95x60x159 h
1477U-ADV	831,00	24 U			95x60x183 h
1480U-ADV	901,00	30 U			138x60x159 h
1482U-ADV	1.004,00	36 U			138x60x183 h

Optional	€	📷	Description	Suitable for
F	21,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	
Accessories				
A050U	69,00	3	Removable stainless steel Universal-size container (1 for each column)	All articles



GN / EN TRAY TROLLEYS



- Stainless steel 2.5x2.5 cm square tube construction with bolted cross-members
- Stainless steel sheet "L"-shaped runners
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



SUITABLE FOR EURO THERM TRAYS



Art. 1494-GN-F



Article	€	Tray capacity	Runners	Shelf spacing cm	Max dim. cm
1494-GN	406,00	12 GN 1/1	L		45x60x190 h
1495-GN	626,00	24 GN 1/1			81x60x190 h
1494-EN	406,00	12 EN			50x60x190 h
1495-EN	626,00	24 EN			90x60x190 h

Optional	€	Description	Suitable for
F	21,00	1 Set with 2 braked castors	All articles 1 2
E	155,00	2 Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	


Accessories	€	Description	Suitable for
A050GN	59,00	3 Removable stainless steel container (1 for each column)	GN models
A050EN	59,00		EN models



3

GN CONTAINER TROLLEYS WITH WIRE RUNNERS


- Stainless steel 2x2 cm square tube construction with bolted cross-members
- Stainless steel wire supports
- Suitable for GN trays and containers
- Stainless steel top (Art. 2080 - 2082)
- Grey rubber ring buffers (Art. 2090 - 2092)
- Swivel castors - ø 9.5 cm (Art. 2080 - 2082)
or ø 12.5 cm (Art. 2090 - 2092)



Art. 2080-F



Art. 2092





Article	€	Tray-container capacity	Runners	Shelf spacing cm	Max dim. cm
2080	344,00	9 GN 1/1	Wire		42x59x87 h
2082	377,00	9 GN 2/1			62x69x87 h
2090	510,00	20 GN 1/1			47x63x181 h
2092	543,00	20 GN 2/1			67x73x181 h

Optional	€	Image	Description	Suitable for	Image
F	9,00	1	Set with 2 braked castors	2080 - 2082	1
F	21,00	2		2090 - 2092	2
Accessories	€	Image	Description	Suitable for	Image
A0170	35,00	3	1/1 GN stainless steel wire shelf	2080 - 2090	3
A0171	58,00	4	2/1 GN stainless steel wire shelf	2082 - 2092	4

GN CONTAINER TROLLEYS - C-SHAPED RUNNERS

- Stainless steel 2x2 cm square tube construction with bolted cross-members
- "C"-shaped stainless steel sheet runners to prevent from overturning
- Suitable for GN containers
- Stainless steel top (Art. 2073 - 2074 - 2073D)
- Grey rubber ring buffers
- Swivel castors ø cm 9.5 (Art. 2073 - 2074 - 2073D)
or ø cm 12.5 (Art. 2070 - 2071 - 2072)



Art. 2071




Art. 2072-F



Art. 2073D

Article	€	Container capacity	Runners	Shelf spacing cm	Max dim. cm
2073	333,00	8 GN 1/1	C	 7,5	44x60x85 h
2074	367,00	8 GN 2/1			65x72x85 h
2073D	538,00	8+8 GN 1/1			80x60x89 h
2070	386,00	14 GN 1/1		8,5	44x60x163 h
2071	456,00	18 GN 1/1		7,5	44x60x176 h
2072	441,00	14 GN 2/1		8,5	65x72x163 h

Optional	€	Image	Description	Suitable for
F	9,00		Set with 2 braked castors	2073 - 2074 - 2073D
F	21,00			2070 - 2071 - 2072
Accessories	€	Image	Description	Suitable for
A0170	35,00		1/1 GN stainless steel wire shelf	2070 - 2071 - 2073 - 2073D
A0171	58,00		2/1 GN stainless steel wire shelf	2072 - 2074



GN CONTAINER TROLLEYS - C-SHAPED RUNNERS


- Stainless steel 2.5x2.5 cm square tube construction with bolted cross-members
- “C”-shaped stainless steel sheet runners with end stops to prevent from sliding and overturning
- Suitable for GN containers
- “S” version with welded structure, crosspieces and flaps
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 2062-F



Art. 2060-F




Article	€	Container capacity	Runners	Shelf spacing cm		Max dim. cm
2060	585,00	18 GN 2/1	C		Unassembled	65x73x180 h
2060S	662,00				Welded	
2062	534,00	18 GN 1/1			Unassembled	45x61x180 h
2062S	603,00				Welded	

Optional	€		Description	Suitable for	
F	21,00	1	Set with 2 braked castors	All articles	1

Accessories	€		Description	Suitable for	
A0170	35,00	2	1/1 GN stainless steel wire shelf	2062 - 2062S	2
A0171	58,00	3	2/1 GN stainless steel wire shelf	2060 - 2060S	3

TROLLEYS FOR CONTAINERS 60x40 cm - L-SHAPED RUNNERS

- Stainless steel 2x2cm square tube construction with bolted cross-members
- Stainless steel "L"-shaped runners
- Suitable for 60x40 cm containers
- Stainless steel top (Art. 2078)
- Grey rubber ring buffers
- Swivel castors - ø 9.5 cm (Art. 2078)
or ø 12.5 cm (Art. 2076 - 2077)



Art. 2078




Art. 2076-F

Article	€	Container capacity	Runners	Shelf spacing cm	Max dim. cm
2078	343,00	8	L	7,5	52x72x85 h
2076	413,00	14		8,5	52x72x163 h
2077	456,00	18		7,5	52x72x176 h

Optional	€	Image	Description	Suitable for
F	9,00		Set with 2 braked castors	2078
F	21,00			2076 - 2077

TROLLEYS FOR CONTAINERS 60x40 cm - L-SHAPED RUNNERS

- Stainless steel 2.5x2.5 cm square tube construction with bolted cross-members
- Stainless steel "L"-shaped runners with end stops
- Suitable for 60x40 cm containers
- "S" version with welded structure, crosspieces and flaps
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 2066-F


Article	€	Container capacity	Runners	Shelf spacing cm		Max dim. cm
2066	550,00	18	L	7,5	Unassembled	53x68x172 h
2066S	626,00				Welded	

Optional	€		Description	All articles
F	21,00	1	Set with 2 braked castors	All articles



TROLLEYS FOR CONTAINERS 60x40 cm

- Stainless steel 3.5x3.5 cm square tube construction with bolted cross-members
- Stainless steel tubular supports - ø 1.6 cm
- Suitable for 60x40 cm containers
- Swivel castors, ø 12.5 cm



Art. 1497


Article	€	Container capacity	Runners	Shelf spacing cm	Max dim. cm
1497	400,00	20	Tube	7,3	57x55x158 h

Optional	€	Image	Description
F	21,00	1	Set with 2 braked castors



NEUTRAL TRAY/PAN MOBILE CUPBOARDS

- AISI 304 stainless steel sheet construction, brushed finish
- 1 front hinged door opening to 270°
- Snap closure handle
- 2 Stainless steel tubular pushing bars with PVC brackets on one side
- "C"-shaped or "L"-shaped stainless steel sheet supports for trays/containers of various shapes and sizes
- All round grey non marking rubber bumper
- Swivel castors - ø 12.5 cm, 2 with brake




Article	€	Tray/container capacity	Runners	Shelf spacing cm	Max dim. cm
3342GN	890,00	10 GN 1/1	L	11	52x65x142 h
3342EN	906,00	10 EN			56x65x142 h
3343	981,00	15 GN 1/1	C	7,5	52x65x142 h
3345	1.166,00	15 GN 2/1			72x77x142 h
3344	1.088,00	18 60x40 cm	L	6,5	59x77x145 h

Optional	€	Description	Suitable for
E	90,00	1 Set with 4 resilient castors, 2 with brake, for uneven floors / outdoor use	All articles 
Accessories	€	Description	Suitable for
A0170	35,00	2 1/1GN stainless steel wire rack	3343 
A0171	58,00	3 2/1GN stainless steel wire rack	3345 

HEATED INSULATED TRAY/PAN MOBILE CUPBOARDS

- Insulated AISI 304 stainless steel sheet construction, brushed finish
- 1 front hinged door opening to 270°
- Door with removable seal
- Snap closure handle (optional lock)
- Pushing handle
- Internal compartment with rounded edges (compliant with H1 hygiene system) and supports for containers 2/1GN-1/1GN and submultiples
- Ventilated heating unit with powered fan and heating element
- Built-in control panel fitted with ON/OFF switch with warning light, digital thermostat-thermometer, and coiled power cable at the back
- Mains supply: 230V, 50/60 Hz, single-phase
- Water container to release moisture inside the cupboard
- Grey non marking rubber bumpers
- Swivel castors - ø 12.5 cm, 2 with brake, with grey non marking rubber tread



Article	€	GN	Runners	Shelf spacing cm	Power	Max dim. cm
3411-10C	2.381,00	10 GN 1/1			1600W	48x80x110 h
3421-10C	2.624,00	10 GN 2/1				72x92x110 h
3411-18C	2.856,00	18 GN 1/1				48x80x166 h
3421-18C	3.149,00	18 GN 2/1				72x92x166 h
3411-10GS	2.835,00	10 GN 1/1				48x80x110 h
3421-10GS	3.124,00	10 GN 2/1				72x92x110 h
3411-20GS	3.400,00	20 GN 1/1				48x80x166 h
3421-20GS	3.749,00	20 GN 2/1				72x92x166 h

Optional	€	Image	Description	Suitable for
E	90,00		Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles
MA	101,00	-	Door handle with lock	

Accessories	€	Image	Description	Suitable for
A0170	35,00		1/1GN stainless steel wire rack	3411-10C / 3411-18C 3411-10GS / 3411-20GS
A0171	58,00		2/1GN stainless steel wire rack	3421-10C / 3421-18C 3421-10GS / 3421-20GS



Art. 3411-10C



Art. 3421-18C

NEW



Art. 3421-10GS



Art. 3411-20GS

TECHNICAL FEATURES:

- AISI 304 stainless steel sheet fully welded structure, brushed finish. Available versions:
 - single skin
 - insulated double skin (DP series)
 - heated (K series)
- Capacity:
 - GN - EN - U trays
 - GN - 60x40 containers and pans
- Supports:
 - "L"/"C"- shaped and wire runners

- 1 or 2 doors, 270° opening, double skinned with rubber seal
- Handle with snap closure
- 2 pushing handles
- All-round grey non marking rubber bumper
- Castors, ø 16 cm, 2 fixed, 2 swivel with brake, galvanized support, grey non marking rubber ring, rolling bearings.


HEATED VERSION:

- Thermometer
- Removable heating unit
- Mains supply: 230V, 50-60 hz, single-phase, power 1600W (2 x 1600W for double door version)


VERSION

NEUTRAL: SINGLE SKIN


INSULATED NEUTRAL: DOUBLE SKIN




- Easy transport
on truck



- Strong
suitable to be easily moved and carried around





- Door opening to 270°
makes it easy to insert GN containers







- Washable
easy to wash even with water jet (after the heating unit has been removed)



VERSION
INSULATED HEATED - DOUBLE SKIN



- Thermometer





NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR

- Fully welded AISI 304 stainless steel sheet construction, brushed finish; single or double skin insulated with expanded polyurethane panels fitted between the steel sheet walls ("DP" range)
- 1 Double skin front door with rubber seal, opening to 270°
- Snap closure handle (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for pans and trays of different sizes depending on the model
- Thermometer in the double skin version
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Max dim. cm
3208GN	2.114,00	8 GN 1/1	L	12	78x73x151 h
3208EN	2.079,00	8 EN		8	
3213GN	2.176,00	13 GN 1/1	C	8	
3208U	1.984,00	8 U	Universal	12	
3212GN	2.295,00	12 GN 1/1	L	12	78x73x191 h
3212EN	2.242,00	12 EN		8	
3218 GN	2.368,00	18 GN 1/1	C	8	
3212U	2.064,00	12 U	Universal	12	
3208GN-DP	2.494,00	8 GN 1/1	L	12	78x73x151 h
3208EN-DP	2.458,00	8 EN		8	
3213GN-DP	2.554,00	13 GN 1/1	C	8	
3208U-DP	2.363,00	8 U	Universal	12	
3212GN-DP	2.738,00	12 GN 1/1	L	12	78x73x191 h
3212EN-DP	2.685,00	12 EN		8	
3218GN-DP	2.811,00	18 GN 1/1	C	8	
3212U-DP	2.507,00	12 U	Universal	12	

NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR



Optional	€	📷	Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	 1 All articles
MA	101,00	-	Door handle with lock	
Accessories	€	📷	Description	Suitable for
A0170	35,00	2	1/1 GN stainless steel wire rack	GN models  2








HEATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR

- Fully welded AISI 304 stainless steel sheet construction, brushed finish; double skin insulated with expanded polyurethane panels fitted between the steel sheet walls
- 1 Double skin front door with rubber seal opening to 270°
- Snap closure handle (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for containers, pans and trays of different sizes depending on the model
- Thermometer
- Ventilated heating unit consisting of an AISI 304 stainless steel sheet casing containing a powered fan and heating element, built-in control panel fitted with ON/OFF switch with warning light, thermostat, operation warning light and coiled power cable on the back
- The heating unit can be pulled out for an easy maintenance (the cupboard can be washed with a water jet after removing the heating unit)
- Mains supply: 230V, 50/60 Hz, single-phase
- Water tray to release moisture inside the cupboard
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Power	Max dim. cm
3208GN-K	3.079,00	8 GN 1/1	L	12	1600W	78x73x151 h
3208EN-K	3.043,00	8 EN				78x73x151 h
3213GN-K	3.140,00	13 GN 1/1	C	8		78x73x151 h
3208U-K	2.984,00	8 U	Universal	12		78x73x151 h
3212GN-K	3.324,00	12 GN 1/1	L	12		78x73x191 h
3212EN-K	3.271,00	12 EN				
3218GN-K	3.397,00	18 GN 1/1	C	8		
3212U-K	3.093,00	12 U	Universal	12		

HEATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR



Optional	€	📷	Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles 
MA	101,00	-	Door handle with lock	
Accessories	€	📷	Description	Suitable for
A0170	35,00	2	1/1 GN stainless steel wire rack	GN models 




NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - DOUBLE DOOR

- Fully welded AISI 304 stainless steel sheet construction, brushed finish; single skin, or double skin insulated with expanded polyurethane panels fitted between the steel sheet walls ("DP" range)
- 2 Double skin front doors with rubber seal, opening to 270°
- Snap closure handles (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for containers pans and trays of different sizes depending on the model
- Thermometer in the double skin version
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Max dim. cm
3216GN	3.077,00	8x2 GN 1/1	└─┘	12	131x73x151 h
3216EN	3.005,00	8x2 EN			
3226GN	3.199,00	13x2 GN 1/1	└─┘	8	
3216U	2.815,00	8x2 U	Universal	12	
3224GN	3.499,00	12x2 GN 1/1	└─┘	12	131x73x191 h
3224EN	3.391,00	12x2 EN			
3236GN	3.643,00	18x2 GN 1/1	└─┘	8	
3224U	3.037,00	12x2 U	Universal	12	
3216GN-DP	3.258,00	8x2 GN 1/1	└─┘	12	131x73x151 h
3216EN-DP	3.187,00	8x2 EN			
3226GN-DP	3.863,00	13x2 GN 1/1	└─┘	8	
3216U-DP	2.996,00	8x2 U	Universal	12	
3224GN-DP	4.220,00	12x2 GN 1/1	└─┘	12	131x73x191 h
3224EN-DP	4.113,00	12x2 EN			
3236GN-DP	4.365,00	18x2 GN 1/1	└─┘	8	
3224U-DP	3.758,00	12x2 U	Universal	12	

NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - DOUBLE DOOR



Optional	€	📷	Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles 
MA	101,00	-	Door handle with lock	
Accessories	€	📷	Description	Suitable for
A0170	35,00	2	1/1 GN stainless steel wire rack	GN models 



HEATED TRAY/PAN MOBILE CUPBOARDS - DOUBLE DOOR

- Fully welded AISI 304 stainless steel sheet construction, brushed finish; double skin insulated with expanded polyurethane panels fitted between the steel sheet walls
- 2 Double skin front doors with rubber seal opening to 270°
- Snap closure handles (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for containers, pans and trays of different sizes depending on the model
- Thermometer
- Ventilated heating unit consisting of an AISI 304 stainless steel sheet casing containing a powered fan and heating element, built-in control panel fitted with ON/OFF switch with warning light, thermostat, operation warning light and coiled power cable on the back
- The heating unit can be pulled out for ease of maintenance (the cupboard can be washed with a water jet after removing the heating unit)
- Mains supply: 230V, 50/60 Hz, single-phase
- Water tray to release moisture inside the cupboard
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Power	Max dim. cm
3216GN-K	4.389,00	8x2 GN 1/1	L	12	3200W	131x73x151 h
3216EN-K	4.317,00	8x2 EN		8		
3226GN-K	4.994,00	13x2 GN 1/1	□	12		
3216U-K	4.128,00	8x2 U	Universal	12		
3224GN-K	5.352,00	12x2 GN 1/1	L	12		131x73x191 h
3224EN-K	5.244,00	12x2 EN				
3236GN-K	5.496,00	18x2 GN 1/1	□	12		
3224U-K	4.889,00	12x2 U	Universal	12		

HEATED TRAY/PAN MOBILE CUPBOARDS - DOUBLE DOOR



Optional	€	📷	Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles 
MA	101,00	-	Door handle with lock	
Accessories	€	📷	Description	Suitable for
A0170	35,00	2	1/1 GN stainless steel wire rack	GN models 




NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR

- Fully welded AISI 304 stainless steel sheet construction, brushed finish; single or double skin insulated with expanded polyurethane panels fitted between the steel sheet walls ("DP" range)
- 1 Double skin front door opening to 270° with rubber seal
- Snap closure handle (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for containers, pans and trays of different shapes depending on the model
- Thermometer in the double skin version
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Max dim. cm
3213-6040	2.393,00	13 60x40 cm	L		93x88x151 h
3213-2GN	2.406,00	13 GN 2/1	C		93x88x191 h
3218-6040	2.626,00	18 60x40 cm	L		93x88x151 h
3218-2GN	2.640,00	18 GN 2/1	C		93x88x191 h
3213-6040-DP	2.809,00	13 60x40 cm	L		93x88x151 h
3213-2GN-DP	2.822,00	13 GN 2/1	C		93x88x191 h
3218-6040-DP	3.129,00	18 60x40 cm	L		93x88x191 h
3218-2GN-DP	3.143,00	18 GN 2/1	C		93x88x191 h

NEUTRAL/INSULATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR



Optional	€	📷	Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	 1 All articles
MA	101,00	-	Door handle with lock	
Accessories	€	📷	Description	Suitable for
A0171	58,00	2	2/1GN stainless steel wire rack	GN models  2




HEATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR


- Fully welded AISI 304 stainless steel sheet construction, brushed finish; double skin insulated with expanded polyurethane panels fitted between the steel sheet walls
- 1 Double skin front door opening to 270° with rubber seal
- Snap closure handles (optional lock)
- 2 Pushing bars on both sides that can be used even with open doors
- Internal compartment fitted with runners for containers, pans and trays of different sizes depending on model
- Thermometer
- Ventilated heating unit consisting of an AISI 304 stainless steel sheet casing containing a powered fan and heating element, built-in control panel fitted with ON/OFF switch with warning light, thermostat, operation warning light and coiled power cable on the back
- The heating unit can be pulled out for ease of maintenance (the cupboard can be washed with a water jet after removing the heating unit)
- Mains supply: 230V, 50/60 Hz, single-phase
- Water tray to release moisture inside the cupboard
- All round grey non marking rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16cm, with galvanized brackets; grey non marking rubber tread rolling on bearings



Article	€	Tray/pan capacity	Runners	Shelf spacing cm	Power	Max dim. cm
3213-6040-K	3.386,00	13 60x40 cm	L		1600W	93x88x151 h
3213-2GN-K	3.399,00	13 GN 2/1	C			93x88x191 h
3218-6040-K	3.707,00	18 60x40 cm	L			93x88x191 h
3218-2GN-K	3.720,00	18 GN 2/1	C			93x88x191 h


HEATED TRAY/PAN MOBILE CUPBOARDS - SINGLE DOOR



Optional	€		Description	Suitable for
E	39,00	1	Set with 4 resilient castors, 2 with brake for uneven floors / outdoor use	 1 All articles
MA	101,00	-	Door handle with lock	
Accessories	€		Description	Suitable for
A0171	58,00	2	2/1GN stainless steel wire rack	GN models  2

THE ROOM SERVICE TABLE SPREADS ITS WINGS

metacarrelli.com



1104-80N + A0003

pag. 204

Sturdy: stainless steel structure.

Space-saving: folding shelf, stackable, with foldable side leaves.

Practical: water-repellent shelf; easy to move in narrow spaces; hot boxes for meals always warm.

Easy to handle: swivel castors, 2 with brake.

METALCARRELLI 

 SINCE 1964 

ALL AROUND YOUR BUSINESS

6

RECEPTION TROLLEYS, ROOM SERVICE TABLES AND HOUSEKEEPING TROLLEYS

METALCARRELLI 
SINCE 1964



BRASS-PLATED BIRDCAGE LUGGAGE CARTS

- Brass-plated steel tube frame protected by clear coat
- Deck with red or black carpet (depending on the model) with full wrap-around rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm



Hanger stop detail




Art. 1950R-E

Article	€	Carpet colour	Max dim. cm
1921N	999,00	Black	79x59x189 h
1921R	999,00	Red	
1920N	1.039,00	Black	99x59x189 h
1920R	1.039,00	Red	
1950N	1.207,00	Black	108x76x189 h
1950R	1.207,00	Red	

Optional	€	📷	Description	Suitable for	
E	155,00	1	Set of 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles	1

CHROME-PLATED BIRDCAGE LUGGAGE CARTS

- Chrome-plated steel tube frame
- Deck with red or black carpet (depending on the model)
- Full wrap-around rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm



Art. 1950CN



Hanger stop detail

Article	€	Carpet colour	Max dim. cm
1922CN	834,00	Black	79x59x189 h
1922CR	834,00	Red	
1920CN	864,00	Black	99x59x189 h
1920CR	864,00	Red	
1950CN	1.021,00	Black	108x76x189 h
1950CR	1.021,00	Red	

Optional	€		Description	Suitable for	
E	155,00	1	Set of 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles	1

AISI 304 STAINLESS STEEL BIRDCAGE LUGGAGE CARTS

- AISI 304 stainless steel tube frame with polished or brushed finish (depending on the model)
- Deck with red or black carpet (depending on the model)
- Full wrap-around rubber bumper
- 2 Fixed and 2 braked swivel castors, ø 16 cm



Hanger stop detail
polished stainless steel



Hanger stop detail
brushed stainless steel



Art. 1922XR

Article	€	Finish	Carpet colour	Max dim. cm
1922XR	1.218,00	Polished	Red	79x59x189 h
1922XN	1.218,00		Black	
1922SR	1.134,00	Brushed	Red	
1922SN	1.134,00		Black	
1920XR	1.262,00	Polished	Red	99x59x189 h
1920XN	1.262,00		Black	
1920SR	1.180,00	Brushed	Red	
1920SN	1.180,00		Black	
1950XR	1.379,00	Polished	Red	108x76x189 h
1950XN	1.379,00		Black	
1950SR	1.297,00	Brushed	Red	
1950SN	1.297,00		Black	

Optional	€		Description	Suitable for
E	155,00	1	Set of 4 resilient castors, 2 with brake for uneven floors / outdoor use	All articles





Art. 1950XN



Art. 1920XN

LUGGAGE CART WITH GARMENT RAIL

- Stainless steel tube garment rail structure
- Stainless steel sheet deck
- Side pushing bars
- Grey rubber bumper rings at corners
- Swivel castors, ø 14 cm



Art. 1795

Article	€		Max dim. cm
1795	438,00		115x58x156 h

Optional	€	📷	Description	
F	35,00	1	Set with 2 braked castors	1

- Easily demountable chrome or brass plated steel frame (depending on the model)
- 150 cm-long garment rail with side extension bars, 40 cm each (total cm 240)
- Swivel castors ø cm 8



Art. 1796



Extensible bar



Art. 1796D

NEW



Art. 1797

- Chrome-plated metal garment rail with hat rack (hangers not included)
- Demountable structure
- 150 cm-long garment rail
- Swivel castors ø 4,5 cm

Article	€	Description	Max dim. cm
1796	92,00	Chrome-plated	150x55x153 h (with retracted extension bars)
1796D	216,00	Brass-plated	
1797	212,00	Chrome-plated metal	150x55x172 h

LUGGAGE HANDTRUCK


- Stainless steel zinc-coated tube frame, protected by clear coat
- 2 front rubber ring buffers
- Stackable
- 2 Fixed castors (ø 20 cm) and 2 swivel castors (ø 12,5 cm)



Art. 1488

Article	€	Max dim. cm
1488	415,00	102x60x97 h

- Aluminium painted steel sheet tube frame
- Carpeted deck
- Lateral retaining bars (depending on the model)
- Ring bumpers
- 2 Fixed and 2 swivel castors, ø 16 cm



Art. 1894.1




Art. 1894.2



Art. 1894.3

Article	€	Description	Max dim. cm
1894.1	521,00	Without retaining bars	144x66x95 h
1894.2	570,00	With retaining bars on 1 side	
1894.3	621,00	With retaining bars on 2 sides	
Optional	€	Description	Suitable for
F	35,00	1 Set with 2 braked castors	All articles
E	155,00	2 Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use	



WOODEN LUGGAGE RACKS

- Folding wooden structure
- With or without back guard (depending on the model)
- Removable black PVC straps



Art. 1460



Art. 1461



Art. 1460S



Art. 1461S

Article	€	Finish	Back guard	Max dim. cm
1460	64,00	Dark walnut	Yes	48x48x58 h
1460S	63,00		-	48x48x53 h
1461	64,00	Natural wood	Yes	48x48x58 h
1461S	63,00		-	48x48x53 h

- Chrome or brass-plated tubular steel frame
- With or without back guard (depending on the model)
- Rubber feet
- Black PVC straps



Art. 1755P



Art. 1750P



Art. 1756P



Art. 1751P

Article	€	Description	Back guard	Max dim. cm
1750P	69,00	Chrome-plated	Yes	56x40x58 h
1755P	57,00		-	56x38x44 h
1751P	75,00	Brass-plated	Yes	56x40x58 h
1756P	71,00		-	56x38x44 h

POSTS FOR ROPE BARRIER SYSTEMS

- Post in polished stainless steel or brass-plated, ø 6 cm
- Fastening ring to attach rope hooks in any direction
- Polished stainless steel or brass-plated hooks
- Synthetic braided rope available in different colours
- Max recommended rope length: 1.5 mt
- Round ballasted base



Art. 1913

Art. 1914

Article	€	Description	Colour/Finish	Max dim. cm
1913	93,00	Post	Polished stainless steel	ø 31x94 h
1914	93,00		Brass-plated	
A0202	29,00	Rope per metre	Red	ø 3
A0204	29,00		Gold	
A0206	29,00		Green	
A0208	29,00		Blue	
A0213	18,00	Snap rope hook	Polished stainless steel	
A0214	18,00		Brass-plated	

- Post in polished stainless steel or black lacquer - ø 5 cm
- Round ballasted base
- 2-mt long retractable strap, red or blue (depending on the model)
- Suitable for sign holders



Art. 1905

Art. 1905R



Art. 1905X

Art. 1905XR



Art. 1908



Art. 1906XR

Article	€	Description	Strap colour	Dim. max cm
1905	101,00	Black post	Blue	ø 31x100 h
1905R	101,00		Red	
1905X	106,00	Stainless steel post	Blue	ø 31x100 h
1905XR	106,00		Red	
1906XB	45,00	Stainless steel wall fittings	Blue	
1906XR	45,00		Red	
1906NB	40,00	Black lacquered wall fittings	Blue	
1906NR	40,00		Red	
1908	84,00	Vertical A4 sign holder, stainless steel frame		

ROOM SERVICE TABLES

- Stainless steel construction, brushed finish
- Round water-repellent black MDF top protected by transparent coating, folding side leaves
- The top folds vertically to nest the tables together and save space
- Swivel castors, ø 9.5 cm, 2 with brake



Black



Foldable - Nestable



Art. 1104-80N



Folding side leaves for easy transport in narrow spaces

Article	€	Top shelf dim. cm	Max dim. cm
1104-80N	403,00	ø 80	ø 80x78 h
1104-90N	464,00	ø 90	ø 90x78 h
1104-100N	503,00	ø 100	ø 100x78 h

Article	€	Image	Description	Suitable for
A0001	399,00	1	Stainless steel food warmer	1104-100N
A0003	399,00			1104-80N - 1104-90N



1

- Stainless steel construction, brushed finish
- Square water-repellent black MDF top protected by transparent coating, folding side leaves
- The top folds vertically to nest the tables together and save space
- Swivel castors, ø 9.5 cm, 2 with brake



Black



Foldable - Nestable



Art. 1104-Q80N



Article	€	Top shelf dim. cm	Max dim. cm
1104-Q80N	403,00	80x80	80x80x78 h
1104-Q90N	464,00	90x90	90x90x78 h
1104-Q100N	503,00	100x100	100x100x78 h

Article	€		Description	Suitable for
A0001	399,00	1	Stainless steel food warmer	1104-Q100N
A0003	399,00			1104-Q80N - 1104-Q90N



STAINLESS STEEL FOOD WARMERS

- Stainless steel sheet construction, polished finish
- Suitable for plates with a max ø 32 cm
- PVC handle to transport the food warmer
- Front hinged door, opening to 180°
- Lockable opening handle with snap closure
- Intermediate stainless steel shelf
- ON/OFF switch with warning light
- Adjustable thermostat
- Removable power cable
- Mains supply: 230V, 50/60 Hz, single-phase



Art. A0003



Article	€	Suitable for	Power	Max dim. cm
A0001	399,00	1104-100N - 1104-Q100N	400W	39x46x51 h
A0003	399,00	1104-80N - 1104-90N - 1104-Q80N - 1104-Q90N		45x46x51 h

TROLLEY FOR STAINLESS STEEL FOOD WARMERS

- Stainless steel tube construction with stainless steel sheet shelves
- Max capacity: 6 insulated food warmers (Art. A0001 - A0003)
- Max absorbed power: 2400W
- Mains supply: 230V, 50/60 Hz, single-phase
- Grey rubber ring buffers
- Swivel castors, \varnothing 12.5 cm, 2 with brake



Art. 1150 + A0003 (x6)

Article	€	Power	Max dim. cm
1150	705,00	6 x 400W	153x56x139 h

MINIBAR RESTOCKING TROLLEYS

- Stainless steel 2x2 cm square tube frame
- 3 Removable PVC racks fitted with inserts to prevent tipping for no. 40 bottles – max ø 6.5 cm
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Art. 2050-F

Article	€		Max dim. cm
2050	400,00		73x47x102 h
Optional	€		Description
F	21,00	1	Set with 2 braked castors 

- Grey epoxy powder painted steel sheet construction with 1 base and 3 intermediate height-adjustable shelves
- Removable PVC bin for empty bottles
- Side pushing handle
- 180° opening doors with lock
- All round grey non marking rubber bumper
- 2 Fixed and 2 swivel castors, ø 16 cm



Art. 2012-F



Art. 2012-F

Article	€		Max dim. cm
2012	835,00		100x62x119 h
Optional	€	📷	Description
F	35,00	1	Set with 2 braked castors
E	155,00	2	Set of 4 resilient castors, 2 with brake for uneven floors/outdoor use



BASIC CHAMBERMAID TROLLEYS – STAINLESS STEEL/PLASTIC COATED WOOD EFFECT FINISH

- Stainless steel ø 2.5 cm tube construction
- Steel sheet plastic coated shelves, wood effect finish
- No sharp edges
- Pressed aluminium corner joints to fix the shelves to the frame with rounded inner angles
- 1 or 2 folding bag holders with canvas bag for dirty linen (depending on the model)
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm



Walnut



Detail of folded bag holder



Art. 4402

Article	€	Shelves	Shelf dim. cm	Description	Max dim. cm (open)	Max dim. cm (folded)
4402	412,00	3	70x45	1 folding bag holder with canvas bag for dirty linen	114x52x106 h	87x52x121 h
4404	553,00	4		2 folding bag holders with canvas bags for dirty linen	140x52x130 h	87x52x145 h
Optional	€		Description		Suitable for	
F	21,00	1	Set with 2 braked castors		All articles	1
E	155,00	2	Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use			2



Art. 4404

Accessories	€		Description	Suitable for	
R0040	34,00	3	Canvas bag for dirty linen	4402	
R0010	36,00			4404	

3

BASIC CHAMBERMAID TROLLEYS WITH MELAMINE-FACED SHELVES

- Stainless steel 2x2 cm square tube frame
- Melamine-faced shelves
- Folding bag holder with canvas bag for dirty linen
- Grey rubber bumpers
- Swivel castors, ø 12.5 cm

Cherry wood



Tobacco oak



Art. 4410T-F



Art. 4415-F



Article	€	Shelves	Description	Finish	Max dim. cm (open)	Max dim. cm (folded)	
4410	466,00	4	1 folding bag holder with canvas bag for dirty linen	Cherry wood	140x52x137 h	101x52x151 h	
4410T	503,00			Tobacco oak			
4415	623,00	4	1 folding bag holder with canvas bag for dirty linen + 1 folding waste bag holder with lid and partition panel	Cherry wood	140x52x137 h	101x52x151 h	
4415T	673,00			Tobacco oak			
Optional	€		Description	Suitable for			
F	21,00	1	Set with 2 braked castors	All articles			1
E	155,00	2	Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use				2
Accessories	€	Description		Suitable for			
R0010	36,00	Canvas bag for dirty linen		All articles			

BASIC CHAMBERMAID TROLLEYS WITH MELAMINE-FACED SHELVES

- Stainless steel 2x2 cm square tube frame
- Melamine-faced shelves
- 2 folding bag holders with canvas bags for dirty linen
- Grey rubber ring buffers
- Swivel castors, ø 12.5 cm

Cherry wood



Tobacco oak



Art. 4430.90-F

Article	€	Shelves	Shelf dim. cm	Description	Finish	Max dim. cm (open)	Max dim. cm (folded)
4430.70	446,00	4	70x45	2 folding bag holders with canvas bag for dirty linen	Cherry wood	120x52x137 h	81x52x151 h
4430.70T	482,00				Tobacco oak		
4430.90	481,00		90x45	2 folding bag holders with canvas bag for dirty linen	Cherry wood	140x52x137 h	101x52x151 h
4430.90T	521,00				Tobacco oak		
Optional	€		Description			Suitable for	
F	21,00	1	Set with 2 braked castors			All articles	1
E	155,00	2	Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use				2
Accessories	€	Description			Suitable for		
R0010	36,00	Canvas bag for dirty linen			All articles		

EQUIPABLE HOUSEKEEPING TROLLEYS WITH MELAMINE-FACED SHELVES

- Stainless steel 2x2 cm square tube frame
- Melamine-faced shelves and side panels
- Folding bag holder with canvas bag for dirty linen
- All round grey non marking rubber bumper
- Swivel castors, ø cm 15

Cherry wood

Tobacco oak



Article	€	Finish	Description	Max dim. cm (open)	Max dim. cm (folded)
4450	536,00	Cherry wood	72 cm Base	102x52x134 h	72x52x151 h
4450T	579,00	Tobacco oak			
4451	573,00	Cherry wood	72 cm Base + side panels		
4451T	621,00	Tobacco oak			
4452	604,00	Cherry wood	72 cm Base + panels on 3 sides		
4452T	652,00	Tobacco oak			
4470	551,00	Cherry wood	87 cm Base	119x52x134 h	87x52x151 h
4470T	595,00	Tobacco oak			
4471	600,00	Cherry wood	87 cm Base + side panels		
4471T	648,00	Tobacco oak			
4472	643,00	Cherry wood	87 cm Base + panels on 3 sides		
4472T	694,00	Tobacco oak			
4490	581,00	Cherry wood	107 cm Base	139x52x134 h	107x52x151 h
4490T	627,00	Tobacco oak			
4491	629,00	Cherry wood	107 cm Base + side panels		
4491T	679,00	Tobacco oak			
4492	684,00	Cherry wood	107 cm Base + panels on 3 sides		
4492T	739,00	Tobacco oak			

EQUIP YOUR TROLLEY WITH ACCESSORIES



Art. A44-70
Top loading compartmental tray 70 cm for amenities



Art. A45-90
Top loading compartmental tray for amenities with lid and lock, 90 cm



Art. A43
Folding waste bag holder with lid, partition panel and small bag support shelf



Art. A41
Folding bag holder ring with canvas bag for dirty linen



NEW COLOUR

Art. 4492T-F + A43 + A45-90

Optional	€		Description	Suitable for
F	29,00	1	Set with 2 braked castors	Tutti
E	166,00	2	Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use	
Accessories	€		Description	Suitable for
A41	74,00		Folding bag holder with canvas bag for dirty linen	All articles
A43	114,00		Folding waste bag holder with lid and small bag support shelf	
A44-70	79,00		Top loading compartmental tray, 70 cm	with 87 cm base
A45-70	218,00		Top loading compartmental tray with lid and lock, 70 cm	
A44-90	83,00		Top loading compartmental tray, 90 cm	with 107 cm base
A45-90	209,00		Top loading compartmental tray with lid and lock, 90 cm	
R0015	62,00		Canvas bag for dirty linen	All articles



EQUIPABLE HOUSEKEEPING CUPBOARD TROLLEYS

- Steel sheet structure with grey epoxy powder coating
- Folding bag holder with canvas bag (depending on the model)
- Waste bag holder with lid (depending on the model)
- All round grey non marking rubber bumper
- 2 Fixed and 2 swivel castors, ø 16 cm



Art. 2020-F



Art. 2022-F



Art. 2026S-F



Art. 2024S-F

Article	€	Canvas bag	Set for waste bag	Doors	Max dim. cm (open)	Max dim. cm (folded)
2020	639,00	-	-	-	100x62x118 h	100x62x145 h
2022	711,00	1	-		130x62x118 h	
2026	858,00	1	1		160x62x118 h	
2024	782,00	2	-		160x62x118 h	
2020S	805,00	-	-	2	100x62x118 h	
2022S	877,00	1	-		130x62x118 h	
2026S	1.024,00	1	1		160x62x118 h	
2024S	948,00	2	-			

Optional	€	📷	Description	Suitable for
F	35,00	1	Set with 2 braked castors	All articles
E	155,00	2	Set of 4 resilient castors, 2 with brake, for uneven floors/outdoor use	



1



2

EQUIP YOUR TROLLEY WITH ACCESSORIES



Art. AB01(x3)
PVC waste bin



Art. A45-90
Top loading compartmental tray for amenities with lid and lock, 90 cm



Art. 2026S-F + A45-90

Accessories	€	📷	Description	Suitable for	
A45-90	209,00	3	Top loading compartmental tray with lid&lock	All articles	 3
A44-90	83,00	4	Open top loading compartmental tray		 4
R0015	62,00	5	Canvas bag for dirty linen		 5
AB01	14,00	6	PVC waste bin, 35x19x18 cm (max. n.3 pcs.)		 6


LINEN TRUCKS

- White plastic-coated steel tube foldable structure (Art. 1500)
- White painted steel tube and wire foldable structure (Art. 1505-1510)
- Swivel wheels - various diameters available (depending on the model)

**INDOOR USE AND
FLAT FLOORS ONLY**



Art. 1505 folded



Art. 1500 folded



Art. 1500 + R0020



Art. 1505



Art. 1510

Article	€	Wheel ø cm	Max dim. cm
1500	106,00	8	80x51x75 h
1505	223,00	9,5	80x52x77 h
1510	237,00		100x60x87 h

Accessories	€	Description	Suitable for
R0020	65,00	Canvas bag for dirty linen	1500 - 1505
R0030	69,00		1510



1

- Structure made of polypropylene snap-in tubes
- Wheels mounted onto a galvanized steel frame (various diameters available depending on the model)

INDOOR AND
OUTDOOR USE
FLAT FLOORS ONLY



Art. 15502



Art. 15500



Art. 15504



Art. 15506



Art. 15508

Article	€	Wheel σ cm	Max dim. cm	Packaging
15500	812,00	12,5	134x75x84 h	
15502	589,00	10	102x63x82 h	
15504	520,00		95x63x66 h	
15506	334,00	8	83x48x62 h	
15508	390,00		83x48x79 h	

NOTE:
PACKAGING
WITH
TRANSPARENT
FILM

Be environmentally friendly in style

metacarrelli.com


LASCIARE LIBERO
IL PASSAGGIO

2566-2567-2568
pag. 227

Sturdy: metal structure.

Practical: functional opening for easy cleaning.

Design: modern and linear.



METALCARRELLI 
SINCE 1964

ALL around YOUR BUSINESS

7


WASTE BINS, FAST-FOOD RUBBISH BINS, WASTE PAPER BINS,
HAND WASHERS, CHANGING ROOM LOCKERS,
ROLL CONTAINERS AND STORAGE SHELVING SYSTEMS

METALCARRELLI 
SINCE 1964



AISI 304 STAINLESS STEEL WHEELED WASTE COLLECTORS

- Stainless steel waste container, brushed finish
- Watertight pressed bottom with no sharp edges
- Manual opening lid: 1/2+1/2
- Wheel-mounted



Art. 2101TR




Article	€	Capacity Lt	Max dim. cm
2100TR	420,00	115	40x61x73 h
2101TR	420,00	125	40x61x79 h
2102TR	440,00	135	40x70x73 h
2103TR	440,00	150	40x70x79 h

AISI 304 STAINLESS STEEL TROLLEY WELLS

- Stainless steel trolley well with tap, brushed finish
- Watertight pressed bottom with no sharp edges
- Wheel-mounted



Tap detail



Watertight
pressed bottom




Art. 2112VC

Article	€	Well depth H cm	Capacity Lt	Max dim. cm
2112VC	310,00	30	90	60x50x60 h
2113VC	565,00	44	190	80x60x75 h

AISI 304 STAINLESS STEEL WASTE BINS

- Stainless steel waste bin, brushed finish
- Watertight radial pressed bottom with no sharp edges
- Manual or pedal operated opening (depending on the model)
- Wheel-mounted



SUITABLE FOR KITCHEN USE

Watertight
pressed bottom



Art. 2175PM



Art. 2190PP




Hanging lid



Pedal operated opening

Article	€	Opening	Capacity Lt	Max dim. cm
2150PM	150,00	Manual	50	ø 39x61 h
2175PM	165,00		75	ø 45x61 h
2190PM	176,00		90	ø 45x69 h
2150PP	201,00	Pedal operated	50	ø 39x61 h
2175PP	222,00		75	ø 45x61 h
2190PP	232,00		90	ø 45x69 h

- Stainless steel waste bin, satin finish
- Watertight bottom
- Manual or pedal operated opening (depending on the model)
- Removable wheel-mounted base



SUITABLE FOR KITCHEN USE

Watertight pressed bottom



Art. 2450



Art. 2456



Art. 2457

Article	€	Opening	Capacity Lt	Max dim. cm	Kg	cm		Kg
2450	270,00	Manual	50	ø 40x50 h	6,5	M	45x45x63 h	8
2451	295,00		70	ø 40x70 h	9,4		48x48x74 h	11
2452	315,00		90	ø 40x90 h	11,8		53x50x92 h	13,9
2455	300,00	Pedal operated	50	ø 40x50 h	10		45x45x63 h	11,5
2456	330,00		70	ø 40x70 h	12,9		48x48x74 h	14,5
2457	350,00		90	ø 40x90 h	15,3		53x50x92 h	17,4

STAINLESS STEEL PEDAL OPERATED WASTE BINS


- Fully made of AISI 304 stainless steel
- Pedal operated opening and softclose closing
- Front door
- 4 castors, 2 with brake



NEW




Art. 2458




Article	€	Capacity Lt	Max dim. cm	Kg	  cm	Kg
2458	648,00	120	47x50x98 h	21	M 60x60x120 h	31

- Polished stainless steel rectangular waste bin
- Pedal operated opening
- Elastic fastening bag holder
- Front door
- 2-Wheel base



Art. 2466



Art. 2467

Article	€	Capacity Lt	Max dim. cm	Kg	cm	Kg
2466	309,00	70	46x36x70 h	10,1	M 50x50x79 h	12
2467	354,00	110	46x36x90 h	13,1		48x45x95 h

FREE-STANDING WASTE SACK-HOLDERS

- Wheeled white lacquered metal waste sack-holder
- Pedal operated opening



Art. 2438


- AISI 304 stainless steel dustbin for big waste sacks
- Pedal operated opening
- Base with 2 wheels



Art. 2435

Article	€	Opening	Capacity Lt	Max dim. cm	Kg	  cm	Kg
2438	185,00	Pedal operated	110	ø 41x100 h	12,5	M 63x57x100 h	13,5
2435	199,00			55x45x85 h	9,5		


- AISI 430 stainless steel sheet structure (Art. 2591)
- Plastic-coated galvanized sheet structure (Art. 2592 - 2593 - 2596 - 2598)
- Raised edge top for trays
- Swinging door for trays cleaning
- Sack-holder lower lockable door
- Adjustable nylon feet



Art. 2591



Art. 2592

Stainless steel  Art. 2591	Grey  Art. 2592	White  Art. 2593
Beige  Art. 2594	Walnut  Art. 2596	Wengé  Art. 2598

Colour table


Article	€	Colour	Capacity Lt	Max dim. cm	 Kg		 cm	 Kg
2591	720,00	Stainless steel	80	60x60x120 h	42	M	65x65x130 h	50
2592	662,00	Grey						
2593	662,00	White						
2594	662,00	Beige						
2596	732,00	Walnut						
2598	732,00	Wengé						

PEDAL OPERATED RECYCLING BINS


- Stainless steel structure, non-marking brushed finish
- Polypropylene and stainless steel lids
- Softclose closing
- Built-in side handles
- Polypropylene internal buckets
- ABS base
- Product compliant with HACCP system



Internal buckets detail



Art. 2560



Art. 2561



Art. 2562

Article	€	Capacity Lt	Max dim. cm	Kg	  cm	Kg
2560	113,00	2x12	41x39x43 h	4,5	M	44x41x48 h / 5
2561	145,00	3x12	60x39x43 h	6		63x41x47 h / 6,5
2562	198,00	2x30	48x46x64 h	9,5		48x53x69 h / 10

- Lacquered metal structure with lid
- Finish: white/yellow, white/red, white/green, white/blue, white/grey
- Up-and-over opening
- Sack-holder fastening ring



Opening detail

Article	€	Description	Capacity Lt	Max dim. cm	Kg			cm	Kg
2565	197,00	Red for general waste	25	30x30x70 h	7,3	M	32x32x77 h	8	
2566	197,00	Yellow for plastic							
2567	197,00	Green for glass							
2568	197,00	Blue for paper							
2569	197,00	Grey for aluminium							

RECYCLING BIN

- 3 hole (plastic, paper and glass) and 3 internal sack-holders
- Micaceous black lacquered metal structure



Art. 2570



Sack division detail:
paper, plastic and glass



Internal sack-holders

Article	€	Capacity Lt	Max dim. cm	Kg	cm	Kg
2570	383,00	3x25	48x48x71 h	13,9	M 48x48x74 h	15,5




- Small waste bins in polished stainless steel or in epoxy powder coated metal
- Pedal operated opening
- Handle on the top
- Softclose closing with no handle on the top (Art. 2496 - 2496B)
- Internal plastic sack with handle
- Non-scratch non-slip ABS base and pedal




Article	€	Colour	Minimum order	Capacity Lt	Max dim. cm	Kg	cm		
2493	21,00	Polished stainless steel	6 pcs.	3	ø 17x26 h	0,90	M	58x22x57 h	6
2493B	18,00	White							
2494	27,00	Polished stainless steel	6 pcs.	5	ø 21x27 h	1,10		67x25x62 h	7,20
2494B	24,00	White							
2495	41,00	Polished stainless steel	4 pcs.	12	ø 25x39 h	2,10		56x58x43 h	9,3
2495B	33,00	White							
2496	59,00	Polished stainless steel	4 pcs.	20	ø 30x44 h	3,20	33x33x50 h	3,5	
2496B	53,00	White							

STAINLESS STEEL WASTE/PAPER BINS

- Rectangular polished stainless steel paper bins
- Non-scratch stainless steel swing lid



Art. 2431



Art. 2432


Article	€	Capacity Lt	Max dim. cm	Kg		 cm	Kg
2431	244,00	30	30x20x70 h	4	M	33x24x75 h	5
2432	269,00	70	40x30x90 h	9		46x35x91 h	10

Accessories	€		Description	Suitable for
BIN1	18,00	1	Steel rod bag holder	2431
BIN2	22,00			2432



1


- Stainless steel or black lacquer metal paper bin
- Push opening



Art. 2404



Art. 2407



Art. 2410



Art. 2411



Art. 2409



Art. 2408

Article	€	Finish	Capacity Lt	Max dim. cm	Kg		cm	Kg
2404	182,00	Stainless steel	45	ø 30x83 h	6	M	36x36x94 h	7
2407	135,00	Black						
2410	274,00	Stainless steel	75	ø 40x80 h	8		49x49x82 h	9
2411	222,00	Black						
2409	294,00	Stainless steel	88	ø 40x91 h	10		49x47x101 h	11
2408	235,00	Black						
Accessories	€		Description	Suitable for				
BIN3	65,00	1	Galvanized sheet bucket	2404 - 2407				1
BIN4	84,00			2409 - 2408				
BIN5	72,00			2410 - 2411				

FIREPROOF PAPER BINS


- Fireproof waste paper bin in black epoxy powder coated metal or in brushed stainless steel
- Self-extinguishing top
- Non-scratch rubber base
- CNPP certified




Self-extinguishing



Art. 2580N



Art. 2581N




Art. 2582

Article	€	Colour	Capacity Lt	Max dim. cm	Kg	cm	Kg	
2580	100,00	Brushed stainless steel	30	ø 25x60 h	4	M	32x33x61 h	4,2
2580N	62,00	Black						
2581	120,00	Brushed stainless steel	50	ø 31x59 h	5		42x42x78 h	6,5
2581N	73,00	Black						
2582	173,00	Brushed stainless steel	90	ø 38x75 h	6,2			
2582N	114,00	Black						


- Fireproof waste paper bin in black epoxy powder coated metal
- Brushed stainless steel lid with 10 cm lateral edge
- Self-extinguishing top
- Non-scratch rubber base
- CNPP certified



Self-extinguishing



Art. 2583



Art. 2584

Article	€	Capacity Lt	Max dim. cm	Kg	M	cm	Kg
2583	152,00	50	ø 31x59 h	4,5	M	35x35x63 h	5
2584	199,00	90	ø 38x75 h	8,5		40x43x77 h	9

WASTE PAPER BINS

- Semicircular waste paper bin in epoxy powder coated iron
- Internal bucket



Internal bucket detail

SUITABLE FOR WALL SURFACE



Art. 2783



Art. 2784

Article	€	Colour	Capacity Lt	Max dim. cm	Kg	cm	Kg	
2783	155,00	Grey	25	45x23x82 h	8,6	M	46x25x87 h	10,2
2784	155,00	Black						

• Stainless steel or brass litter bin with ashtray mesh top




Art. 2506

Art. 2508

Art. 2510

Art. 2512



• Stainless steel or lacquered metal paper bin with ashtray top



Art. 2530N



Art. 2531

Article	€	Colour	Max dim. cm	Kg	Icon	cm	Kg
2506	122,00	Polished stainless steel	ø 20x60 h	3	M	23x23x65 h	4
2508	179,00	Brass-plated					
2510	144,00	Polished stainless steel	ø 25x69 h	4		28x28x76 h	5
2512	207,00	Brass-plated					
2530N	84,00	Black micaceous lacquer	ø 25x62 h				
2531	100,00	Polished stainless steel					
Accessories	€	Icon	Description	Suitable for			
BIN6	15,00	1	Steel rod bag holder	2510 - 2512			
BIN7	15,00			2530N - 2531			

ASHTRAY TOP PAPER BINS

- Ashtray top paper bins in polished stainless steel or black powder epoxy coated metal
- Self-extinguishing top
- Wide opening with rubber edges
- Plastic non-scratch base
- Galvanized internal bucket



Art. 2519



Art. 2520

- Rectangular ashtray top paper bins with galvanized tray mesh top



Art. 2522



Art. 2524

Article	€	Colour	Max dim. cm	Kg	M	cm	Kg
2519	88,00	Polished stainless steel	ø 25x65 h	4			
2520	88,00	Black					
2522	160,00	Polished stainless steel	30x20x70 h	4,7	31x22x74 h	5,2	
2524	120,00	Black micaceous lacquer		5		5,5	

Accessories	€	Description	Suitable for
BIN8	18,00	Steel rod bag holder (cm 28x16x45 h)	2522 - 2524



- Brushed stainless steel or black coated steel ashtrays
- Stainless steel internal bucket with handle
- Lockable top
- Support base ø 30 cm
- Plastic feet
- Ground fixing points
- Hardware non included

SUITABLE FOR OUTDOOR USE

Internal bucket



Lockable



Art. 2701



Art. 2703

Article	€	Colour	Capacity Lt	Max dim. cm	Kg		 cm	Kg
2701	209,00	Brushed Stainless steel	4	ø 30x108 h	5	M	31x16x80 h	5,5
2703	188,00	Black						

UMBRELLA STANDS

- Squared umbrella stands - satin stainless steel or black lacquered metal



Art. 2760



Art. 2761

- Black or white lacquered metal umbrella stand with stainless steel or brass final touches



Art. 2786



Art. 2787



Art. 2788



Art. 2789

Article	€	Colour	Max dim. cm	Kg		 cm	Kg
2760	101,00	Satin stainless steel	24x24x49 h	3	M	26x26x53 h	3,5
2761	84,00	Black					
2786	80,00	Black/stainless steel	ø 25x50 h				
2787	105,00	Black/brass					
2788	80,00	White/stainless steel					
2789	105,00	White/brass					

- Epoxy coated metal room paper baskets
- Plastic base




Art. 2793

Art. 2794

Art. 2795



- Waste paper bin in epoxy powder coated iron
- Removable all round bag holder
- Plastic base



Art. 2790



Art. 2791



Art. 2792

- Stainless steel, lacquered or brass-plated metal paper baskets



Art. 2796

Art. 2796G

Art. 2796N

Art. 2796OT

Article	€	Colour	Capacity Lt	Max dim. cm	Kg			cm	Kg
2793	30,00	White	12	ø 23x30 h	1,1	M		25x24x33 h	1,3
2794	30,00	Black							
2795	30,00	Brown							
2790	35,00	Black/brushed stainless steel	15	ø 22x27 h	1,2			25x25x30 h	1,5
2791	40,00	Black/brass							
2792	32,00	Black/black							
2796	44,00	Stainless steel	10	ø 20x33 h	1,4			22x22x35 h	1,7
2796G	38,00	Aluminium grey			1,5				1,8
2796N	38,00	Black							
2796OT	111,00	Brass-plated							

HAND WASHERS

- AISI 304 stainless steel hand washers
- Tap and drain included

NEW

Made in Italy



Art. 9480-4040



Art. 9482-4836

semicircular



Art. 9483-4836

semicircular

Article	€	Description	Max dim. cm
9480-4040	258,00	Wall mounted hand washer with 3 cm-high raised edge with "knee" control	40x40x27 h
9482-4836	360,00	Wall mounted semicircular hand washer with 30 cm-high raised edge with "knee" control	48x36x52 h
9483-4836	312,00	Wall mounted hand washer with 4 cm-high raised edge with "knee" control	48x35x26 h
9484-4040	345,00	Free-standing hand washer with "knee" control	40x40x80 h
9484-5040	354,00		50x40x80 h
9484-5050	384,00		50x50x80 h
9487-4040	513,00	Hand washer on cabinet, with 10 cm-high raised edge, hinged door and siphon included	40x40x95 h
9487-5040	531,00		50x40x95 h
9487-5050	567,00		50x50x95 h



Art. 9484-5040



Art. 9487-5040



CHANGING ROOM LOCKERS

- AISI 430 stainless steel sheet changing room locker
- Sloping roof
- Clothes hook
- Internal partition and shelves
- Lockable doors
- Shoe and hat racks
- Adjustable feet



Art. 9440



Art. 9442




Art. 9444

Article	€	Description	Max dim. cm
9440	620,00	Single locker	50x40x215 h
9442	965,00	2-Door locker	95x40x215 h
9444	1.190,00	4-Door locker	

- AISI 430 stainless steel sheet broom locker
- Sloping roof
- Internal partial partition, 3 adjustable shelves
- Lockable doors
- Adjustable feet



Art. 9460



Art. 9462

Article	€	Description	Max dim. cm
9460	690,00	1-Door locker	50x40x215 h
9462	990,00	2-Door locker	95x40x215 h

ROLL CONTAINERS

- Roll container composed of a wheeled platform, 2 side frames and 2 straps
- Bright zinc electroplated tubular frame and reinforcing bars
- Polypropylene castors, ø 10.6 cm - 2 swivel (red) and 2 fixed (black)




Art. 1812



Art. 1812 + A18122 + A18123

Article	€	Description	Max dim. cm	Packaging
1812	140,00	1 Platform + 2 side frames + 2 straps	72x81x180 h	NOTE: PACKAGING WITH TRANSPARENT FILM
Accessories				
A18121	5,00	Additional nylon strap		
A18122	53,00	Rear wall		
A18123	73,00	Front opening 2/3		
A18124	26,00	Shelf (max. 3 shelves)		

- Roll container composed of a wheeled platform, 2 side frames and 1 strap
- Bright zinc electroplated tubular frame and reinforcing bars
- Polypropylene castors, ø 10.6 cm - 2 swivel (red) and 2 fixed (black)



Art. 1826 + A18263



Art. 1826 + A18263 + A18264

Article	€	Description	Max dim. cm	Packaging
1826	195,00	1 Platform + 2 side frames + 1 strap	120x81x180 h	NOTE: PACKAGING WITH TRANSPARENT FILM
Accessories	€	Description		
A18262	4,00	Additional nylon strap		
A18263	71,00	Rear wall		
A18264	89,00	Front opening 2/3		
A18261	56,00	Shelf (max. 3 shelves)		

ROLL CONTAINERS

- Roll container composed of 1 wheeled platform and 2 or 3 fixed side frames (depending on the model)
- Welded stainless steel construction
- Removable central shelf (depending on the model)
- Swivel castors, ø 16 cm, 2 with brake



NEW



Art. 1830-EINOX



Removable shelf Art. 1831



Art. 1831-EINOX

Article	€	Description	Max dim. cm	Packaging
1830	972,00	1 Platform + 2 side frames	94x65x173 h	NOTE: PACKAGING WITH TRANSPARENT FILM
1831	1.150,00	1 Base + 2 side frames + 1 central shelf		
1832	1.045,00	1 Platform + 3 side frames	145x65x198 h	
1833	1.235,00	1 Platform + 3 side frames + 1 central shelf		

Optional	€	Description	Suitable for
E	133,00	Set with 4 resilient castors, 2 with brake	All articles
EINOX	245,00	Set with 4 stainless steel resilient castors, 2 with brake	





Art. 1832



Art. 1833

STAINLESS STEEL PLATFORM TRUCKS

- AISI 304 stainless steel sheet platform
- 1 or 2 stainless steel tube handles (depending on the model)
- 2 Fixed and 2 swivel castors, ø 14 cm



Art. 1895



Art. 1897-F



Art. 1897M2-F

Article	€	Description	Platform dimension cm	Max dim. cm
1895	227,00	1 pushing handle	60x60	60x70x97 h
1896	290,00		60x80	60x90x97 h
1897	321,00		60x100	60x110x97 h
1895M2	268,00	2 pushing handles	60x60	60x80x97 h
1896M2	336,00		60x80	60x100x97 h
1897M2	368,00		60x100	60x120x97 h
Optional	€	Description	Suitable for	
F	35,00	1 Set with 2 braked castors	All articles	



- Polyethylene base
- Fixed or folding handle in stainless steel tube (depending on the model)
- 2 Fixed and 2 swivel castors, ø 14 cm



NOTE: SUITABLE FOR OUTDOOR USE



Art. 1840



Art. 1841 folded



Art. 1842



Art. 1841

Article	€	Pushing handle	Description	Max dim. cm
1842	206,00	-	No pushing handle	92x57x27 h
1840	240,00	1	Stainless steel rigid round tube handle ø 2.5 cm	107x57x97 h
1841	262,00		Stainless steel folding square tube handle 2.5x2.5 cm	95x57x87 h
1840M2	279,00	2	Stainless steel rigid round tube handles ø 2.5 cm	107x57x97 h

Optional	€	Icon	Description	Suitable for
F	35,00	1	Set with 2 braked castors	All articles



MESH PLATFORM TRUCKS

- Bright zinc electroplated steel mesh platform
- Polypropylene swivel castors, ø 10.6 cm



Art. 1838



Art. 1836

Article	€	Max dim. cm	Packaging
1836	72,00	62x41x16 h	<div style="border: 2px solid red; padding: 5px; text-align: center;"> NOTE: PACKAGING WITH TRANSPARENT FILM </div>
1838	110,00	96x55x16 h	

- Stainless steel 2,5x2,5 cm square tube structure
- Grey rubber bumpers at the corners
- Castors, ø cm 12,5, 2 fixed and 2 swivel with brake



Art. 1899

Article	€	Max. dim. open with extended platform cm	Max. dim. unextended platform cm	Max. dim. closed cm
1899	672,00	159x60x88 h	110x60x88 h	110x60x26 h

HAND TRUCK

- Tubular frame and base in epoxy powder coated steel sheet, red colour
- Pneumatic wheels, ø 26 cm



Art. 1891


Article	€	Max dim. cm
1891	139,00	53x44x105 h

- Stainless steel wall-mounted vertical paper towel dispenser with internal unwinding, satin finish



Art. 2604

- Stainless steel wall-mounted horizontal paper towel dispenser, satin finish



Art. 2608

- Stainless steel wall-mounted paper towel roll holder




Art. 2603

Article	€	Description	Max dim. cm	Kg		 cm	
2604	141,00	Vertical paper towel dispenser	ø 25x32 h	3	M	28x28x40 h	4
2608	163,00	Horizontal paper towel dispenser	ø 30x33 h				
2603	86,00	Paper towel roll holder	38x17x26 h	1			

MODULAR SHELVING SYSTEMS

- Stainless steel round posts, \varnothing 4 cm, with notches every 10 cm for easy shelf placement
- Stainless steel sheet solid or perforated shelves with plastic angle supports and safety edges to eliminate sharpness
- Adjustable level feet
- Normal shelves: 100 kg/m load capacity
- Reinforced shelves: 150 kg/m load capacity
- Shelves for continuous run systems: 100 kg/m load capacity
- Hooks for continuous runs of shelving and "L"-shaped shelving units





NOTE: CUSTOM MADE SHELF DIMENSIONS UPON REQUEST



Solid shelf



Perforated shelf



SOLID shelves - Capacity 100 kg/m		
Article	€	Max dim. cm
PLI3080	49,00	80x30
PLI3090	53,00	90x30
PLI30100	57,00	100x30
PLI30110	60,00	110x30
PLI30120	63,00	120x30
PLI4080	55,00	80x40
PLI4090	60,00	90x40
PLI40100	64,00	100x40
PLI40110	68,00	110x40
PLI40120	73,00	120x40
PLI5080	62,00	80x50
PLI5090	67,00	90x50
PLI50100	71,00	100x50
PLI50110	77,00	110x50
PLI50120	82,00	120x50
PLI6080	68,00	80x60
PLI6090	74,00	90x60
PLI60100	79,00	100x60

PERFORATED shelves - Capacity 100 kg/m		
Article	€	Max dim. cm
PAI3080	51,00	80x30
PAI3090	54,00	90x30
PAI30100	58,00	100x30
PAI30110	62,00	110x30
PAI30120	65,00	120x30
PAI4080	57,00	80x40
PAI4090	62,00	90x40
PAI40100	67,00	100x40
PAI40110	71,00	110x40
PAI40120	76,00	120x40
PAI5080	65,00	80x50
PAI5090	70,00	90x50
PAI50100	75,00	100x50
PAI50110	81,00	110x50
PAI50120	86,00	120x50
PAI6080	72,00	80x60
PAI6090	78,00	90x60
PAI60100	84,00	100x60

Round posts, ø 3 cm - Adjustable feet		
Article	€	Max dim. cm
MT150	34,00	150
MT180	39,00	180
MT200	43,00	200


Accessories		
Article	€	Description
PAG001	4,00	Hooks

Reinforced SOLID shelves - Cap. 150 kg/m		
Article	€	Max dim. cm
PLIR30100	79,00	100x30
PLIR30110	84,00	110x30
PLIR30120	88,00	120x30
PLIR30130	93,00	130x30
PLIR30140	97,00	140x30
PLIR40100	87,00	100x40
PLIR40110	92,00	110x40
PLIR40120	98,00	120x40
PLIR40130	103,00	130x40
PLIR40140	107,00	140x40
PLIR50100	94,00	100x50
PLIR50110	101,00	110x50
PLIR50120	107,00	120x50
PLIR50130	113,00	130x50
PLIR50140	118,00	140x50
PLIR60100	102,00	100x60
PLIR60110	109,00	110x60
PLIR60120	116,00	120x60
PLIR60130	123,00	130x60
PLIR60140	129,00	140x60

Reinforced PERFORATED shelves - Cap. 150 kg/m		
Article	€	Max dim. cm
PAIR30100	81,00	100x30
PAIR30110	86,00	110x30
PAIR30120	91,00	120x30
PAIR30130	95,00	130x30
PAIR30140	101,00	140x30
PAIR40100	90,00	100x40
PAIR40110	95,00	110x40
PAIR40120	101,00	120x40
PAIR40130	107,00	130x40
PAIR40140	114,00	140x40
PAIR50100	98,00	100x50
PAIR50110	105,00	110x50
PAIR50120	111,00	120x50
PAIR50130	117,00	130x50
PAIR50140	124,00	140x50
PAIR60100	106,00	100x60
PAIR60110	114,00	110x60
PAIR60120	121,00	120x60
PAIR60130	128,00	130x60
PAIR60140	135,00	140x60

MODULAR SHELVING SYSTEMS

- Stainless steel sheet "L"-shaped posts, 3.5x3.5 cm
- Solid or perforated shelves in stainless steel sheet with safety edges to eliminate sharpness
- Stainless steel bolts included
- Optional adjustable feet
- Normal shelves: 100 kg/m load capacity
- Reinforced shelves: 150 kg/m load capacity



NOTE: CUSTOM MADE SHELF DIMENSIONS UPON REQUEST



MODULAR SHELVING SYSTEMS

SOLID shelves - Capacity 100 kg/m

Article	€	Max dim. cm
PLB3080	40,00	80x30
PLB3090	44,00	90x30
PLB30100	48,00	100x30
PLB30110	51,00	110x30
PLB30120	54,00	120x30
PLB4080	46,00	80x40
PLB4090	51,00	90x40
PLB40100	56,00	100x40
PLB40110	59,00	110x40
PLB40120	64,00	120x40
PLB5080	53,00	80x50
PLB5090	58,00	90x50
PLB50100	62,00	100x50
PLB50110	68,00	110x50
PLB50120	73,00	120x50
PLB6080	59,00	80x60
PLB6090	65,00	90x60
PLB60100	70,00	100x60
PLB60110	76,00	110x60
PLB60120	82,00	120x60

PERFORATED shelves - Capacity 100 kg/m

Article	€	Max dim. cm
PAB3080	42,00	80x30
PAB3090	45,00	90x30
PAB30100	49,00	100x30
PAB30110	53,00	110x30
PAB30120	56,00	120x30
PAB4080	48,00	80x40
PAB4090	53,00	90x40
PAB40100	58,00	100x40
PAB40110	62,00	110x40
PAB40120	67,00	120x40
PAB5080	56,00	80x50
PAB5090	61,00	90x50
PAB50100	66,00	100x50
PAB50110	72,00	110x50
PAB50120	77,00	120x50
PAB6080	63,00	80x60
PAB6090	69,00	90x60
PAB60100	75,00	100x60
PAB60110	81,00	110x60
PAB60120	86,00	120x60

"L"-shaped posts 3.5x3.5 cm

Article	€	Max dim. cm
MA100	20,00	100
MA130	23,00	130
MA150	24,00	150
MA180	29,00	180
MA200	31,00	200

Accessories

Article	€	Description
PR001	10,00	Adjustable support foot

Reinforced SOLID shelves - Cap. 150 kg/m

Article	€	Max dim. cm
PLBR30100	70,00	100x30
PLBR30110	76,00	110x30
PLBR30120	80,00	120x30
PLBR30130	84,00	130x30
PLBR30140	89,00	140x30
PLBR40100	78,00	100x40
PLBR40110	84,00	110x40
PLBR40120	90,00	120x40
PLBR40130	94,00	130x40
PLBR40140	99,00	140x40
PLBR50100	85,00	100x50
PLBR50110	93,00	110x50
PLBR50120	99,00	120x50
PLBR50130	104,00	130x50
PLBR50140	110,00	140x50
PLBR60100	93,00	100x60
PLBR60110	100,00	110x60
PLBR60120	108,00	120x60
PLBR60130	114,00	130x60
PLBR60140	121,00	140x60

Reinforced PERFORATED shelves - Cap. 150 kg/m

Article	€	Max dim. cm
PABR30100	72,00	100x30
PABR30110	76,00	110x30
PABR30120	80,00	120x30
PABR30130	86,00	130x30
PABR30140	92,00	140x30
PABR40100	81,00	100x40
PABR40110	86,00	110x40
PABR40120	91,00	120x40
PABR40130	98,00	130x40
PABR40140	105,00	140x40
PABR50100	89,00	100x50
PABR50110	95,00	110x50
PABR50120	99,00	120x50
PABR50130	108,00	130x50
PABR50140	115,00	140x50
PABR60100	97,00	100x60
PABR60110	103,00	110x60
PABR60120	109,00	120x60
PABR60130	119,00	130x60
PABR60140	127,00	140x60

NOTE



The
guarantee
of a firsthand
experience
for over
50 years

Metalcarrelli s.r.l.
Via A. Gagliani, 10/A
47814 Bellaria - Igea Marina -RN-
ITALY

•
ph: +39 0541 331627
fax: +39 0541 331561
info@metalcarrelli.com

•
metalcarrelli.com
